

SUPPLEMENT

TO THE

Ceylon Government Gazette

No. 7,302 — FRIDAY, DECEMBER 22, 1922.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF OCTOBER, 1922.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Marriages.

2. The marriages of residents in proclaimed towns numbered 340 (319 General and 21 Muhammadan), as against 354 in the preceding month. In Colombo the marriages of residents numbered 132 (116 General and 16 Muhammadan), as against 110 in the preceding month.

Births:

3. The births registered numbered 1,502 (753 males and 749 females), and were equivalent to an annual rate of 29·24 per 1,000, against 29·99 in the preceding month, 39·81 in the corresponding month of last year, and 28·61 the average for the corresponding months since 1912. The rate ranged from 13·63 in Kalmunai to 51·95 in Mullaittivu.

4. In the city of Colombo the births registered numbered 552 (275 males and 277 females), and were equivalent to an annual rate of 26·24 per 1,000, against 26·97 in the preceding month, 35·35 in the corresponding month of last year, 23·43 the average for the corresponding months since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 14·39 in St. Paul's to 35·43 in Wellawatta South.

Deaths.

5. The total deaths registered during the month numbered 1,437 (740 males and 697 females). There were 1,164 deaths of residents in towns, equivalent to an annual standardized rate of 24·70 per 1,000, against 25·37 in the preceding month, 30·36 in the corresponding month of last year, 30·96 the average for the month of October in each year since 1912. The rate ranged from 75·06 in Badulla to 7·99 in Weligama.

6. In the city of Colombo the deaths numbered 500 (261 males and 239 females). There were 424 deaths of residents, equivalent to an annual standardized rate of 23·38 per 1,000, against 23·88 in the preceding month, 30·04 in the corresponding month of last year, 28·45 the average for the month of October in each year since 1912. The rate, exclusive of the Fort and the Pettah Wards, ranged from 21·38 in New Bazaar to 6·44 in Wellawatta South.

7. The stillbirths registered numbered 130 (75 males and 55 females), as against 112 in the preceding month.

Infant Mortality.

8. The mortality of infants under one year of age was equal to a rate of 193 per 1,000 births registered during the twelve months ended October 31, 1922. Reckoned on the births registered during the month only the rate was 212, against 203 in the preceding month, 224 in the corresponding month of last year, and 234 the average for the corresponding months since 1912.

9. In the city of Colombo the mortality of infants was equal to a rate of 158 per 1,000 births registered during the twelve months ended October 31, 1922. Reckoned on the births registered during the month only the rate was 172, against 202 in the preceding month, 221 in the corresponding month of last year, and 254 the average for the corresponding months since 1912.

Causes of Death.

10. The highest mortality was from *Pneumonia* to which 13 per cent. of the total deaths was due; *Debility* caused 11 per cent., *Phthisis* and *Convulsions* 6 per cent. each, *Malaria* and *Malarial Cachexia*, *Diarrhoea*, and *Bright's Disease* and *Nephritis* 4 per cent. each, *Dysentery*, *Anchylostomiasis*, and *Enteritis* 3 per cent. each, *Prematurity*, *Bronchitis*, *Puerperal Septicæmia*, *Influenza*, and *Enteric Fever* 2 per cent. each, and *Tetanus* 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, which caused 15 per cent. of the deaths, *Phthisis* and *Debility* caused 9 per cent. each, *Convulsions* 4 per cent., *Enteritis*, *Bronchitis*, *Influenza*, and *Plague* 3 per cent. each, *Dysentery*, *Bright's Disease* and *Nephritis*, *Prematurity*, *Diarrhoea*, *Enteric Fever*, *Tetanus*, and *Puerperal Septicæmia* 2 per cent. each, and *Cancer* 1 per cent.

12. Fourteen deaths from *Plague* were registered (13 in Colombo and 1 in Galle), as against 15 in the preceding month, and 10 in the corresponding month of last year.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 150 cases were reported (124 in Colombo, 14 in Galle, 6 in Chilaw), *Chickenpox* followed with 63 cases (32 in Colombo, 13 in Badulla, 6 in Jaffna), *Enteric Fever* 47 (24 in Colombo, 6 in Moratuwa, 6 in Kandy), *Measles* 34 (23 in Colombo, 8 in Kandy), *Plague* 15 (14 in Colombo and 1 in Galle), *Continued Fever* 10 (7 in Colombo), *Mumps* 6 (4 in Colombo), *Dysentery* 2 (1 in Moratuwa and 1 in Matale), *Smallpox* 2 (in Colombo), and *Diphtheria* 1 (in Colombo).

Meteorology.

14. *Rainfall.*—Gampola recorded the highest rainfall (24·13 in.), followed by Kurunegala (21·91 in.). In the other towns it ranged from 21·63 in. in Badulla to 1·63 in. in Matara. Colombo recorded 10·92 in.

15. *Temperature.*—The mean temperature varied from 60·6° in Nuwara Eliya to 82·0° in Mannar and Trincomalee, and was 80·2° in Colombo.

16. For detailed statistics see Tables I. and II. for all towns, and Tables III. and IV. for the city of Colombo in the Appendix.

Table I.—Number of Marriages, Births, and Deaths registered during October, 1922, the Proportion of Births and Deaths per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding Months since 1912, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns	Population exclusive of the Military and Shipping (at the Census) of March 18, 1921.	Estimated population to the middle of 1922 by Intercensal Increase.	Mortality of Children under One Year.										Mean Temperature in October, 1922.	
			Stillbirths.					Deaths.						
			Total Marriages.	Total Births.	Females.	Males.	Persons.	Females.	Males.	Females.	Males.	Per annum to 1,000 births registered during the year ended the last day of October, 1922.		
All 33 Towns.	597,492	604,810	319	—	21	340	753	749	1,502	740	697	1,437	—	
Western.	Colombo	244,163	247,668	116	16	132	275	277	562	261	239	500	29	
Negombo	27,639	27,899	48	—	48	39	38	77	19	16	35	90	14	
Moratuwa	41,855	42,386	28	—	28	71	54	125	48	56	104	2	6	
Kalutara	13,595	13,674	5	—	5	10	21	31	18	14	32	9	3	
Panadura	10,747	10,813	12	—	12	13	19	32	9	16	25	2	1	
Central.	Kandy	32,916	32,916	15	1	16	60	46	106	40	44	8	2	
Gampola	6,202	6,295	—	—	—	7	9	16	8	6	14	2	4	
Nawalapitiya	3,221	3,287	1	—	1	7	6	13	8	6	14	1	1	
Habuton-Dikoya	2,940	2,950	—	—	—	3	2	5	5	9	14	—	—	
Matale	7,865	7,919	1	—	1	9	6	15	11	17	28	1	1	
Nuwara Eliya	7,029	7,173	3	—	3	13	12	25	8	7	15	1	1	
Southern.	Galle	39,073	39,186	19	—	2	21	39	44	83	48	35	2	
Ambalangoda	3,347	3,468	5	—	5	4	5	9	—	1	1	1	—	
Matale	16,779	16,846	2	—	2	17	30	47	21	19	40	4	2	
Wellawaya	9,225	9,299	5	—	5	10	17	27	3	4	7	1	1	
Hambantota	2,849	2,879	—	—	—	8	3	11	5	9	14	—	—	
Tangalle	4,896	4,918	4	—	4	6	10	10	5	15	—	3	—	
Northern.	Jaffna	42,436	42,699	25	—	25	67	50	117	50	44	94	5	
Manar	3,705	3,714	7	—	7	7	9	16	2	6	8	—	—	
Mullaitivu	1,563	1,636	1	—	1	3	4	7	3	1	4	—	—	
Vavuniya	936	954	—	—	—	2	2	4	2	4	6	—	6	
Eastern.	Batticaloa	10,684	10,615	6	—	6	8	11	19	15	5	20	—	
Kalmunai	2,686	2,692	—	—	—	5	3	3	7	7	14	3	—	
Trincomalee	9,414	9,491	5	—	5	8	16	24	16	15	31	2	1	
North-Western.	Kurunegala	10,187	10,420	1	—	1	9	8	17	28	16	44	1	
Puttalam	6,905	7,032	—	—	—	12	8	20	15	8	23	1	1	
Kalpitiya	1,608	1,610	—	—	—	1	1	7	3	2	3	3	—	
Chilaw	6,642	6,810	1	—	1	1	1	7	14	16	11	27	1	
North-Central.	Anuradhapura	7,781	8,163	5	—	5	4	7	11	14	16	30	2	
Uva.	Badulla	8,126	8,308	—	—	—	19	10	29	22	34	56	8	
Lunugala	526	527	—	—	—	1	1	2	7	8	15	1	2	
Sabaragamuwa	Ratnapura	7,014	7,140	3	—	4	11	9	20	8	11	32	2	
Kegalla	3,508	3,573	1	—	1	6	6	12	11	7	18	1	1	

a The factor applied for standardizing the crude death-rates is the same as that for the past decade.
 * Blanks indicate data not available.
 † Standardized death-rates not available.

Table II.—Causes of Deaths by Sex registered during October, 1922, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

* 3 deaths from Atelectasis and 2 from Intra-Cranial Haemorrhage (in Colombo).

seems from a teleological point of view to be the best explanation of the facts.

1 death from Under-development and 1 from Intra-Crania. Haemorrhage (in Colombo) 1 death from Under-development and 1 from Intra-Crania. [from Latona and Cella] 1 from Moreton Bay. 1 from Calcutta.

which includes diseases mentioned in Table IV. 3. In the following table, the first column gives the names of the diseases, the second column the number of cases mentioned, the third column the number of deaths, and the fourth column the percentage mortality.

Influenza and Pneumonia (each in 1000 deaths); 2 from Malaria (each in 1000 deaths).

Table II.—Causes of Deaths by Sex registered during October, 1902, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. I of 1895—*continued.*

Causes of Deaths.	Northern Province.		Eastern Province.		North-Western Province.		Provinces of Uva.		Province of Sabaragamuwa.		Deaths among all Races.															
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Causes.	..	50	44	2	6	3	1	2	4	15	5	7	7	16	15	8	2	1	16	11	14	16	22	34	7	8
I.—Infantile Mortality.	19	15	2	5	1	—	—	1	3	2	2	3	2	3	1	1	1	1	4	3	2	1	1	1	1	1
A.— <i>One Week and under.</i>																										
1. Prematurity	..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	..	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.— <i>Over 1 Week and under 1 Year.</i>																										
1. Prematurity	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	..	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

(4)

Table II.—Causes of Deaths by Sex registered during October, 1922, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Deaths.	All 38 Towns.						Western Province.						Central Province.						Southern Province.						
	M	F	Total	M	F	M	F	M	F	M	F	M	M	F	M	F	M	F	M	F	M	F	M	F	
II.—General Mortality (1 Year and over).																									
1. Plague	572	547	1,119	204	18	34	14	12	33	32	6	6	8	6	4	8	1	19	13	3	4	5	7	9	5
2. Smallpox	12	2	14	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	15	6	21	11	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever	1	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	13	10	23	6	4	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
8. Malaria	26	12	38	3	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
9. Malaria, Cachexia	16	4	20	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	53	5	5	4	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	31	22	53	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11a. Enteritis	17	17	34	7	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Dysentery	26	23	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Ankylostomiasis or Dochmiasis Duodenalis	21	20	41	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	4	8	12	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
15. Phthisis	38	52	90	21	26	2	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
16. Other Tuberculous Diseases	2	3	5	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	6	3	9	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions	14	14	28	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Totanus	5	1	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
21. Bronchitis	13	12	25	6	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Pneumonia	89	67	156	35	28	2	3	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23. Other Diseases of the Respiratory System	6	5	11	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	25	28	53	6	6	—	—	4	1	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Eclampsia	—	6	6	—	2	—	—	8	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicæmia	—	25	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	21	21	—	—	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	29	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	20	9	29	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	3	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	2	—	57	74	4	7	11	14	8	4	1	4	6	12	2	1	2	2	2	2	1	2	1	3	2
34. All Other Causes	166*	174†	340	57	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1

* Here are included 45 deaths from Old Age, 11 from Debility, 15 from Intestinal Parasites, and 8 from Paralysis.

† Here are included 46 deaths from Old Age, 19 from Debility, 24 from Intestinal Parasites, and 13 from Paralysis.

Table II.—Causes of Deaths by Sex registered during October, 1892, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1893—*continued.*

Table III.—Number of Births and Deaths registered during the Month of October, 1922, and the Deaths of Children under One Year, and their Proportion per 1,000 of the Registered Births, together with the Average Birth- and Death-rates for October, 1912 to 1921, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March, 1921.	Population estimated to the middle of 1922 by Intercensal Increase.	Total Births.						Total Deaths including Deaths in Hospitals and Jails.						Mortality of Children under one Year.							
			Stillbirths.	Males.	Females.	Persons.	Males.	Females.	Males.	Females.	Persons.	Males.	Females.	Deaths of Non-residents.	Deaths of Residents.	Total Deaths including Deaths in Hospitals and Jails.	Per Mille per Annun.	Birth-rate.*	Death-rate.*	Standardized Death-rate, October, 1922. [†]	Its proportion per annum to 1000 births registered during October, 1922.	
City of Colombo ..	244,163	24,4668	275	277	552	29	28	57	261	239	500	76	424	26·24	23·43	20·16	24·64	23·38	95	172	158	—
Fort and Galle Face	2,690	2,729	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	—	—	—	—
Pettah ..	7,601	7,710	1	—	1	—	—	—	6	1	7	—	7	1·63	4·30	10·69	11·91	—	2	—	—	—
St. Paul's ..	23,395	23,731	15	14	29	3	2	5	20	22	42	—	42	14·39	15·96	20·84	20·00	—	10	345	294	—
San Sebastian ..	11,492	11,657	9	9	18	—	—	—	7	14	21	—	21	18·18	17·30	21·21	22·00	—	4	222	216	—
Kotahena North ..	18,683	18,951	18	16	34	1	—	1	17	8	25	—	25	21·12	23·00	15·53	23·09	—	10	294	168	—
Kotahena South ..	27,488	27,882	24	23	47	1	4	5	19	22	41	—	41	19·85	17·32	17·32	—	—	6	128	128	—
New Bazaar ..	23,341	23,676	20	20	40	2	1	3	18	25	43	—	43	19·80	22·44	21·38	22·38	—	8	200	196	—
Maradana Hospitals ..	—	65	82	147	17	15	32	88	70	158	61	97	—	—	—	—	—	21	—	—	—	
Maradana North ..	30,404	30,841	30	29	59	1	4	5	22	21	43	—	43	22·53	18·07	16·42	18·77	—	9	153	172	—
Maradana East ..	8,693	8,716	9	8	17	—	—	—	9	7	16	2	14	22·96	18·91	11·27	18·77	—	4	235	235	—
Maradana South (exclusive of Hospitals) Slave Island ..	18,531	18,797	15	10	25	—	1	1	10	8	18	—	18	15·66	11·27	11·27	—	—	6	240	200	—
Kollupitiya ..	23,752	24,094	12	20	32	3	—	3	19	15	34	13	21	15·65	11·76	10·27	8·80	—	2	62	65	—
Wellawatta North ..	15,816	16,043	24	14	38	1	—	1	9	7	16	—	16	27·89	11·74	32·56	6·44	—	3	79	95	—
Wellawatta South ..	10,813	10,968	15	18	33	—	—	—	3	3	6	—	6	35·43	—	—	—	—	2	61	2	—

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards.

† "Standardized death-rates," for the wards of the city are not available.

Table IV.—Causes of Deaths by Sex registered during the Month of October, 1922, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
				Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
	M	F	P.	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	261	239	500	2	—	6	1	20	22	7	14	17	8	19	22
I.—Infantile Mortality	57	38	95	—	—	2	—	4	6	1	3	8	2	3	3
A.—One Week and under.															
1. Prematurity	6	3	9	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	7	10	17	—	—	1	—	1	2	1	1	1	1	—	1
3. Convulsions	4	3	7	—	—	1	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	5*	2†	7	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.															
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	2	1	2
2. Debility	13	5	18	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	2	6	8	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	8	4	12	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	6‡	2§	8	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over).	204	201	405	2	—	4	1	16	16	6	11	9	6	16	19
1. Plague	11	2	13	—	—	1	—	4	—	—	1	—	—	—	1
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	11	3	14	—	—	1	—	1	—	3	1	1	—	—	1
6. Pyrexia or Fever	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	6	4	10	—	—	—	—	—	—	1	—	—	1	1	—
8. Malaria	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	5	5	10	—	—	—	—	—	—	—	—	—	2	—	3
11a. Enteritis	7	6	13	—	—	—	—	—	—	—	—	—	—	1	—
12. Dysentery	7	5	12	—	—	—	—	—	—	—	—	—	—	—	—
13. Anchyllostomiasis or Dochmias Duo-denalis	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	3	4	7	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	21	26	47	—	—	—	—	—	—	3	—	—	2	3	2
16. Other Tuberculous Diseases	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	3	1	4	—	—	—	—	—	—	—	—	—	1	—	1
19. Convulsions	2	4	6	—	—	—	—	—	—	1	—	—	1	1	—
20. Tetanus	5	1	6	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis	6	5	11	—	—	—	—	2	—	1	—	—	2	—	2
22. Pneumonia	35	28	63	—	—	—	—	5	2	1	—	—	—	—	2
23. Other Diseases of the Respiratory System	3	1	4	—	—	—	—	1	—	—	—	—	—	—	1
24. Bright's Disease and Nephritis	6	4	10	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Eclampsia	—	2	2	—	—	—	—	1	—	—	—	—	—	—	—
26. Puerperal Septicaemia	—	8	8	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	12	12	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	6	3	9	—	—	—	—	—	—	2	7	2	4	3	2
31. Homicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	57	74	131	1	—	—	—	—	—	2	7	2	4	3	5

* Three deaths from Atelectasis and 2 from Intra-Cranial Haemorrhage.

† One death each from Under-development and Intra-Cranial Haemorrhage.

‡ Two deaths from Syphilis and 1 each from Rickets, Influenza, Peritonitis, and Nephritis.

§ One death each from Syphilis and Worms.

|| Here are included 14 deaths from Old Age, 7 from Diseases of the Heart, 5 from Debility, and 4 from Marasmus.

¶ Here are included 20 deaths from Old Age, 7 each from Paralysis and Marasmus, 6 from Worms, and 5 from Debility.

Table IV.—Causes of Deaths by Sex registered during the Month of October, 1922, in each Ward and of each Race in the City of Colombo—continued.

Table IV.—Causes of Deaths by Sex registered during the Month of October, 1922, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.		Deaths among all Races.																Others.			
	Wellawatta South.		Europeans.				Burghers.				Sinhalese.				Tamil.				Moors.			
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	3	3	1	1	8	14	143	119	60	53	31	40	8	9	10	3						
I.—Infantile Mortality	2	—	—	—	—	—	1	37	15	9	12	6	7	3	3	2	—	—	—	—	—	—
A.—One Week and under.							1	5	1	2	1	4	—	—	—	—	—	—	—	—	—	—
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over).	1	3	1	1	8	13	106	104	51	41	25	33	5	6	8	3						
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Anchyllostomiasis or <i>Dochmias</i> <i>Duodenalis</i>	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16. Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23. Other Diseases of the Respiratory System	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents or Negligence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—