SUPPLEMENT

TO THE

Ceylon Government Gazette

PART I.

MARCH 1924. No. 7,380 — FRIDAY,

IN VITAL **STATISTICS** OF TOWNS IN **CEYLON** THE MONTH OF DECEMBER. 1923.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island, proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The marriages of residents in proclaimed towns numbered 297 (263 General, 5 Kandyan, and 29 Muhammadan), as against 341 in the preceding month, and the same in the corresponding month of last year. In Colombo the number of marriages was 101 (83 General and 18 Muhammadan), as against 108 in the preceding month, and 121 in the corresponding month of last year.

Births.

3. The births registered numbered 1,596 (830 males and 766 females), and were equivalent to an annual rate of 30.77 per 1,000, as against 31.54 in the preceding month, 33.89 in the corresponding month of last year, and 29.99 the average for the corresponding months since 1913. The rate ranged from 12.16 in Vavuniya to 89.11 in Lunugala.

4. In the city of Colombo the births registered numbered 607 (323 males and 284 females), and were equal to an annual rate of 28:54 per 1,000, as against 27:45 in the previous month, 31:09 in the corresponding month of last year, and 24.73 the average for the corresponding months since 1913. The rate, exclusive of the Fort and the Pettah Wards, ranged from 11.77 in Maradana South (exclusive of hospitals) to 27.99 in Maradana East.

Deaths.

5. The total deaths registered during the month numbered 2,010 (1,033 males and 977 females). There were 1,649 deaths of residents in the towns, equivalent to an annual standardized rate of 34 39 per 1,000, as against 30.49 in the preceding month, 36.26 in the corresponding month of last year, and 33.18 the average for the month of December in each year since 1913. The rate ranged from 86.80 in Kalmunai to 14.21 in Tangalla.

In the city of Colombo the deaths registered numbered 803 (435 males and 368 females). deaths of town residents, which corresponded to an annual standardized rate of 37.47 per 1,000, as against 32.56 in the preceding month, 36 40 in the corresponding month of last year, and 31 87 the average for the month of December in each year since 1913. The rate, exclusive of the Fort and Pettah Wards, ranged from 33:44 in New Bazaar to 12:08 in Kollupitiya.
7. The stillbirths registered during the month numbered 146 (86 males and 60 females), as against 119 in the

Infant Mortality.

The deaths of children under one year amounted to 458 and corresponded to a rate of 274 per 1,000 births registered during the twelve months ended December 31, 1923. Reckoned on the births registered during the month only the rate was 287, as against 254 in the preceding month, 282 in the corresponding month of last year, and 285 the average for the corresponding months since 1913.

9. In the city of Colombo the deaths of children under one year numbered 176 and corresponded to a rate of 292 per 1,000 births registered during the twelve months ended December 31, 1923. Reckoned on the births registered during the month only the rate was 290, as against 274 in the preceding month, 242 in the corresponding month of last

year, and 304 the average for the corresponding months since 1913.

Causes of Death.

10. The highest mortality was from Pneumonia, to which 13 per cent. of the total deaths were due. (of children under one year) caused 8 per cent. of the deaths, Convulsions and Phthisis 7 per cent. each, Enteritis, Malaria and Malarial Cachexia, and Dysentery 5 per cent. each, Diarrhæa 4 per cent., Prematurity, Anchylostomiasis, Bright's Disease and Nephritis 3 per cent. each, Bronchitis and Enteric 2 per cent. each, Plague, Influenza, and Puerperal Septicæmia 1 per cent. each.

11. In Colombo the highest mortality was from *Phthisis*, which caused 11 per cent. of the total deaths. *Pneumonia* caused 10 per cent. of the total deaths, *Debility* (of children under one year), *Convulsions* and *Enteritis* 7 per cent. each, Dysentery 4 per cent., Plague, Influenza, and Enteric Fever 3 per cent. each, Prematurity, Bronchitis, Malaria and Malarial Cachexia, and Bright's Disease and Nephritis 2 per cent. each, Anchylostomiasis and Puerperal Septicamia

1 per cent. each.

Twenty-one deaths from Plague (15 males and 6 females) were registered in Colombo, as against 12 in the 12.

12. Twenty-one deaths from Plague (15 males and 6 females) were registered in Colombo, as against 12 in the preceding month and 30 in the corresponding month of last year.

13. Infectious Diseases reported.—The infectious disease most prevalent during the month was Phthisis, of which 124 cases were reported (113 in Colombo, 4 in Batticaloa, 3 in Galle), Chickenpox followed with 61 cases (56 in Colombo), Enteric Fever 44 (36 in Colombo, 3 in Ratnapura, 2 in Galle), Plague 27 (in Colombo), Measles 20 (7 in Ratnapura, 5 in Colombo, 3 in Kandy, 2 in Nawalapitiya), Dysentery 10 (5 in Kalutara, 2 each in Panadure and Ambalangoda), Mumps 9 (7 in Colombo), Continued Fever 7 (6 in Colombo and 1 in Kandy), Smallpox 2 (in Colombo), and Diphtheria 2 (1 in Colombo and 1 in Galle). Meteorology.

14. Rainfall.—Vavuniya recorded the highest rainfall (28.45 in.). In the other towns the rainfall ranged from 28.13 in. in Batticaloa to 5.17 in. in Tangalla. Colombo recorded 9.02 in.

15. Mean Temperature. -The mean temperature varied from 79.6° in Ratnapura to 59.6° in Nuwara Eliya, and was 79.0° in Colombo.

16. For detailed statistics, see Tables I. and II. for all towns, and III. and IV. for the city of Colombo, in the Appendix.

Registrar-General's Office, Colombo, January 25, 1924.

(1)

Table I.—Number of Marriages, Births, and Deaths registered during December, 1923, the Proportion of Births and Deaths per 1,000 of the Population per Annum, and the Stillbirths and Deaths of Children under One Year and their Proportion per 1,000 Registered Births, together with the Average Birth- and Death-rates in the corresponding Months since 1913, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

-		'				-			-	Deatha	١	St	Stillbirths		of he of	U	TOT.	Birth-rate.	- exe	nding	Deau-raus excluding Non-residents.	anta.	DIOLOG	I on O	Mortality of Children under	٠	
	Population	Lactor		Marriages	ges.	_	Birtns	tus.		n nort	4	1	-	1	Non-			10		0	O to m do and frond	Ť		SC			.84
Provinces and Towns.	of the of the and Ship-ping at the Census I	estimated to the middle of 1923 by Intercensal Increase.	General.	Kandyan.	dan.	Total.	Females.	Persons.	. səles.	Females.	Persons.	Males.	remalcs.	Persons. 통유통급	residents of Towns registered in Town Hospitals and Jalls.	T to eathed estables #	December 1923	Average Birth-rate f Tecember,	Crude, December,	. 1923.	Dec., 7928, Deat 1918	Average Death-rate for Dec., 1918-1922. K	tered during. Dec., 1923.	trid 000,1 ot beretered beretered beretered beretered	tis proportion per annum to 1000 births registered during the last day of December, 1923.	пзитерпет пд	edoal al llatai
Ali 33 Towns	597,371	610,623	263	20	29	297 8	830 76	766 1,58	596 1,03	33 977	7 2,010	98	18	146	358 1	1,649	80 - 77	8	99 81	80 84	•39	3 · 18	458	287	274	ме	a.B
ern.	_,	107 020	}		~				607	ಣ	ļ .		c/l	64	111	692	28.5	- 7 2	8	55	74	1.87	176	280	292	0.62	9.03
: :	27,639	28,103	16		4								01 ro]]]	²²	110	98	2 4	8 6 8 8 8 6	6 6 K	22.0	7.31 7.31	S 21	328 320 320	342 426	11	19.1
::	13,596	13,735		Π		200	5 67 2	42		202	20 40	10 A	11	ত ক	° ∞ 4	888	40·29 39·02	30.	24.	43 27 93 26	2 20	30·15 21·35	00 kG	139	173 1 6 7	11	15.00
Panadure Central.	10,747	10,864											ক	ıcı	. 8	69	42	33	24	47 26	08	31 -87	833	193	. 523	74.6	15.23
Kandy Gampola	32,562 6,202	33,195 6,369	×	N	81	N III	223		227			-1-0	71	<u>€1</u> —	4 =	13	13		24. 36		-1/ -5	28 39 39 08		273	188 1	11	16 · 92 11 · 64
Nawalapitiya‡ Hatton-Dikoya	3,221 2,940	9,623 1,958		11-	<u> </u>				41 00 E	_ _ 	1 4 8	3 23 2	61	1 60	27.82	112		36	31		51.48 3(30.25 45.36	200	250 278	259 380	1 1	
Matale Nuwara Eliya	7,865	7,288	- 61	1	 	1 61		121	31			က	₹.	<u>-</u>	_	14	<u></u>	2	22			3.26	**	97	129 -	•	12.40
Southern.	6.2	39,274	- c1	T					10	8 0.7	- 1	9	23	<u></u>	.0g	126	32.98	5 5 8 7 8 8		$\frac{77}{02}$ 36.	96 83	5.59	e 2	300	258 214	9.8.	00.6
Ambalangoda	3,347	3,565 16,898	en F~	T	П	თ 1∽	4 E		2.4	27	- 41	25.5		ကြော	14	8	S 5	44	22.5	92	20 %	27 - 44	00 00	182	153 260	11	7.45
na		9,206	*	П	П		21.0	40	35	1 9 1		୍ର <u>କ</u>	<u> </u>	4 74	ء س	9	‡ †	125	36.	20.0	100	22.2	10.4	455	370	78.7	8.80
Tangalla	4,896	4,935	TO.	T			10	00	62	त्त	4	ì	İ	1	31	9	31.01	9 - 7		-	7.3	45.6	#	900	077	•	77.0
Northern. Jaffna.	4	12,905	27	T	-9	33	14.	27 11	93			15	10 co	01	90 t~	106	250	3 8	70 29 · 68 22 ·	8 %	58 43	2.97 3.43	85 44 52	366 125	161	7.1.7	$\frac{21.25}{18.30}$
Mannar Mullaittivu	1,563	3,721 1,605				ا 			2 63 -) 10	1 60 60	I 1	ĪĪ	11	ଠା ଓ			34. 20		28	.29 •46	3.57	1 7	11	512		25.00 28.45
Vavuniya Bastern	10 584	900			- 	7 70			• 8	1		4		1	C)	22	19	30			34	2.27	90 1:	444	260	78.0	28.13
Kelmunsi Tringmeles	2,586	2,597	ကက	TT	1	ကက	9 1-		122	11 41	নত	1 T	"	ı	4	33	54·41 14·79	28	.53 86 15 .74 40 68	15 86 68 42		-08·9	o 4₁	333	206	78.0	24,16
North-Western.	10 187	10,605	ಣ			. 4	12		02	**	-1	9		ব	27	29	22.2	39.	32.	37	•41	40 33	010	200	348	77.6	12.38
Kaloitiva	6,905	7,133		TT	7	f 1	6 9	9-	70.	22	- 63	9 - 8 9 - 8	-	ا ،	9 9	8 7 - 1	51.1	9 8 7	64 49 40 51	. 13 K	733	20 + 6 27 + 5	⇒ 31 4	286 400 400	620 221	- 1	14.04 6.73
ntra	6,642	6,943	গ	1	1	ত্য	2/1		<u>-</u>				<u> </u>	4	O.T	0	1 6	5 6	1 1	1 6	3 5	1 4	, ,	887	706	76.4	18.80
Anuradhapura	7,781	8,472	63	1	1	61	63	9	12	22 1	9 41	<u> </u>	1	<u> </u>	1	4	20.85	57	36	80 06	7 17.	7	2	9	0	# 2	3
Uva. Badulla Lunugala	8;126 526	8,454	ا ش	01	$\frac{1}{1}$	λΩ I	<u>04</u>	4.	£13	8 22	40	153	1-	1	13.2	41	18·11 89·11	41 26	.35 57 .03 44	.55 50	22.25	48.07	₇₀ 89	385	256	8.01	21.79
Sabaragamuwa. Ratnapura	7,014	7,239	01 4	11		क /	11	6	138	- 15 8 - 17 1	10 00	30 2 24 1	67	4 ≓	, 19 16	11.8	29.28 42.24	3 31 · 54	17	·89 19	·51 31	1 • 35 3 • 58	64.4	111 308	105 399	9.62	8.35
on bank	2006		1	1	-	-		ľ		١.			1				500										

Blanks indicate that there are no observatories or rain gauges.
 Not available.
 Limits of the town has been extended as from February. 1923

Table II.—Causes of Deaths by Sex registered during Decem	ths by Se	sx registe	red dur	ing Dec	Zone Ome	13	33,	in eg	qot l	Том	ber, 1923, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.	the	Isla	l pu	oroc	laim	led 1	nuq	r Se	etio	ns S	1-3	10 g	the	, Or	dina	nce	S	10	18	92.	1
					లాక్డ్ "	ester	n Pro	western Province.						£.	ප	antral	Central Province.	dage.								Sout	hern	Southern Province	nce.			
Causes of Deaths.	TA .	All 33 Towns.	•	Сојошро		Negombo.		.ewistatoM	Kalutara.		Panadure.		Kandy.	Gampola.		.avitigalawañ		Hatton-Dikoya.	.elataM	+0×90 0 m	Nuwara Ellya.	4	Galle.		Ambalangoda:	.stataM	*9*909***	Wellgama.		.atotasdmaH		-silegusT
•	M	E	Total.	K	# K	Et	Z	Eq.	×	Ça,	H	×	ja j	×	Fa	H	M A	5a	7	Fe ₁	<u> </u>	N A	- Eq.	×	[Eq.	Z	fa ,	×	M.	14	≥ ≤	j j
All Causes	1,033	977	2,010	435	368 4	41 3	39 47	63	20	8	16 1	11 46	41	01	-	- E	21	4	19	ສ	70	10 7	8 02	86 4	9	27	8	1 1	19	9	4	4
I.—Infantile Mortality	230	528	458	8.7	89 1	10 1	10 20	22	9	8	69	2 12	7	រភ	.	<u> </u>		. #	, 01	• ••	81		16 1	171		- 64	8	61	9	4	8	
A.—One Week and under.																								-								
1. Prematurity 2. Debility 3. Convulsions 4. Diarrhoea 6. Tetanus 6. Tetanus 7. Pneumonia 8. Other Causes	300000000000000000000000000000000000000	19 28 15 11 1 1	80 00 00 00 00 00 00 00 00 00 00 00 00 0	561- 1	0.08	401	<u> ~~~ </u>	31 31 11 11 11	-11111111		-	21-44			11711111					19			6-6 6	<u> </u>			11-11111	1 2 1 1 1 1				.11111111
B.—Over 1 Week and under 1 Year.				٠.	·						·						 									~ -L,			,			
1. Prematurity 2. Debility 3. Convulsions 4. Diarrhœa 4a.Enteritis 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes	45 34 34 15 15 15 15 19‡	444 322 10 14 11 11 26§	99 94 96 94 99 99 99 99 99 99 99 99 99 99 99 99	0.11 4 8 8	00 E 20 4 20 1	11111	19001 101	1000	07	11-1112		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 - 2 2 2	11-111-11						नना । । । । । -			mm -	1			11.6.	THE STATE OF THE 	- - - -		4	

One death each from Cerebral Haemorrhage, Atelectasis, and Gastritis (in Colombo); and one death each from Accidental Fall, and Ulceration of Naval cord (in Galle).

† One death each from Atelectasis and Difficult Labour (in Colombo).

† One death each from Atelectasis and Difficult Labour (in Colombo).

† One death each from Atelectasis and Difficult Labour (in Colombo).

† One death each from Atelectasis and Difficult Labour (in Colombo).

† One death each from Atelectasis and Difficult Labour (in Colombo).

† One death each from Stomatitis (in Kalutara). I from Ulcer (in Galle).

† Series 8 cases mentioned in Table IV., footnote §, I death each from Malaria (I in Puttalam and 2 in Anuradhapura). I from Moratuwa, Ambalangoda, and Puttalam); I from Stomatitis (in Kalutara); 2 from Dysentery (I each in Kalutara and Kandy); 2 from Syphilis (I each in Kandy and Tangalla); I from Fever (in Matale): 2 from Influenza (I each in Galle and Weligama); I each from Erysipelas and Croup (in Jaffina); and I from Malarial Cachexia (in Puttalam).

60

11-11-1 -11111111 Ħ .arears. ----31 1111111. Table II.—Causes of Deaths by Sex registored during December, 1923, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—commund × 01--18 10 £, Mala ya. 6 | 1 | 1 | 1 | 1 12 8 | | 22 Σ 0143 | C C | | C 4 4 38 132148 Ħ Deaths among all Races. Moors. 100-- | 00 25 4.00 Ħ 20 537 534 280 246 49 1 7 70% - FO | 10 | 10 0 10 F 1104 | 12 | | 7 L C L C D 4 61 Ħ 4 121 128 88300014FF 814 0 | | 8 Ħ 5 173 4 2 6 6 6 7 5 Ħ H 1 2 2 2 1 11 ---8 Ħ 00 - | | | | | Ħ Europeana. ١ K 16 Ħ Province of Sabaragamuwa Ö Ç) × 15 Fq esensburs. 15 Ħ Province of Uva. **F**4 ranagapa. 00 × 7 28 54 Badulla. co 17 1 01 1 × 19 North-Central Province. 111 | | 14 F .amgedbamaA 9 22 1111111 11111 × 8 1 1 1 1 1 1 1 F Сріјам. 17 Ħ North-Western Province. 63 F Kalpitiya. ı, ¥ ñ 1-1111 11 þ Puttalam. - 6 | | | 22 Z, 27 -- 87 | ĬΞ 29 60 Z 19 ĺπ 14 Ħ Eastern Province. -61 12 Ħ Kalmunal. 11 × 1-111111 13 Ħ Batticaioa. 11 × 3 11111 .syinuvsV Ď Ħ 3 Ī Northern Province. Mullaittlvu. ₩ Ħ 4 Asnusit. 7 10 × 16 9 -----3- 0 0 0 0 ju Laffna. 18 55 61 82 201 20 -- 1ĸ :::::::: : i.—Infantile Mortality. B.—Over I Week and under I Year. A.—One Week and under. Causes of Deaths. 1. Prematurity
2. Debility
3. Convulsions
4. Diarrhosa
4a. Enteritis
5. Tetanus
6. Bronchitis
7. Pneumonia
8. Other Causes 1. Prematurity
2. Debility
3. Convulsions
4. Diarrhœu
4a.Enteritis
5. Tetanus
6. Bronchitis
7. Pneumonia
8. Other Gauses All Causes

Cautes of Deaths. Cautes of Deaths. Cautes of Deaths. All 39 Towns. All 30 Towns. Al	-			Centra	Central Province.				Southern Province	ovince.		
Mortality (1 Year and Son Towns.) Mortality (1 Yea												
Mortality (1 Year and 803 749 1,552 848 279 31 15 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	-swntstoM	.eralulaz	.yhask	sloqmak.	Istton-Dikoya	fatale.	Vuwsta Ellya. Palle,	.sbogasladm,	.atatal	Veligama,	.atotnadmal	.silagas'
Mortality (1 Year and 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Z	E E	K.	N N	I Z	F4	F M	H	×	N N N		L E
15 15 15 15 15 15 15 15	29 27 41 15	17 13	34 30 5	9 10	8 8	17 12	9 9	8	75.	7 6	rc	°
Cachexia		1	<u>'</u>	Τ.	1	Т	1	1		2	ļ.	0
The state of the Reservation of the Reservations of the Reservatio	 		 						11	 	1 1	11
Trever 1 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1					 					 - -	1	
Cachexia 16 20 36 14 2					 		'	• - 		 		11
Cachexia 13 13 26 12 15 15 15 15 15 15 15 15 15 15 15 15 15	1 1 0	 - 	 		 	-		 -		'	1	1
tomissis or Dochmius y tromissis or Dochmius nalis halitus liseases and Nephritis: 26 37 44 28 46 46 100 20 12 14 11 21 22 14 11 21 22 14 11 23 100 20 11 21 21 21 21 22 23 24 25 26 28 26 27 28 26 27 28 28 29 29 29 20 20 20 20 20 20 20			1	 		· ·		· -		- - -		
y for the Rese of the Rese of the Rese said Nephritis: 27 27 27 22 14 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		-		i 	6	°	12	"	T T	 	ļ
26 39 65 5 5 12 12 12 12 12 12 12 12 12 12 12 12 12) (. . . .					- -		- - -			11
26 39 65 72 75 147 45 75 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	N	- -	67 [T	 	- -	T]	- -	1	<u> </u> -	1
72 73 74 75 75 76 77 77 77 77 77 78 79 70 70 70 70 70 70 70 70 70 70	- 1 - 1	51	1 -	1 2	- -	.1	<u>1</u>	10	4 &	4	1	
3 5 6 8 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1-			Ti	 	- 		4			I	1
1 5 6 6 1 2 6 1 1 2 1 1 1 2 1 1 1 1 2 1 1 1 1	·		 	T		T	17	1	1	 -		1 1
16 26 42 6 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1		I T	T	 	; [T	T	<u> </u>	 	T	1
8 101 236 45 29 1 1 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2	-		 % 		 	-	1-					1 1
24 28 4 12 22 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2	 - - -	T T	1.	 	1	i T	T -	 	1	1	 	١
8 4 12 2 3 4 28 52 12 2 3 4 27 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1 2 1	3 2 10	1 4	14	6%	1 4	14	3	-	16	- -	 -	1
24 28 12 2 3 1 1								· -		- -		<u> </u>
27 27 27 11 27 27 11	- 6	l i	-	I	 	; - -	T] °	T	 	1
		<u> </u>	- - -		 	- (-		 	- I - I		-	l
	2	· - -	 - 	1	 	- - -	1	1		1	1 1	-
Miscarriage	 	<u> </u>	 	T	1	T T	1	 	I	 	<u> </u>	'
Other undefined Accidents of	7				 	i I] 	- 6	 			
	1				 	<u> </u> 	1	1			 	
Accidents and Negligence 28 31 9 1 3		i		1			es		 	 	_ 	1
Ï	J T T			· 	I I	 	1	I	T			
Execution 3 - 3 2 79 12 9	01 01		 	i I	I	T	T	 	1	 	1	1

Here are included 53 deaths from Sentity, 19 from Debility, 29 from Worms, and 22 from Paralysis.
 Here are included 64 deaths from Sentility, 29 from Debility, 24 from Worms, and 12 from Paralysis.

Moore Maruhye. Trinconnaise. Trin	N
Norther fanner. fanner. fullsittivu.	

Table III.—Number of Births and Deaths registered during the Month of December, 1923, and the Deaths of Chiidren under One Year, and their Proportion per 1,000 of the Registered Births, together with the Birth- and Death-rates for the corresponding Month of 1922, in each Sanitary Ward of the City of Colombo.

ildren ear.	_	Its proportion per thou per thou per annum per 1000 births 1000 births		292	1		492	1	221	274	292	ı	387	329	297	380	366	169	276
Mortality of Children under one Year.		Its propor- tion per 1000 births	during Dec., 1923.	290	1	١	472	1	250	294	649	1	313	238	474	607	370	250	240
Мог			Dec., 1923.	176	l	က	17	J	ø0	15	24	36	21	ю	G	17	ខ	70	9
		Standard . Ized	Death- rate, Dec., 1923.†	87 - 47	1	1	ı	ı	ı	ı	1	ı	ı	l	ľ	ı	!	ı	1
ė		•	Dec., 1922,	31.38	8.63	13.74	31.26	21.21	26.09	25.34	36.80	1	21.38	17.56	18 · 79	26.91	13.69	29.36	16.10
Per Mille per Annum.		Death-rate.	Dec., 1923.	32.53	8.54	12.08	27.48	23.97	15.97	30.02	33.44	!	26.06	21.38	27.26	29.81	12.08	17.42	16.92
Per Mil		้า	Dec., 1922.	31.09		1.53	22.33	19.19	22.99	27.45	20.89	1	27.49	29.72	23.17	28.53	15.16	22.02	23.62
		Birth-rate.	Dec., 1923.	28 · 54	4.27	4.53	17.67	13.99	19.66	21.30	18.20	ı	25.30	827.99	11 - 77	14.91	13.05	14.52	26.54
		Deaths of Residents.		692	63	00	56	24	56	72	89	187	69	16	44	20	. 25	24 .	15
		Deaths of Non- E		111.		1	1	1	1	1	1	104	i	ı	1	1	<u>-</u>	- 1	
uding	•		ьетем	803	23	20	99	24	56	72	89	291	69	16	44	99	32	24	15
theinch in Hosp	and Jails.	-89	Fema!	368		4	.88	13	10	31	33	121	36	9	21	29	23	6	œ
Total Deathsincluding Deaths in Rospitals	and and		B91gM	435	63	4	28	Ξ	16	41	53	170	83	10	23	27	19	15	7
87		.80	10819A	84	1	1	6/1	ന	4	9	∞	56	63	က	-	4	2	63	~
Stillbirths.		*89	Fernal	28	ì	1	l			4	10	Ę	_	1	I,		l	_	p=4
SEII			selsM	38	1	ı	63	67	က	63	e3	15	-	ಣ	-	ಬ	63	-	1
 .		•st	10219 4	607	P-4	က	36	14	32	. 51	37	226	67	21	19	28	27	20	25
Total Births.		.40	RemeT	234		က	17	4	14	26	18	96	35	Ξ	ಸರ	14	14	Ξ	1.6
Tot			. Males.	323		ı	61	10	18	25.	19	130	32	10	14	14	13	6.	6
	Population	to the middle of 1923 by	Intercensal Increase.	250,431	2,760	7,797	23,996	11,787	19,165	28,194	23,940	ı	31,178	8,814	19,007	22,118	24,362	16,223	11,090
	Population 1		of March, 1921.	244,163	2,690	7,601	23,395	11,492	18,683	27,488	23,341	1	30,404	8,593	18,531	21,564	23,752	15,816	10,813
		Wards.	,	City of Colombo	Fort and Galle Face	Pettah	St. Paul's	San Sebastian	Kotahena North	Kotahena South	New Bazaar	Maradana Hospitals	Maradana North	Maradana East	Maradana South (ex-	Slave Island	Kollupitiya	Wellawatta North	Wellawatta South

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., not assignable to wards. † Standardized death-rates for the wards of the city are not available.

Table IV.—Causes of Deaths by Sex registered during the Month of December, 1923, in each Ward and of each Race in the City of Colombo.

	-					ŀ					VV 0	rds.	,				
Causes of	Death.		· City	of Colo	mbo.	Fort and Galle	Face.		recent.	St. Don't	St. Faul S.	100,100	San Senasulan.	Kotahèna	North.	Kotahena	South.
			M	F	Total.	м	F	м	¥	м	F	M	F	M	· F	м	IF.
Causes	• •		435	368	803	2		4	4	28	28	11	13	16	10	41	31
ile Mortality	¥. • .		87	8 9	176		_	_	3	10	7	—		4	4	8	7
A.—One Week naturity lity vulsions rhœa pritis nus nchitis monia or Causes	and under.		9 9 7 3*	9 10 3 — — — — ——————————————————————————	18 .19 .10 ———————————————————————————————————				1 - - - -	3 -				1	- - - - -		1 1 - -
Over 1 Week ar naturity lity vulsions rhosa sritis nus nohitis amonia or Causes	ad under 1 Year		20 15 1 8 - 4 3 8‡	19 13 2 10 -4 7 10§	39 28 3 18 — 8 10				- - - - - - 1	- 4 1 - - 1 1 1	2 2 1 —					$-\frac{2}{3}$ $-\frac{1}{2}$ $-\frac{2}{2}$	3 2 -
ue lipox kenpox sies tenza vicia or Fever tria tria Cachexia era trhoea oritis entery hylostomiasis		1	348 15 — — 11 1 9 12 1 — 9 22 20	279 6 11 14 3 1 5 14 12	627 21 22 1 23 15 2 14 36 32	2		4 3 1	1	18 3 - 3 - - - - - - - - - - - - -	21 	11 - - - - - - - - - - - - -	18 	12	6	33	24 1 - 1 - - 2 3
per nisis or Tuberculous on the content of the cont	of the Respired Nephritis		5 45 1 1 2 5 4 3 45 2 12 — — — — 9	1 44 5 2 1 10 — 2 29 3 7 2 11 — 8 1 1 — 8	12 6 89 6 3 3 15 4 5 74 .5 19 2 11 -8 1 10 1					- - - - - - - - - - - - -	- 1 	1 1 - 1				2 5 - 1 1 4 - - - 1	- - - - - - - - - - - - - - - - - - -
	A.—One Week naturity lity rulsions rhosa oritis nus hehitis umonia or Causes Over 1 Week an naturity lity rulsions rhosa oritis nus hehitis umonia or Causes Over 1 Week an naturity lity rulsions rhosa oritis nus hehitis umonia or Causes ral Mortality (1 ue llpox kenpox sles lenza ericis carbonia or Fever ricis carbonia or Fever ricis en library hylostomiasis natis or Tuberculous mia or Tuberculous mia or Tuberculous mia or Tuberculous mia or Diseases an entits umonia or Diseases and ricis or Tuberculous mia oritis proral Septicæn carriage or undefined Acceptation idents and Negronidents and Negronidents and Negronidents and Negronis or station idents and Negronis or carriage in the station idents and Negronis or carriage or undefined Acceptation idents and Negronis or carriage or carriage or undefined Acceptation idents and Negronis or carriage	A.—One Week and under. asturity lity vulsions rhoea pritis mus chitis chitis mus chitis chit chitis chit chitis chit chitis chit chit chit chit chit chit chit chit	A.—One Week and under. asturity lity vulsions rhose ritis nus achitis nus achitis nus achitis interes or Causes Over 1 Week and under 1 Year. asturity lity vulsions rhose aritis nus achitis arial Cachexia era rhose aritic Fever aria arial Cachexia era rhose aritis suntery hylostomiasis or Dochmius Duo aslis actis Mellitus vulsions nus actis Mellitus vulsions nus actis Mellitus vulsions nus actis Disease and Nephritis rperal Eclampsia rperal Septicæmia parriage arrudefined Accidents of Childbirth vation idents and Negligence nicide acide	Causes 435 Clie Mortality 87 A.—One Week and under. maturity 99 vulsions 77 rhoea —— maturity 99 cover 1 Week and under 1 Year. maturity 20 cover 1 Week and under 1 Year. maturity 34 maturity 20 cover 1 Week and under 1 Year. maturity 40 m	Causes	Causes	M	Causes	Causes	M F Total. M F M	Causes	M	M	M	M	March Total March Marc	M T Total. M F M M

^{*} One death each from Cerebral Hæmorrhage, Atelectasis, and Gastritis.

† One death each from Atelectasis and Difficult Labour.

‡ One death each from Syphilis, Influenza, Atelectasis, Improper feeding, Whooping Cough, Gastritis, Nephritis and Fever.

§ Four deaths from Syphilis, 2 from Influenza, and 1 each from Cerebral Hæmorrhage, Stomatitis, Cellulitis and Starvation.

|| Here are included 24 deaths from Old Age, 10 each from Heart Disease and Worms, and 7 each from Paralysis and the Debility.

¶ Here are included 21 deaths from Old Age, 12 from Debility, 6 from Worms, and 5 from Marasmus.

Table IV.—Causes of Deaths by Sex registered during the Month of December, 1923, in each Ward and of each Race in the City of Colombo—continued.

-										,	Ward	s.							-
	Causes o	f Death.	-	New Bazaar		Maradana Hos-	pitals.	Maradana	North.	Mosedone Reat	חדמו מתמחם דומצה.	Maradana South	Hospitals).	Slava faland	Stave relation	Vollanities.	ryonnibimye.	Wellawatta	North.
	" •			м	F	м	F	м	F	м	F	M	F	м	F	м	F	M	F
-	All Causes		• •	29	89	170	121	88	36	10	6	23	21	27	29	19	18	15	9
I.—	Infantile Mortality	••	•	9	15	17	19	<u>1</u> 8	8	1	4	5	4	6	11	8	2	2	3
	.A.—One W	eck and unde	r.											7	-	9			
1. 2. 3. 4. 4a. 5. 6. 7.	Prematurity Debility Convulsions Diarrheea Enteritis Tetanus Bronchitis Pneumonia Other Causes			1 1 1	1 - - - -	4 4	4 4	3 1 — — —	2 - - - 1			- - - -			- - - - - - -	2			
	B.—Over 1 Week	and under 1	Year.				-									;			
1. 2. 3. 4. 4a. 5. 6. 7.	Prematurity Dibility Convulsions Diarrhœa Enteritis Tetanus Bronchitis Pneumonia Other Causes			2 2 1 -	3 4 - 1 - 2 - 3	- - 3 - - 2	- - 2 - 1 3	5 3 — — 1	1	1				1 1 - - -	3 - - 1				
11	-General Mortality	(1 Year an	d Over)	20	24	153	102	20	28	9	2	18	17	21	18	11	11.	13 ·	6
2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 11a. 12. 13. 14. 15. 16. 17. 18. 19. 22. 23. 24. 25. 227. 28. 29. 33. 34. 32. 33. 34.	Malaria Malarial Cachexia Cholera Diarrhœa Enteritis Dysentery Anchylostomiasis denalis Cancer Phthisis Other Tuberculou Anæmia Diabetes Mellitus Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease s Puerperal Eclamp Puerperal Septica	or Dochman Diseases of the Found Nephritiusia	tespiratory	1	- - - -	4 	6 1 1 6 9 6 1 17 4 - 1 15 1 1 15 1 - 1 23	1 6	- - 3 1 - 1 - 1 - 1 1 - 1 1			3 - 1 - 1 - 1 - 1 - - 1 - - 1 - - - - -	1 - 1 - 1 - 1 - 1 - 2 - 2 - 7	1 1 1 2 - 5 - 4			1	3 - 1 - 1 - 1 - 1 4	

Table IV.—Causes of Deaths by Sex registered during the Month of December, 1923, in each Ward and of each Race in the City of Colombo—continued.

			Wan	ds.			٠	•	Dea	ths a	mong	all F	Races	•				
Causes	of Death.		Wellawatta	South,	Kuroneana		Burghers.)	Oi-Lelen	omnalese.	, image	T COLUMB.	Moore	MOOIS.	Welen	marays.	Others	Currors
			м	F	м	F	м	F	м	IF,	м	F	м	F.	м	F	м	_
All Causes	••	• •	7	8	1	3	20	10	217	208	98	62	61	72	14	11	24	
– Infantile Mortalit	<i>j</i>	• •	4	2		1	8	2	40	43	24	18	8	20	5	. 3	2	
A.—One W	eek and under.																	
. Prematurity			_			1	1		3	4	3	1	1	ı		1	1	
. Debility	• •	• •	<u></u>		-	-		<u> </u>	3 6	4	1	3	2	3	_			-
	• •	- •	1						2	-	4	2	_	1	1			
. Diarrhœa 2. Enteritis	• •	• •	_					_	_									
Tetanus	• •	• •	_		_			_						_			_	
Bronchitis	• •							_	·	_		_	_				_	
Pneumonia	••			—	-						—		<u> </u>		_			
Other Causes	••	• •	_	-	_		-		3	2	_		-	-		-: I		
B.—Over 1 Week	; and under 1 Y	ear.																
Prematurity Debility	••		2	_	_	_		_		_		_		_	_		_	
Convulsions	• •	• •			_ _ _ _	— J	1 3		7	11	8	3	4	4	2 2	1		
Diarrhœa	• •	•.•					3	_	5	4	4 1 ·	3		5	2		1	
a. Enteritis	•••			1			1	_	4	8	1	2	-	\equiv		1	-	
. Tetanus	• •									_				_				
Bronchitis					- - ⊦	_	<u> </u>	1	3	_		1	<u> </u>	2	_			
Pneumonia Other Causes	••	• •	i			_	<u> </u>	1	- 1 6	3 6			1	2 3 1		. —	-	
—General Mortality	(1 Year and Oy	/er)	3	6	1	2	12	8	177	160	74	44	53	52	9	8	22	
. Plague								1	2	4	7	- Second	3		- 1			, .
. Smallpox "	• •					_							3	_	1			Γ
Chickenpox	••				-	_				_							ZI	Ι.
. Measles	••				_	<u> </u>					 		_					
Influenza		• •			-				2	2	5	3	2	5	1	1	$^{>}1$	
Pyrexia or Feve Enteric Fever	• • •	••	-	_		-		_	 -	_		_	1					
Malaria	• •	•••]		- 1	_	2	1	6	10 2	6	2	2	1			. 1	i
Malarial Cachexi						_			0	1		1	1	-	<u> </u>	[2	
Cholera														,—				
Diarrhœa			_				2	<u></u>	5	3	2	1	<u> </u>	1	_		_	
. Enteritis	••	• •	1	. 1					10	9	6	3	5	2	_		1	
Dysentery Anchylostomiasi	or Doobmin	s Duo-					1		12	10	4	2	2			-	1	
denalis	o O Documu	s Duo-							3	6	1							
			_ {	_	_	=		_	4	ì	i	_	1	1	-	-	-	
. Cancer					1	2	1	3	24	21	8	8	5	7	2	3	4	
. Phthisis	ng Digopood		_	1					î	4	_	1						
Phthisis Other Tuberculo	us 171500605		<u> </u>				—						1		J		_ 1	
. Phthisis . Other Tuberculo . Anæmia	• •	• • •	1			— i			1	1	_	<u>_</u>	1	<u> </u>	_			
 Phthisis Other Tuberculo Anæmia Diabetes Mellitu 			- ,		3				1	6	2		2	2		-		
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions	·· ··		1				1						1	1		-		٠
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis	·· ·· ··		1	_		=			4	_		1						
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia	 	••		 	_				1	1	2	1		_	-,	- 2	× 1	
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases	 					_	<u>-</u>		4	1 20		1 2	4		_	2	5	-
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System	of the Res	piratory		_ _ _				=	1 22 1	1 20 3	12 12	1 2	4	5	_	2	5	
. Phthisis . Other Tuberculo . Anæmia . Diabetes Mellitu . Convulsions . Tetanus . Bronchitis . Pneumonia . Other Diseases System . Bright's Disease	of the Res	piratory		_ _ _					1 22	1 20 3 2	2 12 —	1	4	_	_		5 - 1	
. Phthisis . Other Tuberculo . Anæmia . Diabetes Mellitu . Convulsions . Tetanus . Bronchitis . Pneumonia . Other Diseases . System . Bright's Disease . Puerperal Eclan	of the Responds	piratory	_ - -						1 22 1 7	1 20 3 2 1	12 12 —	1 2 -	1 2		_		_	
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease Puerperal Eclan Puerperal Septic	of the Respondent of the Responding of the Respondent of the Respo	piratory		_ _ _ _	-			= = = 1	1 22 1	1 20 3 2 1 5	2 12 — 2 —	1 2 - 2	1 2 —		=	2	_	
. Phthisis . Other Tuberculo . Anæmia . Diabetes Mellitu . Convulsions . Tetanus . Bronchitis . Pneumonia . Other Diseases . System . Bright's Disease . Puerperal Eclan . Puerperal Septic . Miscarriage . Other undefined	of the Respondent of the Responding of the Respondent of the Respo	piratory		_ _ _ _ _					1 22 1 7 —	1 20 3 2 1 5	2 12 — 2 —	1 2 - 2	1 2 —	-5 -3 -3			_	
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease Puerperal Eclan Puerperal Septic Miscarriage Other undefined	of the Respand Nephritis upsis	piratory		_ _ _ _	-			= = = 1	1 22 1 7	1 20 3 2 1 5	2 12 — 2 — —	1 2 - 2	1 2 —				_	
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease Puerperal Eclan Puerperal Septic Miscarriage Other undefined Starvation Accidents and M	of the Respand Nephritis upsis	piratory hildbirth		_ _ _ _ _				= = = 1	1 22 1 7 —	1 20 3 2 1 5 T 1 1	2 12 - 2 - - -	1 2 - 2 - 5	1 2 - -					
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease Puerperal Eclan Puerperal Septic Miscarriage Other undefined Starvation Accidents and M	of the Respand Nephritis apsia wemia Accidents of Characteristics	piratory	. 1	_ _ _ _ _					1 22 1 7 — — — — — — — — — — — — — — — — — —	1 20 3 2 1 5	2 12 — 2 — —	1 2 - 2	1 2 —	-5 -3 -3			_	
. Phthisis . Other Tuberculo . Anæmia . Diabetes Mellitu . Convulsions . Tetanus . Bronchitis . Pneumonia . Other Diseases . System . Bright's Disease . Puerperal Eclan . Puerperal Septic . Miscarriage . Other undefined . Starvation . Accidents and M Homioide . Suicide	of the Respand Nephritis spaid Accidents of Charles	piratory hildbirth							1 22 1 7 — — — 5 1 — — — — — — — — — — — — — — —	1 20 3 2 1 5 — I 1 1 1	2 12 - 2 - - - - 2	1 2 - 2 - 5 -	1 2 - - 1	-5 -3 -3 -2 			- 1 - - 1 - 1	
Phthisis Other Tuberculo Anæmia Diabetes Mellitu Convulsions Tetanus Bronchitis Pneumonia Other Diseases System Bright's Disease Puerperal Eclan Puerperal Septic Miscarriage Other undefined Starvation Accidents and M	of the Respand Nephritis and Nephritis are seen to the control of	piratory hildbirth	. 1						1 22 1 7 — — 5	1 20 3 2 1 5 — I 1 1 —	2 12 - 2 - - - - 2	1 2 - 2 - 5 -	1 2 - - - 1					