

SUPPLEMENT  
TO THE  
**CEYLON GOVERNMENT GAZETTE**

No. 7,578 — FRIDAY, APRIL 22, 1927.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE  
MONTH OF FEBRUARY, 1927.**

**REPORT OF THE REGISTRAR-GENERAL.**

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

**Marriages.**

2. The number of marriages of residents in proclaimed towns numbered 398 (357 General, 3 Kandyan, and 38 Muslim), as against 382 in the preceding month and 419 in the corresponding month of last year. In Colombo the number of marriages was 132 (102 General and 30 Muslim), as against 153 in the preceding month and 167 in the corresponding month of last year.

**Births.**

3. The births registered numbered 1,747 (908 males and 839 females), and were equivalent to an annual rate of 35·79 per 1,000 of the population, as against 36·08 in the preceding month, 36·42 in the corresponding month of last year, and 32·72 the average for the corresponding months since 1917. The rate, exclusive of the small towns Vavuniya and Lunugala, ranged from 13·09 in Ambalangoda to 69·52 in Nawalapitiya. There were 1,557 births of children, whose mothers were residents of the towns, equivalent to an annual rate of 31·90, as against 32·38 in the preceding month.

4. In the city of Colombo the births registered numbered 792 (416 males and 376 females), and were equivalent to an annual rate of 39·44, as against 35·71 in the preceding month, 31·47 in the corresponding month of last year, and 28·75 the average for the corresponding months since 1917. The rate, exclusive of the Fort and the Pettah Wards, ranged from 10·24 in Kollupitiya to 37·21 in Slave Island. There were 6·3 births of children, whose mothers were residents of the city, equivalent to an annual rate of 33·51, as against 31·30 in the preceding month.

**Deaths.**

5. The total deaths registered during the month numbered 1,505 (793 males and 712 females), and were equivalent to an annual rate of 30·83 as against 32·42 in the preceding month. There were 1,128 deaths of residents in the towns, equivalent to an annual standardized rate of 24·99, as against 26·90 in the preceding month, 30·67 in the corresponding month of last year, and 32·80 the average for the corresponding months since 1917. The standardized death rate ranged from 64·74 in Kalpitiya to 8·71 in Nuwara Eliya.

6. In the city of Colombo the deaths registered numbered 518 (322 males and 276 females), and were equivalent to an annual rate of 29·78 as against 29·88 in the preceding month. There were 470 deaths of residents of the city, which corresponded to an annual standardized rate of 27·95, as against 27·45 in the preceding month, 28·70 in the corresponding month of last year, and 31·04 the average for the corresponding months since 1917. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 28·13 in New Bazaar to 8·19 in Kollupitiya.

7. The stillbirths registered during the month numbered 130 (70 males and 60 females), as against 128 in the preceding month.

**Infant Mortality.**

8. The deaths of children under one year amounted to 311 and corresponded to a rate of 187 per 1,000 births registered during the twelve months ended February, 1927. Reckoned on the births registered during the month only the rate was 178, as against 203 in the preceding month, 225 in the corresponding month of last year, and 243 the average for the corresponding months since 1917. There were 281 deaths of children under one year, whose mothers were residents of the towns, which corresponded to a rate of 180, as against 206 in the preceding month.

9. In the city of Colombo the deaths of children under one year numbered 123, and corresponded to a rate of 195 per 1,000 births registered during the twelve months ended February, 1927. Reckoned on the births registered during the month only the rate was 155, as against 184 in the preceding month, 213 in the corresponding month of last year, and 238 the average for the corresponding months since 1917. There were 111 deaths of children under one year, whose mothers were residents of the city, which corresponded to a rate of 165, as against 188 in the preceding month.

**Causes of Death.**

10. The highest mortality was from *Pneumonia*, to which 11 per cent. of the total deaths were due. *Convulsions* and *Debility* (of children under one year), each caused 7 per cent.; *Phthisis*, 6 per cent.; *Malaria* and *Malarial Cachexia*, 5 per cent.; *Diarrhoea*, *Bright's Disease* and *Nephritis*, and *Anchylostomiasis*, each 4 per cent.; *Dysentery*, *Enteritis*, and *Prematurity*, each 3 per cent.; *Bronchitis*, *Influenza*, and *Enteric Fever*, each 2 per cent.; *Cancer* and *Puerperal Septicaemia*, each 1 per cent.

11. In Colombo too the highest mortality was from *Pneumonia*, to which 11 per cent. of the total deaths were due. *Phthisis* caused 8 per cent.; *Convulsions* and *Debility* (of children under one year), each 6 per cent.; *Enteritis* and *Bronchitis*, each 4 per cent.; *Influenza*, *Bright's Disease* and *Nephritis*, *Prematurity* and *Diarrhoea*, each 3 per cent.; *Malaria* and *Malarial Cachexia*, *Dysentery*, *Enteric Fever*, *Cancer*, and *Anchylostomiasis*, each 2 per cent.; *Puerperal Septicaemia* and *Plague*, each 1 per cent.

12. Seven deaths (5 males and 2 females) from *Plague* (in Colombo) were registered, as against 6 in the previous month and 4 in the corresponding month of last year.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Chickenpox*, of which 205 cases were reported (142 in Colombo, 27 in Jaffna); *Phthisis*, followed with 93 (74 in Colombo, 7 in Galle); *Enteric Fever* 43 (21 in Colombo, 7 in Weligama); *Measles* 26 (12 in Kandy, 6 in Colombo); *Continued Fever* 21 (17 in Colombo); *Plague* 12 (in Colombo); *Dysentery* 8 (2 each in Moratuwa, Tangalla, Batticaloa, and Kurunegala); *Mumps* 2 (1 each in Matale and Anuradhapura); *Smallpox* 1 (in Galle); *Diphtheria* 1 (in Colombo); *Whooping Cough* 1 (in Colombo).

**Meteorology.**

14. *Rainfall.*—Ratnapura recorded the highest rainfall (7·58 in.). In the other towns the rainfall ranged from 7·55 in. in Galle to 1·13 in. in Kalpitiya. Colombo recorded 3·6 in.

15. *Mean Temperature.*—The mean temperature varied from 82·0° in Ratnapura to 58·8° in Nuwara Eliya, and was 80·2° in Colombo.

16. For detailed statistics, see Tables I., II., and III. for all towns, and IV. and V. for the city of Colombo.

Registrar-General's Office,  
Colombo, March 29, 1927.

H. E. BEVEN,  
Registrar-General.

Table I.—Number of Marriages, Births, Deaths and Stillbirths registered during February, 1927, the Proportion of Births and Deaths per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 registered Births, together with the Average Birth-rates in the corresponding Months since 1916, and their Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (exclusive of the military) on 1st March 1927, and the Census of March 1921.	Population estimated by the mid-year method of 1927 by the increase of March 1921.		Marriages.		Births.		Deaths.		Stillbirths.		Mortality of Children under one Year.				Mean Temperature.	Rainfall in Inches.							
		General.	Kandyan.	Muslim.	Total.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.	Persons.	Deaths of Nurses registered in Town and Hospitals and Jails.	February, 1927.			Average Feb. 1917-1927.	Deaths-rate, Feb. 1927.	Number registered during Feb., 1927.	Its proportion per 1,000 Births registered during Year ended the last day of Feb., 1927.			
<b>All 33 Towns</b>	597,867	357	3	38	398	908	839	1,747	793	712	1,505	70	60	130	358	35.79	32.72	30.83	314	178	187	80.2	3.67	
<b>Western.</b>																								
Colombo	244,163	102		30	132	416	376	792	322	276	598	35	30	65	113	39.44	28.75	29.78	123	455	195	80.2	3.50	
Negombo	27,639	36			36	40	34	74	27	29	56	1	4	5	6	33.34	37.85	25.23	18	243	207	80.2	3.50	
Moratuwa	41,858	45			45	55	58	113	31	39	70	3	4	5	2	33.10	41.18	20.50	16	141	150	80.2	3.50	
Kalutara	13,596	10			10	20	21	41	19	17	36	4	2	6	5	38.23	38.47	33.57	12	233	279	80.2	3.50	
Panadura	10,747	4			4	14	14	28	3	8	11	2	2	2	3	31.54	31.36	12.39	2	71	67	80.2	3.50	
<b>Central.</b>																								
Kandy	32,562	6	1	2	9	52	35	87	39	38	77	7	6	13	30	33.03	36.84	29.23	18	207	176	77.3	3.10	
Gampola	6,202					12	8	20	10	7	17	1	1	2	9	39.07	36.49	33.21	5	250	268	80.0	2.04	
Nawalapitiya	3,221					3	2	8	20	10	8	1	1	1	3	21.78	35.30	47.91	7	350	581	80.0	2.55	
Hatton-Dikoya	2,940					1	1	5	5	7	4	1	1	1	3	21.78	35.30	47.91	7	350	581	80.0	2.55	
Matale	7,865	5			5	16	12	28	11	9	20	2	2	2	12	40.45	39.87	28.89	1	36	33	80.0	4.17	
Nuwara Eliya	8,257	6			6	16	10	26	4	3	7	2	2	2	1	41.05	25.40	11.05	1	—	—	80.0	3.52	
<b>Southern.</b>																								
Galle	39,073	31		2	33	64	54	118	58	58	116	2	4	6	22	38.82	40.13	38.16	20	169	179	80.0	7.55	
Ambalangoda	3,247	9			9	2	2	4	4	4	3	3	1	1	1	13.09	31.60	9.32	1	250	120	80.0	7.55	
Matara	16,779	16			16	22	18	40	15	17	32	3	2	5	9	30.48	39.85	24.38	6	150	121	80.0	3.50	
Weigama	9,104	6			6	18	12	30	10	11	11	1	1	1	—	41.66	45.73	15.28	3	100	107	80.0	3.50	
Hambantota	2,849				1	4	2	6	6	5	4	9	1	1	—	26.08	35.82	39.12	2	333	188	80.0	2.85	
Tangalla	4,896	5			5	5	5	8	13	6	12	1	1	1	5	33.86	33.99	31.26	3	231	192	80.0	1.85	
<b>Northern.</b>																								
Jaffna	42,436	33			33	45	56	101	53	52	105	3	1	4	7	30.10	32.17	31.29	22	218	193	80.5	3.32	
Mannar	3,705	4			4	6	5	11	7	7	14	1	1	2	4	38.24	33.82	48.67	4	364	322	80.2	3.22	
Mullaitivu	1,563	2			2	2	2	4	2	—	4	1	1	1	—	15.61	30.48	—	—	—	—	80.2	5.33	
Vavuniya	936	1			1	1	1	2	2	2	4	—	—	—	—	12.70	24.80	50.79	—	—	—	80.2	3.88	
<b>Eastern.</b>																								
Batigalao	10,554	5			5	9	12	21	29	13	42	1	1	1	15	25.31	26.45	50.61	14	666	461	80.0	4.32	
Karunai	2,856					2	1	3	2	4	6	—	—	—	3	14.95	31.25	29.90	2	143	186	80.0	3.77	
Trincomelee	9,414	10			10	9	5	14	14	10	24	1	1	2	5	18.63	20.92	31.94	2	—	—	80.0	4.94	
<b>North-Western.</b>																								
Kurunegala	10,187	7			7	13	18	31	18	21	39	2	—	2	22	35.52	35.85	44.68	3	97	99	81.0	3.08	
Puttalam	6,905	1			1	4	5	20	15	11	20	—	—	—	8	34.53	46.39	44.89	6	300	304	80.2	3.12	
Kalpitiya	1,608	1			1	5	2	7	4	3	7	—	—	—	—	56.37	51.56	56.37	2	286	579	80.2	1.13	
Chilaw	6,642	3			3	6	13	19	13	10	23	1	1	2	—	32.94	36.64	39.87	5	263	259	80.2	2.77	
<b>North-Central.</b>																								
Anuradhapura	7,751	2			2	3	16	19	15	15	30	—	—	1	7	25.19	24.60	39.77	6	316	351	80.0	3.38	
<b>Uva.</b>																								
Badulla	8,126	3			3	12	11	23	8	6	14	—	—	4	4	33.09	34.69	20.14	3	130	131	71.8	4.02	
Lunugala	526					—	—	—	5	3	8	—	—	8	—	35.19	195.65	—	—	—	—	80.0	—	
<b>Sabaragamuwa.</b>																								
Ratnapura	7,014	1			1	10	9	19	20	16	36	—	—	1	19	32.37	34.93	61.34	4	211	175	82.0	7.58	
Kogala	3,508	1			1	6	5	11	11	11	23	—	—	1	18	37.38	41.58	78.17	3	273	244	82.0	2.31	

\* Blanks indicate that there are no observatories or rain gauges.

Table II.—Births, Deaths, and Infant Mortality of Residents with their Corresponding Rates for February, 1927.

Provinces and Towns.	Births.*			Birth-rate. for February, 1927.	Deaths.			Death-rate (Standardized).		Infant Mortality.	
	Males.	Females.	Persons.		Males.	Females.	Persons.	February, 1927.	Average for February, 1917-1926.	Deaths of Children under 1 Year.†	Rate per 1,000 Births registered during Feb., 1927.
All 33 Towns ..	818	739	1,557	31·90	585	543	1,128	24·99	32·80	281	180
<i>Western.</i>											
Colombo ..	355	318	673	33·51	247	223	470	26·95	31·04	111	165
Negombo ..	34	27	61	27·48	22	28	50	23·06	32·83	18	295
Moratuwa ..	55	54	109	31·93	30	38	68	20·29	38·69	16	147
Kalutara ..	16	19	35	32·63	16	15	31	28·75	25·78	11	314
Panadure ..	14	13	27	30·41	3	5	8	9·59	23·42	2	74
<i>Central.</i>											
Kandy ..	50	31	81	30·75	22	25	47	19·54	31·75	12	148
Gampola ..	11	8	19	37·12	4	4	8	16·16	31·02	4	210
Nawalapitiya ..	12	6	18	62·57	7	4	11	41·52	35·96	6	333
Hatton-Dikoya ..	—	5	5	21·78	5	3	8	40·98	36·50	—	—
Matale ..	16	12	28	40·45	3	5	8	12·34	44·78	—	—
Nuwara Eliya ..	16	10	26	41·05	3	2	5	8·71	15·06	—	—
<i>Southern.</i>											
Galle ..	61	49	110	36·18	49	44	93	29·93	32·44	18	164
Ambalangoda ..	2	2	4	13·09	—	3	3	9·76	—†	1	250
Matara ..	21	16	37	28·19	11	12	23	17·20	27·81	6	162
Weligama ..	18	12	30	41·66	10	1	11	14·14	21·98	3	100
Hambantota ..	3	2	5	21·73	5	4	9	38·87	34·17	2	400
Tangalla ..	5	8	13	33·86	4	3	7	18·10	28·72	2	154
<i>Northern.</i>											
Jaffna ..	45	54	99	29·50	46	51	97	29·95	38·34	22	222
Mannar ..	5	4	9	31·29	5	5	10	35·45	38·04	4	444
Mullaittivu ..	2	—	2	15·51	—	—	—	—	54·16	—	—
Vavuniya ..	1	—	1	12·70	—	1	1	14·86	62·45	—	—
<i>Eastern.</i>											
Batticaloa ..	9	12	21	25·31	16	10	26	32·66	32·10	14	666
Kalmunai ..	2	1	3	14·95	1	2	3	15·06	—†	—	—
Trincomalee ..	9	5	14	18·63	10	9	19	26·45	35·61	2	143
<i>North-Western.</i>											
Kurunegala ..	7	16	23	26·35	7	10	17	22·63	35·01	3	130
Puttalam ..	11	8	19	32·80	14	4	18	33·70	63·33	6	316
Kalpitiya ..	5	2	7	56·37	4	3	7	64·74	—†	2	286
Chilaw ..	5	11	16	27·74	11	4	15	29·95	48·92	5	313
<i>North-Central.</i>											
Anuradhapura ..	3	14	17	22·54	13	10	23	36·50	80·98	4	235
<i>Uva.</i>											
Badulla ..	12	10	22	31·65	6	4	10	14·67	32·77	2	91
Lunugala ..	—	—	—	—	—	—	—	—	—†	—	—
<i>Sabaragamuwa.</i>											
Ratnapura ..	10	8	18	30·67	8	9	17	31·58	26·11	4	222
Kegalla ..	3	2	5	16·99	3	2	5	19·02	19·83	1	200

\* Births of infants whose mothers were residents of the towns.

† Deaths of children under 1 year whose mothers were residents of the towns.

‡ Not available.

Table III.—Causes of Deaths by Sex registered during February, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1896.

Causes of Death.	All 33 Towns			Western Provinces.						Central Provinces.						Southern Provinces.																					
	M	F	Total.	Colombo.		Negombo.		Moratuwa.		Katuara.		Panadura.		Kandy.		Gampola.		Nawalapitiya.		Hattton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangola.		Matara.		Welligama.		Hambantota.		Tangalla.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	793	712	1,505	322	276	27	29	31	39	17	3	8	39	38	10	7	10	8	7	4	11	9	4	3	58	58	3	15	17	10	1	5	4	6	6		
1.—Infantile Mortality	159	152	311	60	63	8	10	9	7	4	1	1	7	11	3	2	5	2	—	—	1	—	—	12	8	1	3	3	2	1	1	1	1	2	1		
A.—One Week and under.																																					
1. Prematurity	20	16	36	6	5	1	1	2	4	2	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	25	25	50	8	6	2	2	3	—	—	—	—	1	2	1	1	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	12	12	24	4	4	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	3*	2†	5	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
B.—Over 1 Week and under 1 Year.																																					
1. Prematurity	5	2	7	3	2	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Debility	20	34	54	8	14	1	5	—	—	—	—	—	1	1	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	27	25	52	8	12	1	1	2	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	8	5	13	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	8	8	16	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	2	6	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	8	6	14	4	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Other Causes	20†	10§	30	10	6	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

\* One death each from Cerebral Haemorrhage, Hyper-pyrexia, and Toxaemia (in Colombo).

† One death each from Cerebral Haemorrhage and Fracture of base of skull caused by labour (in Colombo).

‡ Besides 10 deaths mentioned in Table V., footnote †, 2 deaths from Vermin (1 each in Moratuwa and Puttalam), 1 each from Ricketts (in Moratuwa), Burns (in Matale), Nephritis (in Galle), Drowning (in Jaffna), Malarial Fever (in Mannar) Dysentery (in Batticaloa), Influenza (in Galle), and Congenital Syphilis (in Badulla).

§ Besides 6 deaths mentioned in Table V., footnote †, 2 deaths from Influenza (1 each in Galle and Chilaw), 1 each from Dropsy (in Batticaloa) and Vermin (in Ratnapure).



Table III.—Causes of Deaths by Sex registered during February, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	All 33 Towns.						Western Province.						Central Province.						Southern Province.																			
	M		F		Total.	M		F		Total.	M		F		Total.	M		F		Total.	M		F		Total.	M		F		Total.								
	M	F	M	F	Total.	M	F	M	F	Total.	M	F	M	F	Total.	M	F	M	F	Total.	M	F	M	F	Total.	M	F	M	F	Total.								
II.—General Mortality (1 Year and Over)	634	560	1,194	262	218	19	19	38	11	13	2	7	32	27	59	5	6	11	6	21	7	5	12	27	32	37	7	5	12	32	37	74	74	148				
1. Plague		2	2	2																																		
2. Smallpox	5		5																																			
3. Chickenpox																																						
4. Measles																																						
5. Influenza	13	6	19	11	2																																	
6. Typhoid or Fever	3	3	6																																			
7. Enteric Fever	12	13	25	6	6	1	1	2	1	1																												
8. Malaria	32	25	57	5	4																																	
9. Malarial Cachexia	8	8	16	1	2																																	
10. Cholera																																						
11. Diarrhoea	25	22	47	7	6	1	1	2	1	1																												
11a. Enteritis	11	19	30	6	8																																	
12. Dysentery	26	21	47	8	4																																	
13. Anchylostomiasis or Doehminis																																						
14. Duodenitis	26	30	56	2	8	1	2	3	1	2																												
15. Cancer	9	9	18	4	7	1	1	2	1	1																												
16. Phthisis	48	36	84	25	23	2	1	3	2	2																												
16. Other Tuberculous Diseases	3	5	8	1	2																																	
17. Anaemia	4	4	8	2	2																																	
18. Diabetes Mellitus	4	1	5	2																																		
19. Convulsions	13	18	31	4	5	1																																
20. Tetanus	10	2	12	6	1																																	
21. Bronchitis	16	12	28	11	8																																	
22. Pneumonia	97	61	158	33	23	5	3	8	2	2																												
23. Other Diseases of the Respiratory System	4	4	8	3	3																																	
24. Bright's Disease and Nephritis	28	30	58	11	5	1	1	2	1	1																												
25. Puerperal Eclampsia																																						
26. Puerperal Septicaemia																																						
27. Miscarriage																																						
28. Other undefined Accidents of Childbirth																																						
29. Starvation																																						
30. Accidents and Negligence																																						
31. Homicide	23	13	36	10	5	1																																
32. Suicide	5	1	6	3	1																																	
33. Execution	2		2																																			
34. All Other Causes	208*	173†	381	96	70	5	10	15	20	5	4																											

\* Here are included 40 deaths from Senility, 18 from Worms, 17 from Debility, 15 from Heart Disease, 13 from Paralysis, and 11 from Cerebral Haemorrhage.  
† Here are included 56 deaths from Senility, 20 from Debility, 15 from Worms, 12 from Paralysis, 9 from Heart Disease, and 3 from Cerebral Haemorrhage.



**Table IV.—Number of Births, Deaths, and Stillbirths registered during the month of February, 1927, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death-rates for the corresponding Months of 1922-1926, in each Sanitary Ward of the City of Colombo.**

Wards.	Population (exclusive of the Military and the Shipyard) as the Census of March 15, 1921.	Births.			Stillbirths.			Deaths in Hospitals and Jails.			Deaths of Non-residences in Town Hospitals and Jails.	Deaths of Residents.	Per Mile per Annum.				Mortality of Children under one Year.			
		Males.		Persons.	Males.		Persons.	Males.	Females.	Persons.			Average for Feb., 1922-26.	February, 1927.*	Average for Feb., 1922-26.	February, 1927.	Average for Feb., 1922-26.	Number registered during Feb., 1927.	Its proportion to 1,000 births registered during February, 1927.	Its proportion to annum to 1,000 births registered during the Year ended last day of Feb., 1927.
<b>City of Colombo ..</b>	<b>244,463</b>	<b>416</b>	<b>376</b>	<b>792</b>	<b>35</b>	<b>30</b>	<b>65</b>	<b>322</b>	<b>276</b>	<b>598</b>	<b>113</b>	<b>470</b>	<b>39.44†</b>	<b>32.83</b>	<b>23.40†</b>	<b>28.87</b>	<b>26.95</b>	<b>123</b>	<b>155</b>	<b>195</b>
Fort and Galle Face ..	2,690	—	—	—	—	—	—	4	—	4	—	1	—	0.96	4.52	9.31	—	—	—	
Petbah ..	7,601	1	1	2	—	—	—	3	2	5	—	2	3.20	4.26	3.20	10.92	—	—	—	
St. Paul's ..	23,395	17	23	40	—	5	5	14	21	35	—	32	20.79	21.77	16.63	26.19	—	11	275	281
San Sebastian ..	11,492	10	9	19	1	—	1	10	5	15	—	12	20.10	24.56	12.70	27.18	—	2	105	96
Kotahena North ..	18,683	28	17	45	1	1	2	16	18	34	—	34	29.28	25.44	22.12	26.01	—	11	244	299
Kotahena South ..	27,488	37	35	72	1	2	3	27	29	56	—	56	31.85	27.35	24.77	28.14	—	13	181	246
New Bazaar ..	23,341	36	26	62	3	1	4	26	28	54	—	54	32.29	25.23	28.13	27.27	—	17	274	330
Maradana Hospitals ..	—	152	139	291	18	13	31	136	96	232	112	120	—	—	—	—	—	32	—	—
Maradana North ..	30,404	38	37	75	3	1	4	24	24	48	—	46	30.00	24.16	18.40	20.67	—	12	160	193
Maradana East ..	8,593	9	7	16	—	—	—	5	5	10	1	9	22.64	25.76	12.73	23.20	—	2	125	103
Maradana South (exclusive of Hospitals) ..	18,531	8	13	21	2	2	4	12	14	26	—	26	13.78	17.92	17.06	17.22	—	5	238	201
Slave Island ..	21,564	38	28	66	3	1	4	22	10	32	—	31	37.21	24.06	17.48	25.22	—	6	91	131
Kollupitiya ..	23,752	11	9	20	2	2	4	8	8	16	—	16	10.24	13.16	8.19	10.60	—	3	150	121
Wellawatta North ..	15,816	19	22	41	1	1	2	8	6	14	—	14	31.52	25.33	10.76	21.64	—	5	122	149
Wellawatta South ..	10,813	12	10	22	—	1	1	7	10	17	—	17	24.74	26.35	19.11	16.40	—	4	182	172

\* Standardized death-rates for the wards of the city are not available.

† The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., of residents not assigned to wards.



Table V.—Causes of Deaths by Sex registered during the Month of February, 1927, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
	M	F	Total.	Fort and Calle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
				M	F	M	F	M	F	M	F	M	F	M	F
All Causes .. .. .	322	276	598	4	—	3	2	14	21	10	5	16	18	27	29
<b>I.—Infantile Mortality</b> .. .. .	<b>60</b>	<b>63</b>	<b>123</b>	—	—	—	—	4	7	1	1	5	6	7	6
<i>A.—One Week and under.</i>															
1. Prematurity .. .. .	6	5	11	—	—	—	—	—	—	—	—	1	1	3	—
2. Debility .. .. .	8	6	14	—	—	—	—	—	—	—	—	1	1	—	3
3. Convulsions .. .. .	4	4	8	—	—	—	—	—	—	1	—	1	1	2	—
4. Diarrhoea .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia .. .. .	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes .. .. .	3*	2†	5	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>															
1. Prematurity .. .. .	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility .. .. .	8	14	22	—	—	—	—	1	1	—	—	—	1	1	1
3. Convulsions .. .. .	8	12	20	—	—	—	—	2	4	—	1	—	2	—	1
4. Diarrhoea .. .. .	2	1	3	—	—	—	—	—	—	—	—	2	—	—	—
4a. Enteritis .. .. .	4	3	7	—	—	—	—	—	—	—	—	—	1	—	—
5. Tetanus .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .. .	—	2	2	—	—	—	—	—	—	—	—	—	—	—	1
7. Pneumonia .. .. .	4	5	9	—	—	—	—	1	—	—	—	—	—	1	—
8. Other Causes .. .. .	10‡	6§	16	—	—	—	—	—	2	—	—	—	—	—	—
<b>II.—General Mortality (1 Year and Over)</b> .. .. .	<b>262</b>	<b>213</b>	<b>475</b>	<b>4</b>	<b>—</b>	<b>3</b>	<b>2</b>	<b>10</b>	<b>14</b>	<b>9</b>	<b>4</b>	<b>11</b>	<b>12</b>	<b>20</b>	<b>23</b>
1. Plague .. .. .	5	2	7	—	—	2	—	—	—	1	—	1	1	—	—
2. Smallpox .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza .. .. .	11	2	13	—	—	1	—	3	—	2	—	—	—	1	1
6. Pyrexia or Fever .. .. .	2	3	5	—	—	—	1	1	—	—	—	—	—	—	—
7. Enteric Fever .. .. .	5	6	11	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria .. .. .	5	4	9	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia .. .. .	1	2	3	—	—	—	—	—	—	—	—	—	1	—	—
10. Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea .. .. .	7	6	13	—	—	—	—	1	—	1	—	3	1	1	3
11a. Enteritis .. .. .	6	8	14	—	—	—	—	1	3	—	—	1	1	—	1
12. Dysentery .. .. .	8	4	12	—	—	—	—	—	—	—	—	—	—	1	1
13. Anchylostomiasis or Dochmius Duodenalis .. .. .	2	8	10	—	—	—	—	—	—	—	1	—	—	—	—
14. Cancer .. .. .	4	7	11	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis .. .. .	25	23	48	—	—	—	1	—	2	—	1	1	2	6	1
16. Other Tuberculous Diseases .. .. .	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia .. .. .	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus .. .. .	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions .. .. .	4	5	9	—	—	—	—	—	—	1	—	—	—	1	—
20. Tetanus .. .. .	6	1	7	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis .. .. .	11	8	19	—	—	—	—	—	—	—	—	2	1	—	1
22. Pneumonia .. .. .	33	23	56	—	—	—	—	—	3	1	—	—	1	2	1
23. Other Diseases of the Respiratory System .. .. .	3	3	6	—	—	—	—	—	—	—	—	—	—	—	1
24. Bright's Disease and Nephritis .. .. .	11	5	16	1	—	—	—	—	—	1	—	—	1	1	1
25. Puerperal Eclampsia .. .. .	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia .. .. .	—	8	8	—	—	—	—	—	1	—	—	—	—	—	1
27. Miscarriage .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth .. .. .	—	4	4	—	—	—	—	—	1	—	—	—	—	—	—
29. Starvation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence .. .. .	10	5	15	1	—	—	—	—	—	—	—	—	—	—	1
31. Homicide .. .. .	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes .. .. .	95	70¶	165	2	—	—	—	5	3	4	—	3	3	7	10

\* One death each from Cerebral Haemorrhage, Hyper-pyrexia and Toxaemia.

† One death each from Cerebral Haemorrhage and Fracture of Base of Skull caused by labour.

‡ Three deaths from Syphilis and 1 each from Influenza, Colitis, Morbus Cordis, Paresis of Bowel, Nephritis, Extreme Condition of Hare-lip and Meningitis.

§ Three deaths from Influenza, 2 from Syphilis, and 1 from Infantile Scurvy.

|| Here are included 18 deaths from Senility, 8 from Heart Disease and 6 each from Debility, Paralysis, and Cerebral Haemorrhage.

¶ Here are included 19 deaths from Senility, 9 from Debility, 8 from Paralysis, and 5 from Heart Disease.

Table V.—Causes of Deaths by Sex registered during the Month of February, 1927, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.															
	New Bazaar.		Maradana Hospitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals.)		Slave Island.		Kollupitiya.		Wellawatta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes .. .. .	26	28	136	96	24	24	5	5	12	14	22	10	8	8	8	6
<b>I.—Infantile Mortality ..</b>	<b>10</b>	<b>7</b>	<b>16</b>	<b>16</b>	<b>4</b>	<b>8</b>	<b>1</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>5</b>	<b>1</b>	<b>—</b>	<b>3</b>	<b>3</b>	<b>2</b>
<i>A.—One Week and under.</i>																
1. Prematurity .. .. .	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	1
2. Debility .. .. .	2	1	1	—	1	1	1	—	—	—	2	—	—	1	—	—
3. Convulsions .. .. .	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	1
4. Diarrhoea .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia .. .. .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
8. Other Causes .. .. .	—	—	3	2	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity .. .. .	—	—	1	2	—	—	—	—	—	—	1	—	—	—	1	—
2. Debility .. .. .	2	1	1	4	1	2	—	1	—	1	1	—	—	—	1	—
3. Convulsions .. .. .	4	1	—	—	1	—	—	—	—	1	—	—	—	—	1	—
4. Diarrhoea .. .. .	—	1	—	—	—	—	—	—	—	1	—	1	—	1	1	—
4a. Enteritis .. .. .	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .. .	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
7. Pneumonia .. .. .	—	—	1	2	—	1	—	—	—	1	1	—	—	1	—	—
8. Other Causes .. .. .	1	—	5	2	1	2	—	—	—	—	1	—	—	—	—	—
<b>II.—General Mortality (1 Year and Over) ..</b>	<b>16</b>	<b>21</b>	<b>120</b>	<b>80</b>	<b>20</b>	<b>16</b>	<b>4</b>	<b>4</b>	<b>10</b>	<b>11</b>	<b>17</b>	<b>9</b>	<b>8</b>	<b>5</b>	<b>5</b>	<b>4</b>
1. Plague .. .. .	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—
2. Smallpox .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever .. .. .	—	1	—	—	2	1	1	—	1	—	—	—	—	—	—	—
7. Enteric Fever .. .. .	—	1	4	4	1	—	—	—	1	—	—	—	—	—	—	—
8. Malaria .. .. .	—	—	2	4	3	—	—	—	—	—	—	1	—	—	—	—
9. Malarial Cachexia .. .. .	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—
10. Cholera .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea .. .. .	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—
11a. Enteritis .. .. .	—	1	2	—	1	1	1	1	—	—	—	—	—	—	—	—
12. Dysentery .. .. .	2	—	3	3	—	—	—	—	1	—	1	—	—	—	—	—
13. Anchylostomiasis or Dochmius Duodenalis .. .. .	—	—	2	7	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer .. .. .	—	—	3	7	—	—	—	—	1	—	—	—	—	—	—	—
15. Phthisis .. .. .	2	5	13	6	—	—	—	—	—	1	1	1	1	—	1	—
16. Other Tuberculous Diseases .. .. .	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia .. .. .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus .. .. .	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—
19. Convulsions .. .. .	—	2	—	—	1	2	—	—	—	—	—	1	—	—	1	—
20. Tetanus .. .. .	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis .. .. .	2	3	7	3	—	—	—	—	—	—	—	—	1	—	—	—
22. Pneumonia .. .. .	—	3	21	5	3	2	—	1	—	2	4	1	1	1	—	—
23. Other Diseases of the Respiratory System .. .. .	—	—	3	1	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis .. .. .	1	—	3	2	—	—	1	—	1	—	—	—	—	2	—	1
25. Puerperal Eclampsia .. .. .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia .. .. .	—	1	—	5	—	—	—	—	—	—	—	—	—	—	—	1
27. Miscarriage .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth .. .. .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
30. Accidents and Negligence .. .. .	—	—	5	3	1	—	—	—	—	—	—	—	—	—	—	—
31. Homicide .. .. .	—	—	2	1	—	—	—	—	—	—	—	—	1	1	1	—
32. Suicide .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution .. .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes .. .. .	8	4	40	23	7	10	1	1	4	7	9	4	2	3	1	1

Table V.—Causes of Deaths by Sex registered during the Month of February, 1927, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.		Deaths among all Races.													
	Wellawatta South.		Europeans.		Burghers.		Sinhalese.		Tamils.		Moors.		Malays.		Others.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes ..	7	10	4	3	11	12	170	162	54	45	49	48	9	4	25	2
I.—Infantile Mortality ..	2	2	—	—	2	2	41	35	6	8	9	15	1	1	1	2
<i>A.—One Week and under.</i>																
1. Prematurity ..	—	—	—	—	—	—	6	4	—	1	—	—	—	—	—	—
2. Debility ..	—	—	—	—	—	—	5	1	1	2	2	3	—	—	—	—
3. Convulsions ..	—	—	—	—	—	—	2	1	—	1	2	2	—	—	—	—
4. Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
8. Other Causes ..	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity ..	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—
2. Debility ..	—	2	—	—	1	1	4	8	—	2	3	2	—	1	—	—
3. Convulsions ..	—	—	—	—	—	—	3	7	2	2	2	2	—	—	1	1
4. Diarrhoea ..	—	—	—	—	—	—	1	—	1	—	—	1	—	—	—	—
4a. Enteritis ..	—	—	—	—	—	1	4	2	—	—	—	—	—	—	—	—
5. Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis ..	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
7. Pneumonia ..	—	—	—	—	—	—	3	3	1	—	—	1	—	—	—	1
8. Other Causes ..	2	—	—	—	1	—	8	3	—	—	—	3	1	—	—	—
II.—General Mortality (1 Year and Over) ..	5	8	4	3	9	10	129	127	48	37	40	33	8	3	24	—
1. Plague ..	—	—	—	—	—	—	—	1	2	—	2	1	—	—	1	—
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	—	—	—	—	—	—	2	2	2	—	4	—	—	—	3	—
6. Pyrexia or Fever ..	—	1	—	—	—	—	2	1	—	1	—	1	—	—	—	—
7. Enteric Fever ..	—	—	—	—	—	—	3	4	—	1	—	1	—	—	2	—
8. Malaria ..	—	—	—	—	—	—	1	3	1	1	1	—	—	—	2	—
9. Malarial Cachexia ..	—	—	—	—	—	—	—	1	1	—	—	—	—	1	—	—
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea ..	—	—	—	—	—	—	5	4	2	—	—	2	—	—	—	—
11a. Enteritis ..	—	—	—	—	—	1	4	4	2	2	—	1	—	—	—	—
12. Dysentery ..	—	—	—	—	—	—	4	3	2	1	2	—	—	—	—	—
13. Ancylostomiasis or Doehmias Duodenalis ..	—	—	—	—	—	—	2	6	—	1	—	—	—	—	—	—
14. Cancer ..	—	—	—	—	—	1	2	3	—	2	—	1	—	—	—	—
15. Phthisis ..	—	2	—	—	2	3	13	13	5	3	3	4	—	—	2	—
16. Other Tuberculous Diseases ..	—	—	—	1	—	—	1	1	—	—	—	—	—	—	—	—
17. Anaemia ..	1	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus ..	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—
19. Convulsions ..	—	—	—	—	—	—	3	3	—	1	—	1	1	—	—	—
20. Tetanus ..	—	—	—	—	—	—	5	1	—	—	—	—	—	—	—	—
21. Bronchitis ..	—	—	—	—	—	—	8	7	2	1	1	—	—	—	—	—
22. Pneumonia ..	1	3	1	—	1	—	20	14	6	5	4	4	—	—	1	—
23. Other Diseases of the Respiratory System ..	—	1	—	—	1	—	2	2	—	—	—	1	—	—	—	—
24. Bright's Disease and Nephritis ..	—	—	2	—	—	—	2	3	2	—	4	2	—	—	1	—
25. Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
26. Puerperal Septicaemia ..	—	—	—	—	—	1	—	4	—	3	—	—	—	—	—	—
27. Miscarriage ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth ..	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide ..	1	—	—	—	—	—	7	3	2	1	—	—	—	—	1	—
32. Suicide ..	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
33. Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes ..	2	1	1	2	5	3	36	40	18	11	18	13	6	1	11	—