

SUPPLEMENT TO THE CEYLON GOVERNMENT GAZETTE

No. 7,583 — FRIDAY, May 27, 1927.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF MARCH, 1927.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns numbered 279 (264 General, 3 Kandyan, and 12 Muslim), as against 398 in the preceding month and 356 in the corresponding month of last year. In Colombo the number of marriages was 113 (104 General and 9 Muslim), as against 132 in the preceding month and 148 in the corresponding month of last year.

Births.

3. The births registered numbered 1,915 (939 males and 976 females), and were equivalent to an annual rate of 35·43 per 1,000 of the population, as against 35·79 in the preceding month, 35·51 in the corresponding month of last year, and 30·26 the average for the corresponding months since 1917. The rate, exclusive of the small towns Mullaittivu, Vavuniya, and Lunugala, ranged from 16·76 in Anuradhapura to 61·39 in Kegalla. There were 1,720 births of children whose mothers were residents of the towns, equivalent to an annual rate of 31·82, as against 31·90 in the preceding month.

4. In the city of Colombo the births registered numbered 790 (384 males and 406 females), and were equivalent to an annual rate of 35·53, as against 39·44 in the preceding month, 31·24 in the corresponding month of last year, and 26·20 the average for the corresponding months since 1917. The rate, exclusive of the Fort and the Pettah Wards, ranged from 15·72 in Kollupitiya to 33·10 in Slave Island. There were 683 births of children whose mothers were residents of the city, equivalent to an annual rate of 30·72, as against 33·51 in the preceding month.

Deaths.

5. The total deaths registered during the month numbered 1,516 (797 males and 719 females), and were equivalent to an annual rate of 28·05, as against 30·83 in the preceding month. There were 1,172 deaths of residents in the towns, equivalent to an annual standardized rate of 23·45, as against 24·99 in the preceding month, 23·54 in the corresponding month of last year, and 28·68 the average for the corresponding months since 1917. The standardized death rate, exclusive of the small towns Mullaittivu, Vavuniya, and Lunugala, ranged from 60·83 in Mannar to 8·82 in Ambalangoda.

6. In the city of Colombo the deaths registered numbered 596 (322 males and 274 females), and were equivalent to an annual rate of 26·81, as against 29·78 in the preceding month. There were 473 deaths of residents of the city which corresponded to an annual standardized rate of 24·50, as against 26·95 in the preceding month, 22·62 in the corresponding month of last year, and 27·15 the average for the corresponding months since 1917. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 25·88 in New Bazaar to 9·71 in Kollupitiya.

7. The stillbirths registered during the months numbered 127 (84 males and 43 females), as against 130 in the preceding month.

Infant Mortality.

8. The deaths of children under one year amounted to 335 and corresponded to a rate of 182 per 1,000 births registered during the twelve months ended March, 1927. Reckoned on the births registered during the month only the rate was 175, as against 178 in the preceding month, 167 in the corresponding month of last year, and 224 the average for the corresponding months since 1917. There were 306 deaths of children under one year whose mothers were residents of the towns, which corresponded to a rate of 178, as against 180 in the preceding month.

9. In the city of Colombo the deaths of children under one year numbered 132, and corresponded to a rate of 186 per 1,000 births registered during the twelve months ended March, 1927. Reckoned on the births registered during the month only the rate was 167, as against 155 in the preceding month, 164 in the corresponding month of last year, and 236 the average for the corresponding months since 1917. There were 117 deaths of children under one year, whose mothers were residents of the city, which corresponded to a rate of 171, as against 165 in the preceding month.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Convulsions* and *Debility* (of children under one year), each caused 7 per cent.; *Phthisis*, 6 per cent.; *Anchylostomiasis* and *Malaria* and *Malarial Cachexia*, each 4 per cent.; *Diarrhoea*, *Bright's Disease* and *Nephritis*, *Enteritis*, *Dysentery*, and *Bronchitis*, each 3 per cent.; *Prematurity*, *Enteric Fever*, *Puerperal Septicaemia*, and *Influenza*, each 2 per cent.; *Tetanus*, 1 per cent.

11. In Colombo too the highest mortality was from *Pneumonia*, to which 13 per cent. of the total deaths were due. *Phthisis* caused 9 per cent.; *Debility* (of children under one year) 7 per cent.; *Convulsions* 5 per cent.; *Bronchitis* 4 per cent.; *Influenza*, *Enteritis*, *Diarrhoea*, *Plague*, and *Bright's Disease* and *Nephritis*, each 3 per cent.; *Anchylostomiasis*, *Enteric Fever*, *Cancer*, *Prematurity*, and *Malaria* and *Malarial Cachexia*, each 2 per cent.; *Dysentery*, *Puerperal Septicaemia*, and *Tetanus*, each 1 per cent.

12. Fifteen deaths (14 males and 1 female) from *Plague* were registered in Colombo, as against 7 in the preceding month and 1 in the corresponding month of last year.

13. *Infectious Diseases reported*.—The infectious disease most prevalent during the month was *Chickenpox*, of which 250 cases were reported (169 in Colombo, 33 in Galle, 11 in Nuwara Eliya). *Phthisis* followed with 93 (79 in Colombo, 5 in Galle); *Enteric Fever* 46 (18 in Colombo, 7 in Kalutara, 6 in Galle); *Continued Fever* 26 (21 in Colombo); *Plague* 19 (in Colombo); *Measles* 16 (9 in Colombo, 4 in Kandy); *Mumps* 6 (5 in Colombo, 1 in Nuwara Eliya); *Dysentery* 4 (1 each in Moratuwa, Kalutara, Hambantota, and Batticaloa); *Diphtheria* 2 (in Colombo); *Whooping Cough* 2 (in Colombo); *Smallpox* 1 (in Colombo Harbour).

Meteorology.

14. *Rainfall*.—Batticaloa recorded the highest rainfall (17·64 in.). In the other towns the rainfall ranged from 16·61 in. in Ratnapura to 1·50 in. in Jaffna. Colombo recorded 5·91 in.

15. *Mean Temperature*.—The mean temperature varied from 83·3° in Jaffna to 60·6° in Nuwara Eliya, and was 81·0° in Colombo.

16. For detailed statistics see Tables I., II., and III. for all towns; and IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, May 4, 1927.

H. E. BEVEN,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during March, 1927, the Proportion of Births and Deaths per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 registered Births, together with the Average Birth-rates in the corresponding Months since 1917, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (exclusive of Military and Shipping) estimated to the middle of the Census of March, 1921.	Marriages.	Births.	Deaths.	Still-births.	Mortality of Children under One Year.	Birth-rate.		Mean Temperature.		Rainfall in Inches.																
							Deaths of Non-residents registered in Towns, Hospitals and Jails.	Per cent.	Average for March, 1927.	March, 1927.	March, 1927.	March, 1927.															
All 33 Towns	..	597,867	638,332	264	3	12	279	939	976	1,915	797	719	1,516	84	43	127	328	35,43	30-26	28-05	335	175	182				
Western.																											
Colombo	..	244,163	261,793	104	—	9	113	384	406	790	322	274	596	26	8	34	113	36	53	26	20	28-81	132	167	186	81-0	5-91
Negombo	..	27,630	28,934	33	—	—	33	42	48	90	28	27	55	8	2	10	12	36	62	36-76	22-38	5	55	53	—	5-53	
Moratuwa	..	41,858	44,504	26	—	—	26	45	60	105	38	45	83	4	2	6	3	27	78	37-71	21-96	20	190	173	—	—	
Kalutara	..	13,696	13,981	8	—	—	8	18	31	19	19	38	—	—	—	7	26	11	34-33	32-00	10	323	211	—	5-34		
Panadura	..	10,747	11,572	8	—	—	8	11	14	25	10	11	21	3	—	3	2	25	44	29-28	21-37	5	200	157	—	—	
Central.																											
Kandy	..	32,562	34,334	8	3	1	12	60	62	122	49	38	87	6	5	11	29	41-84	35-49	29-83	23	189	204	204	77-6	5-76	
Gampola	..	6,202	6,672	—	—	—	13	10	23	3	10	13	3	2	5	—	1	9	47-10	35-54	53-37	1	66	75	—	10-26	
Newalapitiya	..	3,221	3,750	—	1	—	—	1	7	8	15	9	8	17	1	—	—	3	23-61	25-63	51-14	1	166	109	—	11-27	
Elatton-Dikoya	..	2,940	2,993	—	1	—	—	1	13	16	29	12	11	23	—	—	—	14	37-84	38-23	30-01	2	69	59	—	11-34	
Matale	..	7,865	9,023	—	—	—	2	13	7	20	6	6	12	1	1	2	—	28-52	23-88	17-11	5	250	187	60-6	6-04		
Nuwara Eliya	..	7,525	8,257	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Southern.																											
Galle	..	39,073	39,628	13	—	—	13	75	80	155	44	56	100	6	6	12	19	46-05	36-79	29-71	26	168	211	80-8	10-73		
Ambalangoda	..	3,347	3,983	1	—	—	—	1	5	4	9	2	1	3	—	—	—	26-61	28-81	8-87	1	111	107	—	—		
Matara	..	16,779	17,108	6	—	—	23	16	39	20	12	32	2	1	3	—	6	26-84	35-13	22-02	7	179	133	—	7-24		
Wellawaya	..	9,104	9,386	1	—	—	15	13	28	7	9	16	2	2	—	—	—	35-12	37-30	20-07	6	214	195	—	—		
Hambantota	..	2,849	3,999	1	—	—	1	7	8	15	5	1	6	—	—	—	2	68	88	44-66	23-85	2	133	167	80-0	10-16	
Tangalla	..	4,896	5,005	7	—	—	7	8	10	18	7	5	12	2	1	3	4	42-35	32-68	28-23	1	55	57	—	12-34		
Northern.																											
Jaffna	..	42,436	43,740	13	—	2	15	59	76	135	65	56	121	4	2	6	4	36-34	31-15	32-57	33	244	261	83-3	1-60		
Mannar	..	3,705	3,750	2	—	—	—	5	7	12	8	13	21	1	—	1	2	37-68	33-16	65-95	6	500	450	82-5	3-74		
Mullaithivu	..	1,663	1,681	—	—	—	—	—	—	—	2	—	2	1	2	—	1	—	31-79	14-01	—	—	—	—	7-65	—	
Vavuniya	..	936	1,027	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	17-26	11-47	—	—	—	—	6-12	—	
Eastern.																											
Batticaloa	..	10,564	10,818	3	—	—	3	25	8	33	13	12	25	2	1	2	2	35-92	30-58	27-21	6	182	175	80-4	17-64		
Kalmunai	..	2,586	2,616	—	—	—	6	5	11	22	10	17	27	—	1	1	2	49-51	45-86	40-51	3	273	299	—	16-60		
Trincomalee	..	9,414	9,796	1	—	—	1	11	11	22	10	17	27	—	1	1	3	26-44	21-39	32-45	5	227	210	82-0	7-36		
North-Western.								3	14	22	36	21	14	35	3	—	3	20	37-25	31-12	36-22	3	83	89	81-2	10-98	
Kirungahala	..	10,187	11,378	3	—	—	7	12	19	14	10	24	3	2	5	—	9	29-63	45-13	37-43	6	316	290	81-4	2-68		
Puttalam	..	6,905	7,550	3	—	—	4	—	—	4	3	2	5	—	—	—	—	29-09	29-43	36-37	2	500	523	—	6-02		
Kalpitiya	..	1,608	1,619	—	—	—	6	15	13	28	8	4	12	—	2	2	4	43-84	39-03	18-79	3	107	134	—	6-12		
Chilaw	..	6,642	7,620	6	—	—	9	5	14	16	11	27	1	—	1	—	—	16-76	24-08	32-33	6	428	326	80-2	6-71		
North-Central.																											
Anuradhapura	..	7,781	9,834	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	110-44	14-16287-16	3	600	—	—	—		
Uva.	..	8,126	9,061	6	—	—	—	—	—	—	—	—	—	—	—	—	—	8	41-58	35-00	24-69	1	31	38	73-3	10-63	
Badulla	..	526	533	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Lunugala	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Sabaragamuwa.	..	7,014	7,651	4	—	—	4	14	10	24	18	15	33	3	2	5	21	36-93	28-24	50-78	6	250	240	81-8	16-01		
Ratnapura	..	—	3,836	2	—	—	2	13	7	20	7	8	15	1	1	2	11	61-39	37-04	46-04	3	150	209	—	8-51		

* Blanks indicate that there are no observatories or rain gauges.

Table II.—Births, Deaths, and Infant Mortality of Residents with their Corresponding Rates for March, 1927.

Provinces and Towns.	Births.*			Birth-rate for March, 1927.	Deaths.			Death-rate (Standardized).	Infant Mortality.		
	Males.	Females.	Persons.		Males.	Females.	Persons.		March, 1927.	Average for March, 1917-1926.	
All 33 Towns	847	873	1,720	31·82	593	579	1,172	23·45	28·68	306	178
<i>Western.</i>											
Colombo	337	346	683	30·72	249	224	473	24·50	27·15	117	171
Negombo	39	43	82	33·37	19	24	43	17·91	30·38	5	61
Moratuwa	42	56	98	25·93	37	43	80	21·56	33·96	20	204
Kalutara	12	17	29	24·42	15	16	31	25·97	25·09	10	345
Panadure	10	14	24	24·42	10	9	19	20·57	22·21	4	166
<i>Central.</i>											
Kandy	52	56	108	37·03	34	24	58	21·78	27·97	18	166
Gampola	11	7	18	31·76	1	6	7	12·77	24·67	2	111
Nawalapitiya	7	8	15	47·10	4	4	8	27·27	33·93	1	66
Hatton-Dikoya	2	4	6	23·61	5	4	9	41·64	34·77	—	—
Matale	13	16	29	37·84	6	3	9	12·54	33·54	2	69
Nuwara Eliya	13	7	20	28·52	6	6	12	18·89	14·86	5	250
<i>Southern.</i>											
Galle	70	76	146	43·38	34	45	79	22·97	24·92	26	178
Ambalangoda	5	4	9	26·61	2	1	3	8·82	—‡	1	111
Matara	21	16	37	25·46	15	11	26	17·56	22·93	7	189
Weligama	15	13	28	35·12	7	9	16	18·58	18·74	6	214
Hambantota	7	8	15	58·88	3	1	4	15·61	24·06	2	133
Tangalla	8	10	18	42·35	4	4	8	18·68	25·11	1	55
<i>Northern.</i>											
Jaffna	58	75	133	35·80	61	55	116	32·35	34·14	33	248
Mannar	5	4	9	28·26	7	12	19	60·83	41·69	6	666
Mullaittivu	—	—	—	—	—	—	—	—	61·02	—	—
Vavuniya	—	—	—	—	—	—	—	—	52·63	—	—
<i>Eastern.</i>											
Batticaloa	24	8	32	34·83	12	11	23	26·10	39·74	6	188
Kalmunai	5	4	9	40·51	1	4	5	22·67	—‡	3	333
Trincomalee	11	10	21	25·24	8	16	24	30·17	39·09	4	191
<i>North-Western.</i>											
Kurunegala	10	14	24	24·84	7	8	15	18·04	25·44	3	125
Puttalam	7	12	19	29·63	5	10	15	25·37	54·28	6	316
Kalpitiya	4	—	4	29·09	3	2	5	41·77	—‡	2	500
Chilaw	13	11	24	37·58	6	2	8	14·43	35·74	3	125
<i>North-Central.</i>											
Anuradhapura	9	5	14	16·76	16	11	27	38·70	65·29	6	428
<i>Uva.</i>											
Badulla	18	14	32	41·58	5	6	11	14·58	34·17	1	31
Lunugala	3	1	4	88·36	3	—	3	74·69	—‡	2	500
<i>Sabaragamuwa</i>											
Ratnapura	10	9	19	29·24	6	6	12	20·13	18·70	3	158
Kegalla	6	5	11	33·76	2	2	4	13·75	15·84	1	91

* Births of infants whose mothers were residents of the towns.

† Deaths of children under 1 year whose mothers were residents of the towns.

‡ Not available.

Table III.—Causes of Deaths by Sex registered during March, 1927, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

		Western Province.		Central Province.		Southern Province.	
Causes of Death.		All 33 Towns.					
		M	F	Total.	M	F	M
All Causes	..	797	719	1,516	322	274	28
I.—Infantile Mortality	..	179	156	335	68	64	3
A.—One Week and under.							
1. Prematurity	..	17	14	31	6	3	1
2. Debility	..	21	20	41	6	8	2
3. Convulsions	..	12	5	17	2	2	1
4. Diarrhoea	..	—	—	—	—	—	—
4.a Enteritis	..	—	—	—	—	—	—
5. Tetanus	..	—	—	3	—	—	—
6. Bronchitis	..	—	—	—	—	—	—
7. Pneumonia	..	—	—	—	—	—	—
8. Other Causes	..	—	—	6	4	—	—
B.—Over 1 Week and under 1 Year.							
1. Prematurity	..	3	—	3	—	2	—
2. Debility	..	31	32	63	9	17	—
3. Convulsions	..	32	27	59	11	8	1
4. Diarrhoea	..	6	5	11	4	2	—
4.a Enteritis	..	13	7	20	9	2	—
5. Tetanus	..	—	1	1	—	1	—
6. Bronchitis	..	10	6	16	4	4	—
7. Pneumonia	..	18	16	34	9	8	2
8. Other Causes	..	10	—	30	4	10	—

* Besides 4 deaths mentioned in Table V, footnote * 1 death from Imperforate Anus (in Galle.)

† One death from Congenital Syphilis (in Lunugala.)

‡ Besides 4 deaths mentioned in Table V, footnote ‡ 1 death each from Hereditary Syphils (in Panadure), Septicaemia (in Weligama), Gastritis (in Jaffna), Vermes (in Puttalam), Malaria and Convulsion (in Anuradhapura), Dysentery (in Ratnapura.)

§ Besides 10 deaths mentioned in Table V, footnote §, 2 deaths from Dysentery (1 each in Jaffna and Kalmunai), 2 from Malaria Fever (1 each in Jaffna and Mannar), 1 each from Nephritis and Whooping Cough (in Moratuwa), 1 each from Poisoning (in Panadure), Retro Pharyngeal Abscess (in Kandy), Erysipelas (in Nuwara Eliya), and Vermes (in Puttalam.)

Table III.—Causes of Deaths by Sex registered during March, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued*.

Table III.—Causes of Deaths by Sex registered during March, 1927, in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	All 38 Towns.				Western Province.				Central Province.				Southern Province.				
	M	F	Total.	M	F	M	F	M	F	M	F	M	M	F	M	F	
II.—General Mortality (1 Year and Over) ..	618	1,181	2,564	210	25	28	35	13	15	6	10	36	28	3	8	9	7
1. Plague ..	14	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	14	—	7	21	12	4	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	2	3	5	1	1	1	1	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever ..	16	16	31	5	6	2	2	1	2	—	—	—	—	—	—	—	—
7. Enteric Fever ..	15	14	40	6	2	1	1	1	1	—	—	—	—	—	—	—	—
8. Malaria ..	26	26	11	2	11	—	—	—	—	—	—	—	—	—	—	—	—
9. Malaria Cachexia ..	—	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera ..	—	—	21	16	37	7	5	1	2	—	—	—	—	—	—	—	—
11. Diarrhoea ..	—	—	11	12	23	4	5	1	2	—	—	—	—	—	—	—	—
11a. Enteritis ..	—	—	22	17	39	4	3	2	1	—	—	—	—	—	—	—	—
12. Dysentery ..	—	—	13.	Anchylostomiasis or Dochirus Duodenalis ..	26	36	61	7	7	3	4	1	1	3	4	—	—
14. Cancer ..	5	10	15	4	6	1	1	1	1	—	—	—	—	1	—	—	—
15. Phthisis ..	47	43	90	24	27	1	1	1	1	—	—	—	—	2	7	—	—
16. Other Tuberculous Diseases ..	4	4	8	2	3	1	1	1	1	—	—	—	—	—	—	—	—
17. Anaemia ..	4	5	7	1	3	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus ..	12	5	17	4	5	1	1	1	1	—	—	—	—	1	2	—	—
19. Convulsions ..	17	12	29	4	2	—	—	—	—	—	—	—	—	—	—	—	—
20. Tetanus ..	3	14	11	3	14	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis ..	11	11	27	7	6	1	1	1	2	—	—	—	—	2	—	—	—
22. Pneumonia ..	16	79	171	40	22	3	3	6	1	—	—	—	—	1	3	2	—
23. Other Diseases of the Respiratory System ..	92	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis ..	8	2	10	6	1	—	—	—	—	—	—	—	—	2	2	—	—
25. Puerperal Eclampsia ..	19	25	44	6	9	—	—	—	—	—	—	—	—	1	2	—	—
26. Puerperal Septicaemia ..	—	6	6	—	—	—	—	—	—	—	—	—	—	3	—	—	—
27. Miscarriage ..	—	27	27	—	—	—	—	—	—	—	—	—	—	1	1	—	—
28. Other undefined Accidents of Childbirth ..	—	11	11	—	7	—	—	—	—	—	—	—	—	2	—	—	—
29. Starvation ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—
30. Accidents and Negligence ..	24	10	34	10	—	—	—	—	—	—	—	—	—	2	—	—	—
31. Homicide ..	4	1	5	2	—	—	—	—	—	—	—	—	—	1	1	—	—
32. Suicide ..	7	1	8	3	—	—	—	—	—	—	—	—	—	2	—	—	—
33. Execution ..	2	—	2	1	—	—	—	—	—	—	—	—	—	3	1	5	—
34. All Other Causes ..	187*	184†	371	76	14	18	6	3	9	5	—	—	11	3	1	17	—

* Here are included 39 deaths from Senility, 18 from Paralysis, 17 from Debility, 13 from Worms, and 10 from Heart Disease.

† Here are included 73 deaths from Senility, 21 from Worms, 19 from Debility, 12 from Heart Disease, 10 from Paralysis, and 6 from Cerebral Haemorrhage.

Table III.—Causes of Deaths by Sex registered during March, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of March, 1927, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death-rates for the corresponding Months of 1922–1926, in each Sanitary Ward of the City of Colombo.

Wards,	Population (exclusive of the Military and Shipping) estimated to the middle of 1927 by Intercessional Increase, of March 18, 1921.	Population estimated to the middle of 1927 by the Census of March 18, 1921.	Deaths including Deaths in Hospitals and Jails.						Per Mille per Annum.				Mortality of Children under one Year.									
			Births.			Stillbirths.			Deaths of Non-residents in Town, Hospitals and Jails		Deaths of Residents, March, 1927.		Birth-rate.	Death-rate.	Its proportion per annum to 1,000 births registered during the year ended last day of Mar., 1927.							
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Average for March, 1922–26.	March, 1927.	Average for March, 1922–26.	March, 1927.	Average for March, 1922–26.						
City of Colombo ..	244,163	281,793	384	406	790	26	8	34	322	274	596	113	473	35·55†	29·66	21·27†	25·44	24·50	132	167	186	
Fort and Galle Face	2,690	2,885	—	1	1	—	—	—	2	1	3	—	3	4·03	1·68	12·25	5·92	—	—	—	—	
Pettah ..	7,601	8,160	—	2	2	—	—	—	6	—	6	—	3	2·89	3·30	4·33	6·31	—	—	—	—	
St. Paul's ..	23,395	25,084	25	19	44	1	1	2	16	21	37	—	35	20·65	20·21	16·43	23·36	—	8	182	186	
San Sebastian ..	11,492	12,322	10	16	26	1	1	2	10	7	17	—	17	24·84	16·91	16·24	17·63	—	4	154	173	
Kotahena North ..	18,683	20,034	23	26	49	2	—	2	14	15	29	—	29	28·80	25·70	17·04	20·46	—	7	143	172	
Kotahena South ..	27,488	29,473	36	45	81	1	—	1	19	15	34	—	33	32·36	22·38	13·18	24·28	—	12	148	200	
New Razaar ..	23,341	25,027	25	32	57	2	—	2	33	23	56	—	55	26·82	23·79	25·88	24·02	—	16	281	278	
Maradana Hospitals ..	—	—	118	121	239	15	5	20	136	100	236	111	125	—	—	—	—	—	39	—	—	
Maradana North ..	30,404	32,593	37	36	73	1	—	1	25	28	53	—	53	26·37	23·67	19·16	18·08	—	18	178	189	
Maradana East ..	8,693	9,214	12	8	20	—	—	—	—	9	6	14	2	12	25·56	23·79	15·34	20·35	—	4	200	191
Maradana South (exclusive of Hospitals)	18,531	19,870	17	15	32	—	—	—	9	12	21	—	21	18·96	20·62	12·44	16·47	—	7	219	245	
Sleve Island ..	21,584	23,121	31	34	65	2	—	2	14	19	33	—	30	33·10	22·52	15·28	23·08	—	9	138	174	
Kollupitiya ..	23,752	25,468	12	22	34	—	—	—	11	10	21	—	21	15·72	12·93	9·71	11·49	—	4	118	144	
Wellawatta North ..	15,816	16,958	23	15	38	—	1	1	10	14	24	—	24	26·38	25·24	16·66	14·38	—	7	184	189	
Wellawatta South ..	10,813	11,594	15	14	29	1	—	1	8	4	12	—	12	29·45	26·04	12·19	17·89	—	2	69	76	

* Standardized death-rates for the wards of the city are not available.

† The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., of residents not assigned to wards.

Table V.—Causes of Deaths by Sex registered during the Month of March, 1927, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
				Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
	M	F	Total.	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	322	274	596	2	1	6	—	16	21	10	7	14	15	19	15
I.—Infantile Mortality ..	68	64	132	—	—	—	—	2	6	3	1	3	4	8	4
A.—One Week and under.															
1. Prematurity	6	3	9	—	—	—	—	—	—	—	—	—	1	—	—
2. Debility	6	8	14	—	—	—	—	—	—	2	—	—	1	—	—
3. Convulsions	2	2	4	—	—	—	—	—	—	—	—	—	1	1	1
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	4*	4	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.															
1. Prematurity	—	—	—	—	—	—	—	2	—	—	—	—	—	1	2
2. Debility	9	17	26	—	—	—	—	—	—	2	2	1	1	1	1
3. Convulsions	11	8	19	—	—	—	—	—	—	—	1	—	1	1	1
4. Diarrhoea	4	2	6	—	—	—	—	—	—	—	1	—	1	2	2
4a. Enteritis	9	2	11	—	—	—	—	—	—	—	1	—	1	1	1
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	4	4	8	—	—	—	—	—	—	—	1	—	—	2	1
7. Pneumonia	9	8	17	—	—	—	—	—	—	2	—	—	—	2	2
8. Other Causes	—	4†	10‡	14	—	—	—	—	—	—	—	—	—	—	2
II.—General Mortality (1 Year and Over) ..	254	210	464	2	1	6	—	14	15	7	6	11	11	11	11
1. Plague	14	1	15	—	—	2	—	2	—	1	—	—	—	1	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	12	4	16	—	—	3	—	1	1	1	—	—	—	—	—
6. Pyrexia or Fever	1	1	2	—	—	—	—	1	1	1	—	—	—	—	—
7. Enteric Fever	5	6	11	—	—	—	—	—	—	—	—	—	—	—	—
8. Malaria	6	2	8	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
11. Diarrhoea	7	5	12	—	—	—	—	1	—	—	—	1	1	1	1
11a. Enteritis	4	5	9	—	—	—	—	—	—	—	—	—	1	—	1
12. Dysentery	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—
13. Anchylostomiasis or Dochmias Duodenalis	7	7	14	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	4	6	10	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	24	27	51	—	—	—	—	1	—	—	2	2	3	2	1
16. Other Tuberculous Diseases	2	3	5	—	—	—	—	—	—	—	1	—	—	—	—
17. Anaemia	1	3	4	—	—	—	—	—	—	—	—	1	—	—	1
18. Diabetes Mellitus	4	3	7	—	—	1	—	—	—	2	—	—	—	—	—
19. Convulsions	4	5	9	—	—	—	—	—	—	2	—	—	—	—	—
20. Tetanus	4	2	6	—	—	—	—	—	—	2	—	—	—	—	—
21. Bronchitis	7	6	13	—	—	—	—	—	—	2	—	1	1	2	2
22. Pneumonia	40	22	62	—	—	—	—	2	3	—	—	2	1	2	2
23. Other Diseases of the Respiratory System	6	1	7	—	—	—	—	—	—	1	—	1	1	1	1
24. Bright's Disease and Nephritis	6	9	15	—	—	—	—	—	—	1	—	1	1	1	1
25. Puerperal Eclampsia	—	8	8	—	—	—	—	—	—	—	—	—	1	—	1
26. Puerperal Septicaemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	7	7	—	—	—	—	—	—	—	—	1	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence	10	—	10	—	—	—	—	1	—	—	1	—	1	—	—
31. Homicide	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	3	—	3	—	1	—	—	—	—	—	—	—	—	—	—
33. Execution	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	76§	74	150	1	1	—	—	7	4	4	1	2	3	3	7

* Three death from Cerebral Haemorrhage, and 1 from Toxaemia.

† One death each from Syphilis, Rickets, Whooping Cough, and Abscess.

‡ Three deaths from Influenza, and 1 each from Dysentery, Cough, Intussusception, Toxaemia from Cellulitis of Abdomen, Malarial Cachexia, Improper feeding, and Syphilis.

§ Here are included 17 deaths from Senility, 7 from Heart Disease, and 5 each from Paralysis and Cerebral Haemorrhage.

|| Here are included 30 deaths from Senility, 8 each from Debility and Heart-disease, and 5 from Paralysis.

Table V.—Causes of Deaths by Sex registered during the Month of March, 1927, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.																									
	New Bazaar.				Mardana Hos-pitals.				Mardana North.				Mardana East.				Mardana South (exclusive of Hospitals.)				Slave Island.		Kollupitiya.		Wellawatta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F		
All Causes	33	23	136	100	25	28	9	5	9	12	14	19	11	10	10	14	11	10	10	14	11	10	10	14		
I.—Infantile Mortality	8	8	19	20	6	7	3	1	3	4	4	5	1	1	1	1	5	3	1	5	3	1	5	2		
A.—One Week and under.																										
1. Prematurity	1	1	5	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
2. Debility	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Convulsions	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Diarrhoea	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4a. Enteritis	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5. Tetanus	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Bronchitis	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Pneumonia	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
8. Other Causes	1	1	4	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
B.—Over 1 Week and under 1 Year.																										
1. Prematurity	1	3	2	6	1	2	1	2	1	3	2	1	1	1	1	2	1	1	1	1	1	1	1	1		
2. Debility	4	1	2	2	1	2	1	2	1	3	2	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Convulsions	1	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Diarrhoea	2	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4a. Enteritis	2	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5. Tetanus	2	1	4	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Bronchitis	3	1	4	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Pneumonia	1	1	3	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
8. Other Causes	3	1	12	11	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1		
II.—General Mortality (1 Year and Over) ..	25	15	117	80	19	21	6	4	6	8	10	14	8	9	5	12	10	14	8	9	5	12	10			
1. Plague	2	1	3	—	—	—	—	—	—	2	1	—	—	—	—	—	1	—	—	—	—	—	—	—		
2. Smallpox	1	3	2	6	1	2	1	2	1	3	2	1	1	1	1	1	2	1	1	1	1	1	1	1		
3. Chickenpox	4	1	2	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Measles	1	1	5	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
5. Influenza	4	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
6. Pyrexia or Fever	1	1	3	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
7. Enteric Fever	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
8. Malaria	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
9. Malarial Cachexia	1	1	3	1	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
10. Cholera	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
11. Diarrhoea	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
11a. Enteritis	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
12. Dysentery	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
13. Anchylostomiasis or <i>Dochmias Duo-denalis</i>	1	1	5	6	2	1	1	2	1	1	1	1	1	1	1	1	2	1	1	1	1	1	1	1		
14. Cancer	3	1	12	11	1	1	1	1	1	6	1	1	1	1	1	1	1	2	1	1	1	1	1	1		
15. Phthisis	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
16. Other Tuberculous Diseases	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
17. Anaemia	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
18. Diabetes Mellitus	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
19. Convulsions	1	1	1	2	1	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
20. Tetanus	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
21. Bronchitis	1	1	4	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
22. Pneumonia	1	2	26	10	1	2	3	1	1	1	1	1	1	1	1	1	1	2	1	1	1	2	1	1		
23. Other Diseases of the Respiratory System	1	1	6	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
24. Bright's Disease and Nephritis	1	1	1	4	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
25. Puerperal Eclampsia	5	1	1	5	1	1	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
26. Puerperal Septicaemia	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
27. Miscarriage	1	1	4	3	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
28. Other undefined Accidents of Childbirth	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
29. Starvation	5	1	1	4	1	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
30. Accidents and Negligence	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
31. Homicide	1	1	2	1	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
32. Suicide	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
33. Execution	11	4	28	18	6	7	3	2	2	3	5	2	1	1	1	1	2	9	4	5	1	1	7			
34. All Other Causes	11	4	28	18	6	7	3	2	2	3	5	2	1	1	1	1	2	9	4	5	1	1	7			

Table V.—Causes of Deaths by Sex registered during the Month of March, 1927, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.		Deaths among all Races.																				Others.	
	Wellawatta South.		Europeans.				Burgesses.				Sinhalese.				Tamil.				Moors.				Malays.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	8	4	1	5	13	15	164	160	71	45	52	35	8	12	13	2								
I.—Infantile Mortality	1	1	—	—	2	1	48	44	6	11	10	5	1	3	1	—	—	—	—	—	—	—	—	—
A.—One Week and under.																								
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																								
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over)	7	3	1	5	11	14	116	116	65	34	42	30	7	9	12	2								
1. Plague	—	—	—	—	—	—	—	—	2	—	8	1	4	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	4	12	2	2	3	4	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	7	4	2	2	1	1	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	3	2	2	1	1	1	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	—	—	8	2	1	1	1	1	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever	—	—	—	—	—	—	—	—	2	3	1	1	1	1	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	—	—	—	—	—	—	—	—	9	8	2	1	1	1	—	—	—	—	—	—	—	—	—	—
8. Malaria	—	—	—	—	—	—	—	—	4	6	3	1	1	1	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	—	—	—	—	—	—	—	—	—	2	2	2	1	1	1	—	—	—	—	—	—	—	—	—
11a. Enteritis	—	—	—	—	—	—	—	—	—	3	2	2	1	1	1	—	—	—	—	—	—	—	—	—
12. Dysentery	—	—	—	—	—	—	—	—	—	3	3	1	1	1	1	—	—	—	—	—	—	—	—	—
13. Anchylostomiasis or Dschimius Duo-denitis	—	—	—	—	—	—	—	—	—	3	4	1	1	1	1	—	—	—	—	—	—	—	—	—
14. Cancer	—	—	—	—	2	—	—	—	2	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	—	—	—	—	—	—	—	—	13	20	7	1	1	1	1	—	—	—	—	—	—	—	—	—
16. Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	3	2	1	1	1	1	—	—	—	—	—	—	—	—	—
17. Anaemia	—	—	—	—	—	—	—	—	—	1	1	1	1	1	1	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	—	—	—	—	—	—	—	—	—	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions	—	—	—	—	1	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Tetanus	—	—	—	—	—	—	—	—	—	6	3	—	—	—	—	—	—	—	—	—	—	—	—	—
21. Bronchitis	—	—	—	—	—	—	—	—	14	15	16	3	2	1	1	—	—	—	—	—	—	—	—	—
22. Pneumonia	—	—	—	—	2	—	—	—	—	4	5	2	1	1	1	—	—	—	—	—	—	—	—	—
23. Other Diseases of the Respiratory System	—	—	—	—	1	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	—	—	—	—	2	1	—	—	4	5	11	39	30	13	10	17	14	2	5	—	—	—	—	—