SUPPLEMENT

TO THE,

CEYLON GOVERNMENT GAZETTE

No. 7,523 — FRIDAY, APRIL 30, 1926.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF FEBRUARY, **1926**,

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

The marriages of residents in the proclaimed towns numbered 419 (340 General, 6 Kandyan, and 73 Muslim), as against 311 in the preceding month and 462 in the corresponding month of last year. In Colombo the number of marriages was 167 (124 General and 43 Muslim), as against 147 in the preceding month and 159 in the corresponding month of last year.

Births.

The births registered numbered 1,761 (899 males and 862 females), and were equivalent to an annual rate of 36 42 per 1,000 of the population, as against 39 51 in the preceding month, 36 81 in the corresponding month of last year, and 31 88 the average for the corresponding months since 1916. The rate ranged from 19 03 in Badulla to 71 13 in Kurunegala. There were 1,565 births of children whose mothers were residents of the towns, equivalent to an annual

rate of 32 37, as against 35 53 in the preceding month. 4. In the city of Colombo the births registered numbered 625 (326 males and 299 females), and were equivalent to an annual rate of 31 47 per 1,000, as against 37 93 in the preceding month, 40 73 in the corresponding month of last year, and 28.02 the average for the corresponding months since 1916. The rate, exclusive of the Fort and the Pettah Wards, ranged from 12.42 in Kollupitiya to 35.77 in Maradana East. There were 531 births of children whose mothers were residents of the city, equivalent to an annual rate of 26.74, as against 31.83 in the preceding month.

Deaths.

5. The total deaths registered during the month numbered 1,849 (1,025 males and 824 females), and were equivalent to an annual rate of 38 24, as against 41 42 in the preceding month. There were 1,371 deaths of residents in the towns, equivalent to an annual standardized rate of 30.67, as against 33.52 in the preceding month, 30.22 in the corresponding month of last year, and 32.39 the average for the corresponding months since 1916. The standardized death rate ranged from 101.84 in Kalpitiya to 13.38 in Ambalangoda.

6. In the city of Colombo the deaths registered numbered 607 (344 males and 263 females), and were equal to an annual rate of 30.56, as against 37.47 in the preceding month. There were 495 deaths of residents of the city, which corresponded to an annual standardized rate of 28.70, as against 34.67 in the preceding month, 32.54 in the correspond-ing month of last year, and 30.70 the average for the corresponding months since 1916. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 28.97 in New Bazaar to 12.97 in Kollupitiya.

7. The stillbirths registered during the month numbered 124 (67 males and 57 females), as against 147 in the

preceding month. 8. The deaths of children under one year amounted to 396 and corresponded to a rate of 251 per 1,000 births registered during the twelve months ended February, 1926. Reckoned on the births registered during the month only the rate was 225, as against 218 in the preceding month, 216 in the corresponding month of last year, and 239 the average for the corresponding months since 1916. There were 354 deaths of children under one year whose mothers were residents of the towns, which corresponded to a rate of 226, as against 222 in the preceding month.

of the towns, which corresponded to a rate of 226, as against 222 in the preceding month. 9. In the city of Colombo the deaths of children under one year numbered 133, and corresponded to a rate of 231 per 1,000 births registered during the twelve months ended February, 1926. Reckoned on the births registered during the month the rate was 213, as against 215 in the preceding month, 191 in the corresponding month of last year, and 236 the average for the corresponding months since 1916. There were 124 deaths of children under one year whose mothers were residents of the city, which corresponded to a rate of 233, as against 237 in the preceding month.

Causes of Death.

10. The highest mortality was from Pneumonia, to which 13 per cent. of the total deaths were due. Convulsions caused 7 per cent.; Debility (of children under one year) 6 per cent.; Malaria and Malarial Cachexia, Phthisis, Diarrhoea, and Enteritis each 5 per cent.; Bright's Disease and Nephritis, 4 per cent.; Anchylostomiasis, Dysentery, and Prematurity, each 3 per cent.; Enteric Fever, Bronchitis, Puerperal Septicaemia, and Influenza, each 2 per cent. 11. In Colombo, too, the highest mortality was from Pneumonia, to which 12 per cent. of the total deaths were

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths were due. Convulsions, caused 9 per cent.; *Phthisis*, 7 per cent.; *Enteritis*, 6 per cent; *Debility* (of children under one year), 5 per cent.; *Bronchitis*, 4 per cent.; *Influenza* and *Bright's Disease* and *Nephritis*, each 3 per cent.; *Diarrhoea*, *Enteric Fever*, and *Dysentery*, each 2 per cent.; *Anchylostomiasis*, *Prematurity*, and *Puerperal Septicaemia*, each 1 per cent. 12. Four deaths from *Plague* (3 in Colombo and 1 in Puttalam) were registered, as against 1 in the preceding month and 9 in the corresponding month of last year.

13. Infectious Diseases reported.—The infectious disease most prevalent during the month was Chickenpox, of which 273 cases were reported (156 in Colombo, 33 in Moratuwa); Phthisis, followed with 105 (86 in Colombo); Measles 100 (80 in Colombo); Enteric Fever 50 (25 in Colombo); Continued Fever 18 (14 in Colombo); Mumps 7 (6 in Colombo); Plague 4 (in Colombo); Diphtheria 4 (in Colombo); Smallpox 3 (in Colombo); Dysentery 2 (in Kalutara); Diarrhoea 1 (in Colombo).

Meteorology. 14. Rainfall.—Ratnapura recorded the highest rainfall (3·32 in.). In the other towns the rainfall ranged from 2·53 in. in Matara to 0·06 in. in Anuradhapura. Colombo recorded 0·14 in. There was no rain in Negombo, Gampola, Hatton, Puttalam, Kalpitiya, and Chilaw. 15. Mean Temperature.—The mean temperature varied from 82 4° in Ratnapura to 57.7° in Nuwara Eliya, and was 80.6° in Colombo.

as 80.5° in Colombo. 16. For detailed statistics see Tables I., II., and III. for all towns, and IV. and V. for the city of Colombo.

Registrar-General's Office, Colombo, March 29, 1926. A. W. SEYMOUR, Registrar-General. (1)

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during February, 1926, the Proportion of Births and Deaths per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion ver 1,000 revistared Rirths. together with the Average Birth-rates in the corresponding Months since 1916. • .

.

• :

•

•

. 'A

	a.e. "	Population (exclusive Pop of the esti	Population estimated	Marriages			Births		Deaths	ths.	<u>~</u>	Stillbird	.edi	Deaths of Non-	Birth	rate	' əq	-8	ortality n	19	2.12	*.a9(
	a 5 0 1	Milltary and Ship- ping) at the 19 Consus Inte of March 18, 1921.		Kandyan.			Females.	Persons.	.2018]6	· · · · · · · · · · · · · · · · · · ·			· ·	residents of Towns registered in Town Hospitals and Jalls.	February,	101	Tebruary Death-rat	Number regi	Peb., 19261 Proportion Prid 000,101 Difeieled	garing	Säää	do al al (ls ìa
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	2	597,867 68(9		1	862	-	025	<u> </u>	849	-	<u> </u>			31	88 88	24			•	18.S
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	<u> </u>				1			202	1	1		1-	4	1	1 - 1		. · · · ·	1			• (τ-
	1 1	•	•	1	•			88				- 01		•	30	3 K				13 231 74 180	9.08 1	
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$					<u>م</u> م			131			78				8	42			;		1	ा ्र
			•	 			-8	43			!				4 4 4 8	56			• •			
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				6	1			88	49	44	93	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	6	27	33.6	36	35				77.6	
$ \begin{array}{c} $			-	 	11	ਾ " ਜ ਲ		$\frac{21}{16}$	o , c		16			* =	41.5	36	31.			86 284		0.00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	•		{	1	! .		_	6	10	<u>80</u>	8			10	* °° °	3	82	03				
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	••••			 5 61	1 1			5 0	38	202	1		<u>.</u>	31	58.1	88	61.6	51			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0.21
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		- <u>-</u>						112	ä	ž				• •								÷.,
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$				1		_		16	₩	5	1	1		²	31 5 53 8			• •	4 00			
			7,055	x 4	- ī			55	27	13	40			9	42.0		80					2.53
4,087 5 $ 0$ 14 0 20 7 15 11 3 52.28 30.56 33.98 6 $3,743$ 4 $ -$				 	1		,	198	-16	100	10	 		ີ	43.8		299			00 172	80.0	0:27
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	•			, 				Na l	-	0		 	Τ.		52.2		333				 	-
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				1			÷	121	99	69		~		Ĩ	36.2	30.	40.	43			1.62	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$		•					•	1	<u>,</u> 24	<u> </u>	1	 - T	-	מ ן	31.3	88 88 88	077 077			50 210 459 210 210		
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			1,012 -	۱ ۱	-[` 	1	1	1	4	4	90		10	5	.	27	103				. 	0.4
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$		<u> </u>	0,777	1 1 2	- ر-			16	13	12		 	• ~ •	4	19.3		30	24			79.2	
11,179 2 3 7 29 32 61 76 49 124 2 4 97 71 13 119 46 13 7,444 - - 7 15 16 31 26 52 5 7 16 54 59 43 87 91 46 13 1,617 - - - 1 11 10 21 26 55 5 7 16 54 38 91 96 13 37 29 43 87 90 106 13 37 20 43 86 3								10	24	° [00 10			00 F	49-9		30	-94		00 263		4 0.39
11,179 2 3 7 29 32 61 75 49 124 2 2 4 97 71 13 31 9144 60 13 7,444 -7 7 15 16 31 26 55 5 7 16 54 59 43 87 91 06 13 7,444 1 1 0 26 55 5 7 16 54 59 43 87 91 96 13 7 7 16 13 7 91 11 10 21 22 21 43 11 11 18 37 20 35 19 16 18 91 91 91 91 16 13 11 1 18 37 20 35 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td>(</td><td></td><td>1</td><td>•</td><td>8</td><td></td><td></td><td>•</td><td>н Од</td><td></td><td>₽ ₩</td><td></td><td></td><td></td><td>5</td><td>, </td></td<>							(1	•	8			•	н Од		₽ ₩				5	,
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	•		1,179	21				19	15	49				67	71.1	31	144	09.	•	13. 433	19	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$			7,444	1				<u>।</u>	56	3 6				16	54.2	43	61	90.			42	0.0 9.
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$: :		7,360			17		2]	500	21		_ 1		18		35 29	200	202		81 381	 	00.0
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	×																		•			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$:		9,474	। 	- <u></u>			17	24	20	44 -			12	23.3	53	60	•64		71 627	1-11 1	2 0.00
6332 2 - 2 - 1 1 5 4 9 1 - 1 8 24.51 34.89 22.066 1 7 7 9 1 - 1 8 24.51 34.89 22.066 1	:		3.905	 5				13	13	16				11	19.0	36	42	45	·	31 130	11	.4 0.61
	:		532	5		1		-	2	4				80	24.5	34	22	90	÷			1
1,020 Z Z - 4 10 8 Z4 14 1Z Z0 1 1 Z 11 41.40 04 1Z 24 24 24	:	7,014	7,546	1 50 50		4 16	œ	24		19	96			11		2		16.	-	42 51	82	.4 3.32

* Blanks indicate that there are no observatories or rain gauges.

۰.

,

•

.

•

Table II.—Births, Deaths, and Infant Mortality of Residents with their Corresponding Rates for February, 1926.

			Births.	*	Birth-rate.		Deaths	•	Dea (Stand	th- ra te lardized).	Infant	Mortality.
Provinces and Town	ນຮ.	Males.	Females.	Persons.	February, 1926.	Males.	Females.	Persons.	February, 1926.	Average for February, 1916–1925.	Deaths of Children under 1 Year.†	Rate per 1,000 Births registered during Feb 1926.
All 38 Towns	•••	800	765	1,565	8 2· 3 7	7 26	645	1,871	30.67	82.39	854	226
											· · · ·	
<i>Western</i> . Colombo Negombo Moratuwa Kalutara Panadure	 	271 33 68 21 24	260 51 -57 19 15	531 . 84 . 125 40 39	$\begin{array}{r} 26 \cdot 74 \\ 38 \cdot 12 \\ 36 \cdot 97 \\ 37 \cdot 46 \\ 44 \cdot 14 \end{array}$	277 32 39 23 8	218 - 23 35 - 9 16	495 55 74 32 24	28 · 70 25 · 55 22 · 29 29 · 81 28 · 90	30 · 70 33 · 78 40 · 56 25 · 78 22 · 87	124 13 23 9 3	233 155 184 225 977
Central.			•							•		
Kandy Jampola Nawalapitiya Hatton-Dikoya Matale Nuwara Eliya	· · ·	43 9 8 4 27 9		85 16 14 9 39 19	32.5531.6349.4339.3156.6530.44	31 6 2 3 18 7	35 6 3 5 14 4	66 12 5 8 32 11	$27 \cdot 67$ $24 \cdot 52$ $19 \cdot 17$ $41 \cdot 10$ $49 \cdot 62$ $19 \cdot 46$	$\begin{array}{c} {\bf 31} \cdot {\bf 95} \\ {\bf 32} \cdot {\bf 46} \\ {\bf 35} \cdot {\bf 78} \\ {\bf 34} \cdot {\bf 27} \\ {\bf 45} \cdot {\bf 12} \\ {\bf 13} \cdot {\bf 59} \end{array}$	16 5 1 10 6	188 31: 7 11 250 316
Southern.	Ì											
alie mbalangoda Iatara Veligama Iambantota angalia ,	· · · · · · ·	51 6 27 18 6 14	54 10 26 23 3 6	$105 \\ 16 \\ 53 \\ 41 \\ 9 \\ 20$	$34 \cdot 62 \\ 53 \cdot 84 \\ 40 \cdot 51 \\ 57 \cdot 22 \\ 39 \cdot 44 \\ 52 \cdot 28$	51 4 22 9 6 6	$ 49 \overline{12} 11 6 4 $	100 4 34 20 12 10	$\begin{array}{r} 32 \cdot 26 \\ 13 \cdot 38 \\ 25 \cdot 50 \\ 25 \cdot 84 \\ 52 \cdot 26 \\ 25 \cdot 94 \end{array}$	$ \begin{array}{r} 31 \cdot 50 \\ \ddagger \\ 26 \cdot 82 \\ 20 \cdot 61 \\ 31 \cdot 56 \\ 27 \cdot 02 \end{array} $	· 22 3 7 8 2 • 6	20 18 13 19 22 30
Northern.												
afina Iannar Iullaittivu Tavuniya	••	62 7 —	58 6 4 —	120 13 4 	3 5.94 45·28 31·38 —	58 6 4 1	66 6 3. 4	124 12 7 • 5	$38 \cdot 47$ $42 \cdot 62$ $57 \cdot 22$ $75 \cdot 38$	$37 \cdot 77$ $37 \cdot 91$ $55 \cdot 42$ $54 \cdot 91$	36 5 1 1	30 38 25
Eastern.	,								•			•
Batticaloa Salmunai Fincomalee	••	8 5 7	8 5 15	16 10 22	$ \begin{array}{r} 19 \cdot 35 \\ 49 \ 92 \\ 29 \cdot 46 \end{array} $	10 5 18	$\frac{11}{10}$	21 5 28	$26 \cdot 48 \\ 25 \cdot 15 \\ 39 \cdot 22$	33 ∙05 ‡ 33 ∙ 99	4 2 5	25 20 22
North-Western.			:		-							
Surunegala Puttalam Salpitiya Jhilaw	 	12 15 2 9	12 15 4 8	24 30 6 17	27 · 99 52 · 54 48 · 37 30 · 11	15 16 6 10	$12 \\ 20 \\ 5 \\ 15$	27 36 11 25	$36.58 \\ 68.38 \\ 101.84 \\ 51.00$	$ \begin{array}{r} 34 \cdot 57 \\ 59 \cdot 19 \\ ‡ \\ 44 \cdot 25 \end{array} $	8 12 3 7	33 40 50 41
North-Central.						•	•			•		
Anuradhapura	••	7	. 9	16	22.01	· 17	15	32	52.71	7 8 · 54	6	37
Uva.			a	10	10.09		11	10		•		
Badulla Lunugala		10 	3 1	13 1	$\begin{array}{c} 19 \cdot 03 \\ 24 \cdot 51 \end{array}$	7	11	18 1	$26 \cdot 88 \\ 27 \cdot 62$	32 · 32 —‡	- 3	23
Sabaragamuwa.						-						
Ratnapura Kegalla	•••	$\frac{15}{2}$	7 4	22 6	$38.01 \\ 20.68$	6 3	9 7	15 10	$28 \cdot 25 \\ 38 \cdot 59$	24 · 62 17 · 72	1	4

1

Births of infants whose mothers were residents of the town.
Deaths of children under 1 year whose mothers were residents of the town.
Not available

Table III. -- Causes of Death by Sex registered during February, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

			•			Western Province	TTONS									CODUCT LIVEL	1011						:.		10	SOULDELL FROVIDOS						
Causes of Death.		All 33 Towns.	Та 8.		Colombo.		Negonabo.	Morstuws.			Panadure.	· · ·	.Tandy.	Gampola.		.svitigslawaN		.яуойіП-подая.	.elataM		Nuwara Ellya.		સાહિ.	.atognaladmA		Matara.		Weligama.	.влозавателя.		.silsgasT	1 -
	×	F 4	. Total.		 N	× 1	F 4	×	M 	£ 4	×	N Fa	<u>h</u>	R	 	н х	8	5 4		X A	<u>, N</u>	×	F H	R R			×	j fa	×			j pa
All Causes	1,025	25 824		1,849	344	263 34	1 28	41	37 24	4 12	11	18	49 44	6	2	 - 	7 10	00		25 1	11 5	64	54	ধ	1	27 18	8	1	-	00	- 1-	່ຜ
I.—Infantile Mortality		210 186	1	396	69	64 6	7 8	12	00	- 1		63	8	8	, <u> </u>				8	9	6	14	6	~~~	1		10	6				. ത
 A.—One Week and under. I. Prematurity 2. Debility 3. Convulsions 3. Convulsions 4. Diarrhoea 4. Diarrhoea 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Gauses 		, 1 1 1 1 1 1 1 1 1 1		6 6 6 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4.00 01	میں	· 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	~ -																				~		1-11111		~
 BCver 1 Week and under 1 Year. I. Prematurity Debility Debility Dorvulsions Convulsions Liarrhoea Aa Enteritis Diarrhoea Tetanus B. Bronchitis Peneunonis Other Causes 	::::::::	2256 6 1 1 3 2 2 5 6 1 3 3 3 2 2 5 6 1 1 3 2 2 5 6 1 1 3 2 2 5 6 1 1 3 2 2 5 6 1 1 3 2 2 5 6 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 3 4 4 6 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		445 111 111 111 111	0 0 0 - 4 0 	6 4 6 0 6 6 6 F		<u> </u>	<u> </u>				000 - 1 00									- 01 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 01 4	<u> ^ </u>		∞ <i>1</i> 0		m				

ach from Heart Failure (in Galle), Continued Fever (in Negombo), Rickets (in Moratuwa), Induenza (in Moratuwa), Furunculosis (in Kandy), Congenital Syphilis (in Matara), Vermes (in Matara), Vermes (in Matara), and Malarial Fever (in Jaffna).
 Cellulitis (in Matara), and Malarial Fever (in Jaffna).
 t Besides 7 deaths mentioned in Table V., footnote ‡, 2 deaths from Nephritis (1 each in Negombo and Puttalam), 2 from Rickets (in Galle), 1 each from Furunculosis (in Kandy), Cellulitis (in Kandy), Influenzal Penumonia (in Galle), Keratomalacia in Galle), Malarial Fever (in Jaffna), Worms (in Jaffna), and Congenital Syphilis (in Kegalla).

•

Table III.--Causes of Death by Sex registered during February, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895-continued. •

•

	Causes of Death.		All Causes	I.—Infantile Mortality	 A.—One Week and under. I. Promaturity 2. Debility 3. Convulsions 4. Diarrhoea 4. Enteritis 6. Tetanus 6. Bronchitis 7. Pnoumonia 8. Other Causes 	 B.—Over 1 Week and under 1 Year. I. Prematurity 2. Debility 3. Convulsions 4. Diarrhoeu 4. Enteritis 5. Tetanus 6. Bronchitis 7. Pneuronia 8. Other Causes
	.safist	A	66 69	18		4.1- 1.0 0 0.0-1 0. 0
Northern Province.	.180 08 16	A	8			
Province	.uvbtisiluM	RA M	4			
. -	.avinvaa	- H	4	 		
Ear	Batticaloa.	A M	4 13 1	03 		
Eastern Province.	.lauvmlaX	14 	12			
tnce.	Trincomalee.	A	3 24 11			
North	Kurunegala.	A X	1 75 49	<u> </u>		
rth-West	.msisttuT	1 A 2	9 26 26	مبر مبر		
-Western Province.	.svitigisX	4 X	а 0 0		· · · · · · · · · · · · · · · · · · ·	
108.	сълвач.	<u>م</u> لا	5 22 21			
Central Province.	.a1nqanhsann A	×	1 24	4		
	Badulla.		20 13	· 4		
Province of Uva.	Lunugala.	×	16 5			
	.влидалта.	X A	4 14			
Province of Sabaragamuwa	Kegalla.	R R	12 17		4	
	Ецгореала.	N M	17 6	<u> </u>	→ <u> </u>	<u></u>
	Burghers.	×	325	 		
Death	.9201810 1 8		17 5 12 456	3110	1 2	1221 0 5 8 8 0 1 121 0 5 8 8 0 1 1 1 1 1 1 1
Deaths among all Baces.	.slim a T	×	56 305 22	39 46	<u> </u>	88887889000 88887889000 1811 8178120
ali Baces.	.stooM		305 227 141 1	47 89	01 07 4 0 4 1 1 1 1 1 1 2 2 2 2 1 1 1 1 1 2 2 2 2	100000 0004 1401 - 00 101 - 14 - 101
-	.яуяіяМ	14 12 14	105 21	25 26		© 004 01
	Others.	X	12 18	00 10	<u> </u>	

(5),

•

-'

•

Table III. - Causes of Death by Sex registerod during February, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895-continued.

		-																	-			-			
;	А ІІ 33 То ив.	<u></u>	Coiombo.		Negombo.	Могабаwa.	Kalutara.	Panadure.		Kandy.	.slogmsĐ	.syltiqsiswsN	Hatton-Dikoya.		.91818M	лимата Ейуа.	Galle.		.sbogasisdmA	.sistaM	.amagiləW		.atotasdmaH	.sllsyasT	
101	<u>1</u> 24	Total.	×		M E	A M	X	M	M A	A	14 	H N	R	R F	[Fa]	(A) (N)	R	× B	A	я Я	×	× A	F =	A A	• .
	638	1.453		199	27 20	26 29	9 18	8 10	16 41	35	6	00	7 10	7 32	19	5	4 50	44		20 12	F	- CO	8	4	6 0 1
Plague 3	1	60	67	1	1		T	1	1	1		1			11					 •	T	1	1	T	. 1
Smallpox	11		11												1	$\frac{1}{1}$	T	1		 - 	TI				1.3
	1=	1	1		1	1								$\frac{1}{1}$		 - - - -	100	 m			-			- <u> </u> -	
Priezis or Flever 4	- <u>-</u>	1	-	60	 			• T :				1	1		1		1			1. -	1-			 -	у 1 Т
Fever	14	43		00 -	1	4	3 3	- 	-		1	-	1	1	1-	ן ו -	- 69	 -	11		• 			<u>.</u>	١.
Malaria 38 Melanial Cachevia	31	69								 								 -	1	1	1	T		1	
: :	2 	}		1	•	1		-			$\frac{1}{1}$	1	1	1	1	1	ר ד	1	 	• •					ي. بر
	31	92		9	67 67		 		-			-	63	-0 	9			 - 12		· -				- -	1
11.0. Enterrise 33 12. Dysenfery 38	21	00	00	5	4 			 		י דד הה		1	67	· 1		1	100			-	1	$\frac{1}{1}$		$\frac{1}{1}$). ;
omiasis or Dochmius		,								~	-		G				¢					 	-	Ť) ∔
ualis 3	30	61	94	<u>m</u> -			- 12		 -		- <u> </u> 		۹ ۱	₽" 4	*		• • 1	- 1 - 1	1		1.	$\frac{1}{1}$	1	ŀ	1
Phthisis	36 4	89	61	14			- 64		• [00 100		1		1	1		-	<u>ي</u>		ا م	1	ן א	2	Ţ	
berculous Diseases.	5	9	١	e	 	1	1		T	-	1 	1	$\frac{1}{1}$	1	1	1	T	$\frac{1}{1}$		 					
Anaemia 1	46	a a		ന -	1	T	T	 	1	T	1			i 1 						$\frac{1}{1}$	T	1		·T	
Conviriations Mellitus	<u>ي</u> د	34	14	- 10	~									1	1	1	1		T	· I T	1	1	- -	1	1
: :	4	Ē		-	' 			1		1	i F		1	1` T		$\frac{1}{1}$	1	1	1	1					1
Bronchitis 12	12	50	¢	14	1-	TE		 -	- -	«	1	1-	- -	<u> </u> -	- 67	 ea	°'			4	1	T	4		61
rneumonis 124 Other Diseases of the Res.	20	±02	2	17		-	-	 			2		•)									
piratory System	10 0	12	40			1-]	- i	। न	1		1-	 	- I	7-		10	1 6							I I
'	5 e1	201	١	°	- -	1		• 		ا ~~~				1	1	1			1	$\frac{1}{1}$	1	1-		1	I
Puerperal Septicaemia	40	40		2		T	1	-	 ~1	- 64 		1		<i>61</i>	~			4				- 1			
Miscarriage	1	1	1	1	1 T	1	1		ı T	{ 			T 1	1		' 									
Uther undefined Accidents of Childhirth	16	16	1	10	T T		Ī	1	1	5	T	Ť	1				1			T	}	1		T	1
: :	- 1	-	1	1	T		1		1				1	1	1	1.	- آ - آ	1		1					Ė
Accidents and Negligence 26	9,	30	6	ļ	1				1	-	1	 		1		-		3						T	·
•		25	- 0										1 1							ı Ţ	1	$\frac{1}{1}$		T	ſ
	°							T	1			1		+ 	1	1		1	}	ł-	1	$\frac{1}{1}$	' -	10	I
All Other Causes 260*	183†	443	110	65	13 6	1 12	4	5.	4 16	1 20	-	। ल	1	9 	6	1	22	1	 	9 1	10 20			4	1

,

. Table III.--Causes of Death by Sex registered during February, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895-continued.

۲

'	r I	Northern Province.	ovince.		Easter	Eastern Province.	ince.	Ň	North-Westel	£	Province.	50Å	Central Province.	Province	39 of UVa.		Province of Sabaragamuwa	e ot 1uwa.		·	Deaths	ths am(among all Races.	Races.				
Causes of Death.	.ваПвь	.1800.8M	.DVittianDM	.svinursV	.solsoidts.	.isnumlsX	Trincomalee.	Kurnegala.	Puttalam.	Kalpitiya.	CD1187.	*#800	Anu sdiagura.	.aflubaH	โมมายังมาก		.suqeateA	Kegalla.	Etropeans.	Burghers.			.alimaT	.810CM			Others,	
	R B	MAN	F	A X	M	M	A	R R	R	M	R	R F	A.W	A M	R	N A	P4	5A 14	R B	۳ ۲	R	R	F	M B	R	Fa	A X	·
General Mortality (1 Year and Over) . Plague	48 51	- 44 01	6	- co	1 2 1		3 21	9 67 4	44 21	188 180	8 21	1 4	20 16	91	16	3 14	1 = 1	15 1	8	18	14 402 857	11 11 11 11 11 11 11 11 11 11 11 11 11	180	102 7	71 18	1 91	1 12 1	ເຕາ
Chickenpox Chickenpox Measles							$\frac{1}{1}$																<u> </u>	<u> </u>				
Pyrexis or Fever						$\frac{11}{11}$															- 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	I	* ⁰¹	<u></u>				
Malaria Malarial Cachexia	<u>~ </u>	- -	- I					51 m	- 0 - 0	- 1 5	∾ -		6 T					- I - I - I			<u>0</u> ∞	12 2	21 17 3 3	۱ 19 – ۱	1 1			11
Diarrhoea Enteritis		⁻ -			[⁰]		n n	0 <u>-</u>	0.40	4 2 -											122	1910	27 13 13 6	100 kg c	01 i0 c			(
Anchylostomiasis or Dochmius Duo-			1 1	 I	Т Т.	I		m (61 ,		1	. .	1				 	 	। ⇒	<u> </u>					1		,7) ∣
Cancor Phthisis	<u>ہ ا</u> د						- - - -	× ▼ □ □ □			N 				⁻ २१ व		 	╶╻╴	 	1	148	1 1 1		# E-	<u>4 0</u>	6		
Other Tuberculous Diseases		·			- 1	· · /		<u> </u>	 c	 -	1 · 1			1				 	1 <u>1</u> - 1	<u> </u>		3 01						r
Ansemia Diabetes Mellitus Convulsions											- -				 - -					11-			110	 चल				111
Tetanus Bronchiti3			11		· · · · · · · · · · · · · · · · · · ·						• -				•			· · 		TT.	 		4 02 04 0	1 1 .	· · ·	-	$\frac{1}{1}$	1 İ
rneumoina Other Diseases of the Respiratory System	• -	-	 -		N N			<u>18</u> 18	0 0 0 0	≈ -	∞ ∞	 m	1 		<u>⊳</u>		4 ~					49			× •		 + +	F T
Bright's Disease and Nephritis	9		1	1					1	1		। २२			1	1		- -	1		- 14	16 1		ŝ	8	1		· ~ 1
Puerperal Septicaemia	≈ 							। न ल	m	· ©1	T 	m								!		33	- œ 		9	67	•	
Otherundefined Acci- dents of Childbirth								 					 			1 1 						13 13			63			· ·] .
Acoidents and Negligence	2															1 1						0		9				1 E
Homicide Suicido Execution														+ 1				<u>67 −− [</u>						TIT	$\frac{111}{111}$			
All Other Causes	12 15	1		ন	3	21	1 61 63	6	12 2	69 61	1	9		1		G	2	6 6	5	6	6 134	109 6	64 45	38	19 7	60	9	

Table IV.-- Number of Births, Deaths, and Stillbirths registered during the Munth of February, 1926, and the Deaths of Children under Une Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth- and Death-rates for the corresponding Months of 1922-1925, in each Sanitary Ward of the Colombo.

•

•

0

•

		Devide Hon		Births.		Bth	Still births.		eaths in and .	Deaths in Hospitals	-				Por M	Per Mille per Anaum.	aum.		under one Year.	under one Year.	(ear.
Wards.	ropustion (exclusive of the Military and Shipping) at the Census	estimated to the middle of 1926 by		.46	•g		• •	1			Deathe of Non- residence in Town		Deaths of	Birth-rate	rate.	Death-rate	-rate.	Standard- ized	Number regia- tered	Its propor- tion to 1,000 births	Its propor- tion per annum to a1,000 births
	of March 18, 1921.	Intercensal Increase,	.aois M	ame ^y	Person	.esiaM	eisme'i	Person	.səlaM	Yemak	Person and Jails.			February 1926.	Average for Feb., 1922-25.	Feb., 1926.	Average for Feb., 1922-25.	Death- rate, February, 1926.†	during Feb., 1926.	registered during Feb., 1926.	registered during the Year ended last day of Feb., 1956.
City of Colombo	224 168	258,905	326	588	625	51	24	51 3	344 2	263 607	7 109	6	495	31.47*	33.18	24 • 92*	2 9 · 8 6	28.70	133	213	281
Fort and Galle Face	2,690	2,853	I	ļ	1	ł	. 1	1	-		! 	 1	1	 	$1 \cdot 20$	1	11.63	ł	1	1	1
Pettah	7,601	8,060	63	67	. 4	i			4		ا ور		5 C	6-47	3 · 71	8•09	11 · 63	1	н	250	686
St. Paul's	23,395	24,808	22	20	42		٦	4	26	21 4	47		47	22 · 07	21 · 69	24.70	26.57	I	14	333	384
San Sebastian	11,492	12,186	11	12	23	1		1.	13	2	1		18	24.60	24.55	19.26	29.17	1	4	174	207
Kotahena North	18,683	19,813	12	<u>1</u> 2	24	ŝ	I	4	16	14 3	30		30	15 · 79	27-85	19 · 74	27.58	1	11	458	333
Kotahena South	27,488	29.149	42	23	65	1	63	6 1	26	26 5	52	1	52	29.07	26.93	23 • 26	29 · 36		13	200	265
New Bazaar	23,341	24,751	19	25	44	ъ		9	25	30 5	55		55	2 3 •18	25.75	28.97	2 6 · 85	1	10	.227	222
Maradana Hospitals	I	1	100	90°	190	80	15	23]	119	91 210	0 107	1	103		l	1	1	I	26	l	1
Maradana North	30,404	32,233	36	28	64	ŝ	1		53	22 4	45		45	25 • 88	23.74	18.20	21 · 29		11	172	205
Maradana East	8,593	9,112	13	12	25		I	1	13	3	16	1	16	35 · 77	23 · 26	$22 \cdot 89$	23.28	1	9	240	393
Maradana South (ex-	18,531	19,650	11	15	26	1	I	-	16	1	23		23	17.25	18.09	15.26	17.71	ł	t-	269	272
Slave Island	21,564	22,866	25	17	42	1	ବ୍ୟ	ŝ	53	19 4	42		41	23.94	24.09	23.37	25.69		17	405	428
Kollupitiya	23,752	25,187	11	13	24	Ţ		_	18	73 73	26		25	12.42	13.35	12 97	10.00	·	ø	333.	367
Wellawatta North	15,816	16,771	13	21	34	73		67	13	7 8	20		18	26 43	25.05	13-99	23.55	1	4	118	128
Wellawatta South	10,813	11,466	6	6	18	1		1	00	.1 6	17		17	20.46	27.82	19.33	15 67	۰l	51	111	103

(* 8`)

Table V.—Causes of Deaths by Sex registered during the Month of February, 1926, in each Ward and ot each Race in the City of Colombo.

				0			1				1				
Causes of Death.	City	y of Colo	mbo.	Fort and Galle	Face.	Pettah.		St Daul's	- 2 THE T - 100	Son Sahastian		Kotahena	North.	Kotahena	South.
	 M	F	Total.	м	F	м	B	м	F	м	F	м	F	M	F
All Causes	344	263	607	1		4	1	26	21	13	5	16	14	26	26
I.—Infantile Mortality		64	183	_			1	4	10	2	2	5	6	9	4
A.—One Week and under.1. Prematurity2. Debility3. Convulsions4. Diarrhoea4. Enteritis5. Tetanus6. Bronchitis7. Pneumonia8. Other Causes	··· 4 ··· 8 ··· 2 ··· - ··· - ··· - ··· 1*		7 13 5 												
B.—Over 1 Week and under 1 Year. 1. Prematurity 2. Debility 3. Convulsions 4. Diarrhoea 4. Enteritis 5. Tetanus 6. Bronchitis 7. Pneumonia 8. Other Causes	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	9 14 2 10 2 9 7 ‡	$ \begin{array}{c c} - & & \\ & 18 \\ & 30 \\ & 2 \\ & 18 \\ - \\ & 3 \\ & 23 \\ & 13 \\ \end{array} $												
 Pneumonia Other Diseases of the Respirato System Bright's Disease and Nephritis Puerperal Eclampsia Puerperal Septicaemia Miscarriage Other undefined Accidents of Childbirt Starvation	6 4 1 4 4 30 ry 4 8 8	$ \begin{array}{c} 199\\\\\\ -\\ -\\ -\\ -\\ -\\ -\\ -\\ -\\ -\\ -\\ $	$ \begin{array}{c} 474 \\ 2 \\ \\ \\ 16 \\ 3 \\ 14 \\ 4 \\ 1 \\ \\ 12 \\ 19 \\ 14 \\ 9 \\ 5 \\ 41 \\ 3 \\ 4 \\ 5 \\ 19 \\ 5 \\ 21 \\ 51 \\ 5 \\ 17 \\ -7 \\ -7 \\ 10 \\ -9 \\ 9 \end{array} $			4		$\begin{array}{c c} 22 \\ \hline \\ \hline \\ 3 \\ \hline \\ 1 \\ \hline \\ 1 \\ 2 \\ \hline \\ 1 \\ 1 \\ 1 \\ 3 \\ \hline \\ 1 \\ 1 \\ 1 \\ 3 \\ \hline \\ 1 \\ 1 \\ 1 \\ 1 \\ 1 \\ 2 \\ 2 \\ 1 \\ 1 \\ 1$			3		8		

* One death from Imperforate Anus.
† One death each from Thrush, Influenza, Pyaemia, Syphilis, Worms, and Rickets.
‡ Three deaths from Influenza and I each from Bright Disease, Worms, Toxaemia, and Syphilis.
§ Here are included 30 deaths from Senility, 9 from Heart Disease, 7 each from Paralysis and Worms.
|| Here are included 19 deaths from Senility, 8 from Worms, and 5 from Debility,

.(10)
----	----	---

Table V.--Causes of Deaths by Sex registered during the Month of February, 1926, in each Ward and of each Race in the City of Colombo--continued.

				•							Ward	3.				-	•		
	Causes of De	eath.	•	New Borrow	.indizadi.	Maradana Hos-	pitals.	Maradana	North.	Maredone Poet		Maradana South	Hospitals.)	Slava Island	TOTOTOT A DIO	W.c.llumitime	- the franch move	Wellawatta	N orth.
		· ·		M.	F	м	R	M	F	м	y	м	F	м	F	м	18	м	F
	All Causes			25	80	119	91	28	22	.13	3	16	7 .	23	19	18	8	13	
					,			<u> </u>		-									
1	infantile Mortality	• •	••	4	. 6	14	11	6	5	4	2	5	2	9	8	5	8	2	
	A -One Week	and under.											•					•	
	Preinaturity	. .		· ·	; ,	3	2 2												
	Debility Convulsions	••	• • •	_		4	2 1	1	-			-	—	1 1					-
	Diarrhoea	••		_	_					_		_	_	<u> </u>				=	
	Enteritis Tetanus	••	••	-			-	·					—					—	
	Bronchitis	••					_						\equiv	_				_	-
•	Pneumonia	••	••	_	-							-		_			_	_	
•	Other Causes		•••	-	-			-		-		-	- 0	1		—		—	-
	B.—Over 1 Week and	under 1 Ye	• . ar.																
	Prematurity Debility	••				2		-2			_			-					-
	Convulsions	••		1	3	1				$\frac{1}{2}$	1	3		1	2	1 2	1	$\frac{1}{1}$	-
	Diarrhoea	••		- 1	—	-	_	·		<u> </u>	-								-
	Enteritis Tetanus	•'•	••	1		2	2	1	1	—		1	1		2		1		1
	Bronchitis	•• •••	· · ·					_			_		1	\square	1	=		_	-
	Pneumonia	••	·	1	2	1	1	-	-	1	_	1		3	1		1	1	-
	Other Causes	•	·••	1	-	2	2	—	1	—	-	-		1	2	1		-	-
	General Mortality (1	Year and	Dver)	21	24	105	80	· 17	17	9	1	11	5	14	11	13	5	11	
	Plague Smallpox	••	••	1		-				-			-	—				<u> </u>	-
	Chickenpox	••				<u> </u>			\equiv	·	_	_	_		—		í —		-
	Measles	••		_							_		_						
	Influenza Provinski Franciscu - Franciscu	••	••	2	1			1	_						ł		1	-	-
-	Pyrexia or Fever Enteric Fever					4	6	1	2				- 1		1				-
	Malaria	••				3	_		1	_								1	
	Malarial Cachezia			-		—				—	_			- ·	1	-			-
	Cholera Diarrhoea	••	• ·		_	-					_	-			—			1-	-
2.	Enteritis	••		_	4	3	3 2	_	1	- <u>r</u>	_		\equiv	1	$\frac{-}{1}$	2	1	1	-
	Dysentery		_ ··		_	ž	$\overline{2}$		_	2							-	1]
•	Anchylostomiasis or denalis		Duo.				n										1 		
	Cancer	••	••		_	6 3	3 1	_					_		_			1	-
•	Phthisis Other West			2	1	12	. 4	4			=	1	_	3	· 3	2			1
	Other Tuberculous Di Anaemia	iseases	• •	-		-	3			-							-	i —	-
	Diabetes Mellitus	••	• -	_		3	۱ 1						·			_	-		-
	Convulsions		•	1	2			2	2	1	_					2		2	-
	Tetanus Bronchitis	· • •	۰.		_	3	1			—	·			<u> </u>	—				} -
).).		••	• • •	3	1 3	4 18	7 12	-1	2 1		·	1	-				T	-	
).). L. 2.	Pneumonia			э	э	10	12	. 1	T	3			1		, <u> </u>	3		1	-
),), l, 2,	Other Diseases of	the Res	piratory			· 3					·				·				-
).). 2. 3.	Other Diseases of System Bright's Disease and	Norbritin	••	1					1			!				r i	1 -	1 1	
).). 2. 3. 4. 5.	Other Diseases of System Bright's Disease and Puerperal Eclamosia	Nephritis	piratory	1	1	4	2		1				1			-	·	- 1	-
3.).). 1. 2. 3. 4. 5. 6. 7. 7. 6. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem	Nephritis	••												_			-	-
). 1.2.3 4.5.6.7	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem Miscarriage	Nephritis	•••	1 			5	_		1 1 1	_	1							-
9. 0. 1. 2. 3. 4. 5. 6. 78. 9.	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem Miscarriage Other undefined Acci Starvation	Nephritis ia idents of Chi	•••	1 					1				_			· · · · · · · · · · · · · · · · · · ·			-
). 1.2.3. 4.5.6.78.9.0.	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem Miscarriage Other undefined Acci Starvation Accidents and Neglij	Nephritis ia idents of Chi	•••				5		 1	+		+			_				
). 1.2.3 4.5.6 78.90.1	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem Miscarriage Other undefined Acc: Starvation Accidents and Neglin Homicide	Nephritis ia idents of Chi gence	ldbirth .				5									3			
).). 2. 3. 4. 5. 6. 7. 8.	Other Diseases of System Bright's Disease and Puerperal Eclampsia Puerperal Septicaem Miscarriage Other undefined Acci Starvation Accidents and Neglij	Nephritis ia idents of Chi	ldbirth .				5		 1	+					_	3			

· ·

÷

(11)

Table V.—Causes of Deaths by Sex registered during the Month of February, 1926, in each Ward and of each Race in the City of Colombo—continued.

	• • •			War	ds.					Dea	ths an	nong	all F	laces	•				-
	Causes of Dea	th.		Wellawatta	South.	R.droneana.		Burghers.)	Circles.	DILINGSO.	Tamila.		Moore	•	Malann .	Mataya.	4	· Uthers.
		-		м	B,	м	F	M	F	м	P	м.	F	м	F	M	B	M	8
	Ail Causes	• •	••	. 8	9	6	.1	14	11	172	156	63	42	62	45	12	6	15	2
			. .			 •		<u>•</u>								 .	· · ·		
_]	Infantile Mortality	•	•••	. —	2		-	4	3	37	8 2	6	. 15	16	12	4	2	2	-
	A. One Week and	l under.																	
	Prematurity .	•	••	-	—	-	-	·	_	2 5	$\begin{array}{c} 2\\ 2\end{array}$		$.1 \\ 3$	$\frac{1}{1}$	<u> </u>				
	Debility Convulsions	•	••	=	1			<u> </u>		ĩ	ī	`	ĩ	ī	1		-		-
•	Diarrhoea	•		-					-		-						•••••		
a.	Enteritis	•	••						<u> </u>					_					
•	Tetanus Bronchitis	•		1. =			_			_		_			—			<u> </u>	-
•	Pneumonia	••		·	-		—	—		-	-		—	<u> </u>	-	-		-	1
	Other Causes	•	••	-				—	-	-				1		-	. —		-
	B.—Over 1 Week and u	nder 1 Ye	2 r .		•														
•	Prematurity Debility	•		=	i	_	_			4	5			-	3	1		$\left \frac{1}{1} \right $	15
	Convulsions	•	••			-		—		13	7	3	3		3		L	-	
• •	Diarrhoea	•	••			Ξ				2	16	1.	$\frac{1}{2}$	4	1	1			
а.	Enteritis . Tetanus .	•	••	<u> </u>							— .					1		-	
	Bronchitis .	:						_	— '		-		1	1	-		1	-	0
•	Pneumonia Other Causes	•	••	_		_		1 1		8 2	5 3		1 2	5 1	3 1	2		I	-
	•	- and Ove	-)	8	7	6	1	10	8	135	124	57	27	46	33	8	4	13	2
	-General Mortality (1 Ye Plague	ar and Ove	(r)	_	·	_	_			1		1		_0	_	_	_	_	-
•	Smallpox .	•	••	-	-		-			-				_					
•	Chickenpox .	•	••				• _					_		_	_	_			-
	Measles . Influenza .	•	••						1	3	4	4	2	2	·				
	Pyrexia or Fever	•	• • • •	-	-	-		_	—			—	-	1.	1		1.	-	
•	Enteric Fever .	• .	4 . 	_		1*	_			4	6	1	1	1	1			1	_
	Malaria Malarial Cachexia	•	•••				_			<u> </u>	1	_	·				-		-
	Cholera	•	• •				-		-	-						-			-
	Diarrhoea .	•	.:	1	-					3	6 6	3 3	2	<u>-</u> . 2	3				
a.	Enteritis . Dysentery .	•	••	$\frac{-}{1}$	_	ــــــ				• 3	2	5	2	ĩ	i	-		_	-
	Anchylostomiasis or	Dochmius	Duo-	•		·							[1		
	denalis .		• ••	-			-	1		$\begin{array}{c} 6\\ 2\end{array}$	$\begin{array}{c} 2\\ 1\end{array}$	\equiv	1		_				
•	Cancer . Phthiais	• .	••	_	$\overline{2}$	1 1		2	_	12	6	6	1	4	6	1	1		-
•	Other Tuberculous Dise	8868	•••			-			—		1		2						
	Anaemia				- 1					1	$\frac{2}{1}$	-	-		1	-	— '	·	
	Diabetes Mellitus	•	• •					1		$\frac{2}{8}$	1 2	2	-	$\frac{2}{2}$	- 3	1			1
	Convulsions . Tetanus .	•		1.]	_				2	—	2	· 1						
	Bronchitis .	• .	· · ·		. 1		1		1	5	6	2	3		3		-		-
	Pneumonia .	•		1	. 1		-		2	18	18	6		2.	1		-	4	-
	Other Diseases of	the Resp	irato r y			1				2 $$		_	1].		1.	1
	System . Bright's Disease and N	• onhritic	•••		1		_			5	6	2	1	1	1	<u> </u>			
	Bright's Disease and No. Puerperal Eclampsia	_ ·			_	_	_	—				_	_		-				
	Puerperal Septicaemia.	•		-		—					6		·		1				
•	Miscarriage.	•				_			1	_	7				2	-			-
•	Other undefined Accide Starvation	nts of Chi	abirth						1			_						<u></u>	
. '	Accidents and Negligen	ce			•	· -				2		1		5				1	
•	Homicide .	•			- 1			-		1			'	_]	
	Suicide	• 2		[· _		1	—		<u> </u>					-		1	
	Execution All Other Causes	• 25		4	2	2	$\cdot = $	5	3	$\overline{51}$	41	19	10	23	9	6	2	.4	=
<u>s</u>						1		-	-	-		1	~~ (· ^				1

H. ROSS COTTLE, GOVERNMENT PRINTER, COLOMBO, CEVLON.
