

SUPPLEMENT
TO THE
CEYLON GOVERNMENT GAZETTE

No. 7,553 — FRIDAY, OCTOBER 29, 1926.

**VITAL STATISTICS OF TOWNS IN CEYLON IN THE
MONTH OF AUGUST, 1926.**

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in the proclaimed towns numbered 348 (309 General, 5 Kandyan, and 34 Muslim), as against 382 in the preceding month and 355 in the corresponding month of last year. In Colombo the number of marriages was 127 (104 General and 23 Muslim), as against 158 in the preceding month and 114 in the corresponding month of last year.

Births.

3. The births registered numbered 1,723 (884 males and 839 females), and were equivalent to an annual rate of 32·19 per 1,000 of the population as in the previous month, against 29·45 in the corresponding month of last year, and 27·26 the average for the corresponding months since 1916. The rate ranged from 20·04 in Moratuwa to 72·35 in Mannar. There were 1,595 births of children whose mothers were residents of the towns, equivalent to an annual rate of 29·80, as against 28·81 in the preceding month.

4. In the city of Colombo the births registered numbered 640 (325 males and 315 females), and were equivalent to an annual rate of 29·11 per 1,000, as against 29·88 in the preceding month, 25·06 in the corresponding month of last year, and 22·79 the average for the corresponding months since 1916. The rate, exclusive of the Fort and the Pettah Wards, ranged from 14·96 in Kollupitiya to 31·59 in Wellawatta North. There were 567 births of children whose mothers were residents of the city, equivalent to an annual rate of 25·79, as in the preceding month.

Deaths.

5. The total deaths registered during the month numbered 1,864 (985 males and 879 females), and were equivalent to an annual rate of 34·82, as against 34·64 in the preceding month. There were 1,422 deaths of residents in the towns, equivalent to an annual standardized rate of 28·73, as against 27·76 in the preceding month, 25·92 in the corresponding month of last year, and 27·57 the average for the corresponding months since 1916. The standardized death rate ranged from 83·63 in Kalpitiya to 10·46 in Kegalla.

6. In the city of Colombo the deaths registered numbered 674 (377 males and 297 females), and were equivalent to an annual rate of 30·65, as against 29·47 in the preceding month. There were 552 deaths of residents of the city, which corresponded to an annual standardized rate of 28·91, as against 27·76 in the preceding month, 28·22 in the corresponding month of last year, and 27·60 the average for the corresponding months since 1916. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 27·14 in Maradana East to 8·41 in Kollupitiya.

7. The stillbirths registered during the month numbered 113 (61 males and 52 females), as against 115 in the preceding month.

Infant Mortality.

8. The deaths of children under one year amounted to 420 and corresponded to a rate of 238 per 1,000 births registered during the twelve months ended August, 1926. Reckoned on the births registered during the month only the rate was 244, as against 255 in the preceding month, 207 in the corresponding month of last year, and 239 the average for the corresponding months since 1916. There were 389 deaths of children under one year whose mothers were residents of the towns, which corresponded to a rate of 244, as against 260 in the preceding month.

9. In the city of Colombo the deaths of children under one year numbered 162 and corresponded to a rate of 250 per 1,000 births registered during the twelve months ended August, 1926. Reckoned on the births registered during the month only the rate was 253, as against 233 in the preceding month, 222 in the corresponding month of last year, and 255 the average for the corresponding months since 1916. There were 145 deaths of children under one year whose mothers were residents of the city, which corresponded to a rate of 256, as against 250 in the preceding month.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 16 per cent. of the total deaths were due. *Convulsions* and *Debility* (of children under one year), each caused 7 per cent.; *Enteritis* and *Phthisis*, each 5 per cent.; *Dysentery*, *Malaria* and *Malarial Cachexia*, and *Diarrhoea*, each 4 per cent.; *Prematurity*, *Anchylostomiasis*, and *Bright's Disease* and *Nephritis*, each 3 per cent.; *Bronchitis*, *Enteric Fever*, *Puerperal Septicaemia*, and *Influenza*, each 2 per cent.; *Tetanus* 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, which caused 14 per cent. of the total deaths. *Phthisis* and *Convulsions*, each caused 7 per cent.; *Debility* (of children under one year), and *Enteritis*, each 6 per cent.; *Bronchitis*, *Diarrhoea*, and *Influenza*, each 4 per cent.; *Dysentery*, *Enteric Fever*, and *Prematurity*, each 3 per cent.; *Malaria* and *Malarial Cachexia*, *Anchylostomiasis*, and *Bright's Disease* and *Nephritis*, each 2 per cent.; *Puerperal Septicaemia* and *Tetanus*, each 1 per cent.

12. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 116 cases were reported (98 in Colombo, 9 in Galle); *Enteric Fever* followed with 63 (28 in Colombo, 16 in Galle, 7 each in Panadura and Weligama); *Chickenpox* 40 (38 in Colombo); *Dysentery* 27 (8 in Kurunegala, 7 in Moratuwa, 5 in Kalutara); *Continued Fever* 24 (20 in Colombo); *Measles* 23 (18 in Colombo); *Diphtheria* 5 (4 in in Colombo); *Whooping Cough* 2 (in Colombo); *Mumps* 1 (in Matale).

Meteorology.

13. *Rainfall.*—Nawalapitiya recorded the highest rainfall (19·50 in.). In the other towns the rainfall ranged from 17·79 in. in Hatton to 0·02 in. in Puttalam and Anuradhapura. Colombo recorded 5·31 in. There was no rainfall in Mannar and Kalpitiya.

14. *Mean Temperature.*—The mean temperature varied from 86·4° in Trincomalee to 61·2° in Nuwara Eliya, and was 81·8° in Colombo.

15. For detailed statistics see Tables I., II., and III. for all towns, and IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, September 27, 1926.

H. E. BEVEN,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during August, 1926, the Proportion of Births and Deaths per 1,000 of the Population per Annum, the Deaths of Children under One Year and their Proportion per 1,000 registered Births, together with the Average Birth-rates in the corresponding Months since 1916, and the Mean Temperature and Rainfall in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population (exclusive of the Military and Shipping) at the Census of March 19, 1921.			Marriages.			Births.			Deaths.			Stillbirths.			Deaths of Residents of Towns in Town Hospitals and Jails.		Birth-rate.		Number registered during Aug., 1926.	Its proportion to 1,000 Births registered during Aug., 1926.	Its proportion per annum to 1,000 Births registered during the Year ended the last day of Aug., 1926.	Mean Temperature.	Rainfall in Inches.
	General.	Kandyan.	Muslim.	Males.	Females.	Total.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Average for Aug., 1926.					
All 33 Towns	597,867	309	5	384	839	1,723	985	879	1,864	61	52	113	435	32	19	27	26	34	32	420	244	238	81.8	5.31
<i>Western.</i>																								
Colombo	244,163	104	23	127	325	315	377	297	674	16	18	34	118	29	11	22	79	30	65	162	253	250	81.8	5.31
Negombo	27,639	23	—	23	54	56	40	35	75	3	3	6	8	45	09	34	81	30	74	19	173	198	—	3.05
Moratuwa	41,858	25	—	25	34	41	45	57	102	3	4	7	5	20	04	32	96	27	25	28	373	346	—	—
Kalutara	13,919	7	—	7	24	19	18	32	50	1	3	4	14	36	37	32	59	42	30	8	186	180	—	6.73
Panadura	10,747	11	—	11	12	15	12	15	27	1	—	1	7	27	60	26	65	27	60	2	74	71	—	—
<i>Central.</i>																								
Kandy	32,562	14	3	4	60	44	50	39	89	4	3	7	50	35	97	27	83	30	78	20	192	182	77.2	5.23
Gampola	6,202	1	—	1	2	5	11	8	15	—	—	—	11	28	56	24	44	41	06	4	250	170	—	5.17
Nawalapitiya	3,221	1	—	1	5	3	11	9	20	1	2	3	15	25	51	29	78	63	73	3	375	221	—	19.50
Hatton-Dikoya	2,940	—	—	—	5	6	13	10	23	1	—	1	7	43	40	28	53	30	75	3	273	343	—	17.79
Matale	7,865	4	—	4	19	15	32	26	58	1	1	2	36	44	61	28	37	76	09	6	177	179	—	3.27
Nuwara Eliya	7,525	2	—	2	18	14	12	8	20	—	—	—	4	46	31	21	58	28	94	6	188	236	—	9.03
<i>Southern.</i>																								
Galle	39,073	25	1	26	47	63	54	54	108	9	2	11	20	32	76	26	43	32	16	3	182	167	81.0	6.65
Ambalangoda	3,347	5	—	5	6	1	3	4	7	—	—	—	2	21	27	23	43	21	27	2	429	336	—	—
Masara	16,779	8	—	8	25	27	26	25	51	2	1	3	13	35	90	30	80	35	21	8	154	158	—	5.81
Weligama	9,104	7	—	7	9	7	16	9	12	—	—	—	—	20	17	30	17	26	47	3	188	99	—	—
Hambantota	2,849	—	—	—	3	2	11	3	14	—	—	—	—	7	47	49	43	42	55	4	417	414	—	1.62
Tangalla	4,896	3	—	3	8	7	8	22	15	—	—	—	2	51	94	43	62	49	58	5	409	524	—	6.69
<i>Northern.</i>																								
Jaffna	42,436	27	2	29	76	58	48	65	113	4	4	8	3	36	25	32	19	30	56	39	291	303	83.4	0.29
Mannar	3,705	3	—	3	12	11	23	6	7	—	—	—	2	72	35	40	79	40	89	6	261	404	86.0	0.00
Mallaitivu	1,563	—	—	—	5	5	10	4	4	—	—	—	2	70	86	28	94	56	69	3	300	579	—	0.20
Vavuniya	936	—	—	—	—	2	—	—	5	—	—	—	3	23	28	13	08	58	19	1	500	420	—	0.79
<i>Eastern.</i>																								
Batticaloa	10,564	10	—	10	25	16	26	21	47	1	2	3	8	44	79	52	34	51	35	9	220	293	85.5	1.13
Kalmunai	2,686	1	—	1	3	8	11	9	7	—	—	—	11	49	60	43	42	72	15	2	182	224	—	0.32
Trincombake	9,414	6	—	6	14	10	14	10	24	—	—	—	2	29	03	28	90	29	03	7	292	278	86.4	0.83
<i>North-Western.</i>																								
Kurunegala	10,187	3	—	3	19	15	34	27	64	2	—	—	24	35	81	26	70	87	41	11	324	322	81.6	3.15
Putalam	6,905	1	—	1	9	13	17	16	33	1	1	2	9	34	80	31	07	52	20	5	227	193	83.4	0.02
Kalpitiya	1,608	—	—	—	1	2	3	4	6	—	—	—	—	21	84	30	81	72	31	3	—	—	—	0.00
Chilaw	6,642	7	—	7	8	8	16	12	28	2	1	3	14	25	60	31	85	44	80	2	125	86	—	0.35
<i>North-Central.</i>																								
Anuradhapura	7,781	4	—	4	12	9	24	21	45	—	—	—	10	26	10	21	47	55	92	10	476	545	84.1	0.02
<i>Uva.</i>																								
Badulla	8,126	4	—	4	8	8	16	7	11	1	—	—	7	21	15	39	51	23	80	3	188	132	76.6	0.65
Lunugala	526	1	—	1	1	1	2	4	6	—	—	—	9	44	27	31	87	221	86	2	—	—	—	—
<i>Sabaragamuwa.</i>																								
Ratnapura	7,014	1	—	1	15	16	31	17	11	2	1	3	18	48	37	26	21	43	69	6	194	250	81.5	11.74
Kegalla	3,508	1	—	1	7	7	14	11	8	4	1	5	16	43	59	33	3	59	15	2	143	149	—	6.68

* Blanks indicate that there are no observatories or rain gauges.

Table II.—Births, Deaths, and Infant Mortality of Residents with their Corresponding Rates for Aug., 1926.

Provinces and Towns.	Births.*			Birth-rate.	Deaths.			Death-rate (Standardized).		Infant Mortality.	
	Males.	Females.	Persons.	August, 1926.	Males.	Females.	Persons.	August, 1926.	Average for August, 1916-1925.	Deaths of Children under 1 Year.†	Rate per 1,000 Births registered during Aug., 1926.
All 33 Towns	826	769	1,595	29·80	717	705	14,22	28·73	27·57	889	244
<i>Western.</i>											
Colombo	291	276	567	25·79	299	253	552	28·91	27·60	145	256
Negombo	50	49	99	40·58	35	32	67	28·11	27·21	18	182
Moratua	33	40	73	19·50	42	55	97	26·39	32·46	28	383
Kalutara	21	16	37	31·30	13	22	35	29·45	22·89	7	189
Panadure	12	14	26	26·58	9	11	20	21·76	22·47	2	77
<i>Central.</i>											
Kandy	54	39	93	32·16	30	29	59	22·35	29·44	17	183
Gampola	5	11	16	28·56	4	8	12	22·14	26·64	4	250
Nawalapitiya	4	3	7	22·32	3	2	5	17·31	32·71	1	143
Hatton-Dikoya	5	6	11	43·40	8	8	16	74·24	34·91	3	273
Matala	19	15	34	44·61	12	10	22	30·81	33·39	6	177
Nuwara-Eliya	17	12	29	41·97	10	6	16	25·56	12·53	6	207
<i>Southern.</i>											
Galle	44	61	105	31·27	43	45	88	25·64	22·99	19	181
Ambalangoda	6	1	7	21·27	3	4	7	21·15	—†	3	429
Matarā	24	26	50	34·52	18	20	38	25·74	24·12	8	160
Welligama	9	7	16	20·17	9	12	21	24·51	15·79	3	188
Hambantota	7	5	12	47·49	4	3	7	26·29	67·68	5	417
Tangalla	14	8	22	51·94	14	5	19	41·55	20·63	9	409
<i>Northern.</i>											
Jaffna	76	58	134	36·25	46	64	110	30·82	28·51	39	291
Mannar	12	10	22	69·21	5	6	11	35·29	31·83	6	273
Mullaivivu	5	5	10	70·86	3	3	6	44·30	36·94	2	200
Vavuniya	—	2	2	23·28	2	—	2	27·23	26·28	1	500
<i>Eastern.</i>											
Batticaloa	25	16	41	44·79	20	19	39	44·42	39·63	9	220
Kalmunai	3	8	11	49·60	2	2	4	18·17	—†	2	182
Trincomalee	14	10	24	29·03	12	10	22	27·84	33·15	7	292
<i>North-Western.</i>											
Kurunegala	18	14	32	33·70	20	20	40	48·95	27·18	10	313
Puttalam	9	13	22	34·80	11	13	24	41·17	39·72	5	227
Kalpitiya	1	2	3	21·84	4	6	10	83·63	—†	3	—
Chilaw	8	6	14	22·40	6	8	14	25·80	25·97	2	143
<i>North-Central.</i>											
Anuradhapura	11	8	19	23·61	17	18	35	52·07	44·61	9	474
<i>Uva.</i>											
Badulla	8	8	16	21·15	2	9	11	14·83	29·21	3	188
Lunugala	1	1	2	44·27	1	—	1	24·95	—†	1	500
<i>Sabaragamuwa.</i>											
Ratnapura	14	14	28	43·69	8	1	9	15·31	21·31	4	143
Kegalla	6	5	11	34·25	2	1	3	10·46	21·82	2	182

* Births of infants whose mothers were residents of the towns.

† Deaths of children under 1 year whose mothers were residents of the towns.

‡ Not available.

Table III.—Causes of Death by Sex registered during August, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Death.	All 33 Towns.										Western Province.												Central Province.												Southern Province.																
	Colombo.			Negombo.			Moratuwa.			Kaltara.			Panadura.			Kandy.			Gampola.			Nawalpitiya.			Hatton-Dikoya.			Matale.			Nuwara Eliya.			Galle.			Ambalangoda.			Matara.			Welligama.			Hambantota.			Tangalla.		
	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.												
All Causes	985	879	1,864	377	297	674	40	35	75	45	57	102	18	32	50	15	11	26	8	15	23	8	15	23	11	11	22	9	12	21	4	28	32	3	4	7	54	54	108	3	4	7	9	12	21	11	3	15	6		
I.—Infantile Mortality	206	214	420	90	72	162	13	6	19	6	22	28	3	5	8	12	1	3	4	1	3	4	1	2	3	3	3	6	2	2	4	1	2	3	12	8	20	1	2	3	2	1	3	2	3	6	3				
A.—One Week and under.																																																			
1. Prematurity	23	29	52	11	6	17	1	3	4	1	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
2. Debility	33	27	60	9	8	17	4	1	5	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3. Convulsions	16	8	23	3	1	4	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8. Other Causes	4*	2†	6	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B.—Over 1 Week and under 1 Year.																																																			
1. Prematurity	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Debility	29	38	67	12	14	26	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1			
3. Convulsions	82	31	113	16	14	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4. Diarrhoea	4	6	10	3	4	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
4a. Enteritis	14	24	38	7	10	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6. Bronchitis	5	4	9	4	2	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
7. Pneumonia	21	21	42	15	7	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				
8. Other Causes	†20	18	38	6	5	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—				

* Besides 3 cases mentioned in Table V, footnote * 1 death from imperforate anus (in Galle).

† Besides 1 case mentioned in Table V, footnote †, 1 death from an injury to the head caused by an accidental fall of the mother while in 10 months pregnancy (in Galle).

‡ Besides 6 cases mentioned in Table V, footnote ‡, 3 deaths from Worms (2 in Negombo and 1 in Puttalam), 2 from Congenital Syphilis (1 in Negombo and 1 in Hatton-Dikoya), 1 each from Nephritis (1 in Negombo); Asthenia (in Kalutara); Dysentery (in Kandy); Intermittent Fever (in Nuwara Eliya); Gasstritis and Epistaxis (in Galle); Continued Fever (in Welligama); Malaria (in Anuradhapura) and Gangrene of Scrotum (in Lunugala).

|| Besides 5 cases mentioned in Table V, footnote § 2 from Dysentery (1 in Kandy and 1 in Anuradhapura); 2 from Intermittent Fever (1 in Nuwara Eliya and 1 in Galle); 2 from Rickets (1 in Galle and 1 in Jaffna); 1 each from Acute Nephritis and Enteric Fever (in Moratuwa); 1 from Meningitis (in Galle); 1 from Bright's Disease (in Matara); 2 from Malaria (1 in Kalpitiya and 1 in Anuradhapura) and 1 from Fever (in Kalpitiya).

Table III.—Causes of Death by Sex registered during August, 1926, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	All 33 Towns.			Western Province.						Central Province.						Southern Province.																						
	M	F	Total.	Colombo.		Negombo.		Moratuwa.		Kaltara.		Panadura.		Kandy.		Gampola.		Nawalapitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Welligama.		Hambantota.		Tangalle.		
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
II.—General Mortality (1 Year and Over)	779	665	1,444	287	225	27	29	39	35	15	27	11	14	42	27	7	12	10	7	12	8	29	23	9	5	42	46	2	2	24	19	7	11	9	9	3		
1. Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2. Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza ..	13	13	26	11	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Pyrexia or Fever ..	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Enteric Fever ..	19	14	33	10	8	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Malaria ..	34	26	60	9	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Malarial Cachexia ..	7	9	16	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Diarrhoea ..	41	26	67	12	8	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11a. Enteritis ..	28	28	56	16	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Dysentery ..	45	33	78	11	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Anchylostomiasis or Dochmiasis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13a. Duodenalis ..	26	30	56	8	8	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Cancer ..	2	8	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15. Phthisis ..	52	42	94	30	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16. Other Tuberculous Diseases ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17. Anaemia ..	2	6	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18. Diabetes Mellitus ..	8	3	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19. Convulsions ..	15	27	42	5	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20. Tetanus ..	11	3	14	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21. Bronchitis ..	13	16	29	9	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22. Pneumonia ..	174	88	262	44	31	4	4	6	4	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23. Other Diseases of the Respiratory System ..	4	3	7	3	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24. Bright's Disease and Nephritis ..	22	27	49	8	8	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
25. Puerperal Eclampsia ..	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
26. Puerperal Septicaemia ..	—	34	34	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
27. Miscarriage ..	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28. Other undefined Accidents of Childbirth ..	—	14	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
29. Starvation ..	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Accidents and Negligence ..	26	6	32	14	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Homicide ..	7	1	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32. Suicide ..	2	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33. Execution ..	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34. All Other Causes ..	224*	198†	422	84	61	8	12	20	15	6	11	6	4	11	7	3	5	1	1	1	4	2	3	2	3	2	18	18	1	10	11	4	5	2	3	2		

* Here are included 42 deaths from Senility, 31 from Worms, 18 from Heart Disease, 14 from Paralysis, and 13 from Debility.
 † Here are included 57 deaths from Senility, 34 from Worms, 15 from Debility, 10 from Heart Disease, and 7 from Paralysis.

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of August, 1926, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death-rates for the corresponding Months of 1922-1925, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March 18, 1921.	Population estimated to the middle of 1926 by Inter-censal Increase.	Births.			Stillbirths.			Deaths including Deaths in Hospitals and Jails.			Per Mille per Annum.			Mortality of Children under one Year.					
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Deaths of Non-residents in Town Hospitals and Jails.	Deaths of Residents.	Birth-rate.		Standard Death-rate, August, 1926.†	Number registered during August, 1926.	Its proportion to 1,000 births registered during August, 1926.	Its proportion per annum to 1,000 births registered during the Year ended last day of Aug., 1926.	
														August, 1926.	Average for Aug., 1922-26.					
City of Colombo ..	244,163	258,905	325	315	640	16	18	34	377	297	674	118	552	29.11*	25.41	27.37	28.91	162	253	250
Fort and Galle Face	2,690	2,853	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	—	—
Pettah ..	7,601	8,060	3	1	4	—	—	—	4	—	4	—	4	—	5.84	7.94	—	—	—	—
St. Paul's ..	23,395	24,808	22	19	41	1	1	2	31	26	57	—	57	—	19.46	14.26	—	—	17	415
San Sebastian ..	11,492	12,186	12	9	21	2	—	2	8	10	18	—	18	—	20.29	16.66	—	—	11	524
Kotahena North ..	18,683	19,813	17	14	31	—	—	—	18	15	33	—	33	—	18.42	21.55	—	—	9	290
Kotahena South ..	27,488	29,149	21	18	39	—	1	1	30	19	49	—	49	—	15.75	21.10	—	—	19	487
New Bazaar ..	23,341	24,751	29	23	52	3	2	5	17	18	35	—	35	—	24.74	17.57	—	—	8	154
Maradana Hospitals	—	—	81	100	181	7	10	17	165	100	265	118	147	—	—	—	—	—	40	—
Maradana North ..	30,404	32,233	28	33	61	—	2	2	28	18	46	—	45	—	22.28	17.85	—	—	13	213
Maradana East ..	8,593	9,112	14	7	21	—	1	1	9	12	21	—	21	—	27.14	15.26	—	—	8	381
Maradana South (exclusive of Hospitals)	18,631	19,650	19	15	34	—	—	—	20	15	35	—	33	—	20.37	16.52	—	—	6	178
Slave Island ..	21,564	22,866	26	22	48	2	1	3	19	24	43	—	42	—	24.72	20.36	—	—	13	271
Kollupitiya ..	23,752	25,187	14	18	32	1	—	1	11	7	18	—	18	—	14.96	12.30	—	—	3	94
Wellawatta North..	15,816	16,771	23	22	45	—	—	—	11	20	31	—	31	—	31.59	19.51	—	—	8	178
Wellawatta South..	10,813	11,466	16	14	30	—	—	—	5	13	18	—	18	—	30.81	20.33	—	—	7	233

* The city-rate is worked differently from the ward-rates, and takes into account events in hospitals, &c., of residents not assigned to wards.
 † Standardized death-rates for the wards of the city are not available.

Table V.—Causes of Death by Sex registered during the Month of August, 1926, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
	M	F	Total.	Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
				M	F	M	F	M	F	M	F	M	F	M	F
All Causes	377	297	674	1	—	4	—	8	26	8	10	18	15	30	19
I.—Infantile Mortality	90	72	162	—	—	—	—	14	3	6	5	5	4	14	5
<i>A.—One Week and under.</i>															
1. Prematurity	11	6	17	—	—	—	—	1	—	—	—	—	—	—	—
2. Debility	9	8	17	—	—	—	—	—	—	—	—	—	1	1	1
3. Convulsions	3	1	4	—	—	—	—	2	—	1	—	—	—	—	1
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	3*	1†	4	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>															
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	12	14	26	—	—	—	—	1	—	1	—	—	—	—	—
3. Convulsions	16	14	30	—	—	—	—	5	1	2	1	1	2	3	—
4. Diarrhoea	3	4	7	—	—	—	—	—	—	—	—	—	1	2	—
4a. Enteritis	7	10	17	—	—	—	—	—	—	—	1	1	—	1	3
5. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	4	2	6	—	—	—	—	1	1	1	—	—	—	1	—
7. Pneumonia	15	7	22	—	—	—	—	3	—	1	2	2	—	4	—
8. Other Causes	6‡	5§	11	—	—	—	—	1	1	—	—	—	—	2	—
II.—General Mortality (1 Year and Over) .. .	287	225	512	1	—	4	—	17	23	2	5	13	11	16	14
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	11	9	20	—	—	—	—	3	4	1	—	1	—	1	1
6. Pyrexia or Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	10	8	18	—	—	—	—	—	1	—	—	1	2	—	—
8. Malaria	9	5	14	—	—	—	—	—	1	—	—	1	—	1	1
9. Malarial Cachexia	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	12	8	20	—	—	—	—	1	4	—	—	1	—	3	—
11a. Enteritis	16	5	21	—	—	—	—	1	—	—	—	—	—	—	2
12. Dysentery	11	9	20	—	—	—	—	—	—	—	—	1	1	1	—
13. Anchylostomiasis or Dochmius Duodenalis	8	8	16	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	—	6	6	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	30	20	50	—	—	2	—	2	1	—	1	1	1	2	2
16. Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anæmia	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	3	1	4	—	—	—	—	—	—	—	—	—	—	1	—
19. Convulsions	5	9	14	—	—	—	—	1	1	—	—	—	—	2	—
20. Tetanus	5	1	6	—	—	—	—	—	—	—	—	—	—	—	1
21. Bronchitis	9	13	22	—	—	—	—	1	1	—	—	—	—	—	1
22. Pneumonia	44	31	75	—	—	1	—	3	4	—	1	2	—	—	3
23. Other Diseases of the Respiratory System	3	2	5	—	—	—	—	—	—	—	—	—	1	1	—
24. Bright's Disease and Nephritis	8	8	16	—	—	—	—	1	1	—	—	1	2	—	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia	—	9	9	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	4	4	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence	14	3	17	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	84	61¶	145	1	—	1	—	4	5	1	3	4	4	4	3

* One death each from Cleft palate, Asphyxia pallida, and shock from falling.

† From Atelectasis.

‡ Three deaths from Influenza and 3 from Congenital Syphilis.

§ Two deaths from Congenital Syphilis, and 1 each from Gangrene of the leg, Perineal Abscess, and Influenza.

|| Here are included 16 deaths from Senility, 11 from Heart-disease, 10 from Paralysis, and 6 from Worms.

¶ Here are included 15 deaths from Senility, 13 from Paralysis and 4 from Heart-disease.

Table V.—Causes of Death by Sex registered during the Month of August, 1926, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.															
	New Bazaar.		Maradana Hos- pitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals)		Slave Island.		Kollupitiya.		Wellawatta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	17	18	165	100	28	18	9	12	20	15	19	24	11	7	11	20
I.—Infantile Mortality .. .	4	4	22	18	9	4	1	7	3	3	6	7	1	2	2	6
<i>A.—One Week and under</i>																
1. Prematurity .. .	—	—	9	6	—	—	—	—	—	—	1	—	—	—	—	—
2. Debility .. .	—	—	3	3	1	—	—	1	1	—	2	—	—	—	—	—
3. Convulsions .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility .. .	2	1	2	3	3	2	—	4	—	—	—	—	—	—	—	—
3. Convulsions .. .	—	2	—	—	4	1	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea .. .	1	—	—	—	—	—	—	2	1	2	—	—	—	—	—	—
4a. Enteritis .. .	—	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia .. .	1	—	2	—	1	1	—	—	1	—	—	—	—	—	—	—
8. Other Causes .. .	—	1	3	2	—	—	—	—	—	1	—	—	—	—	—	2
II.—General Mortality (1 Year and Over) .. .	13	14	143	82	19	14	8	5	17	12	13	17	10	5	9	14
1. Plague .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza .. .	1	1	—	1	2	2	1	—	1	—	—	—	—	—	—	—
6. Pyrexia or Fever .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever .. .	—	—	9	4	—	1	—	—	—	—	—	—	—	—	—	—
8. Malaria .. .	—	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—
9. Malarial Cachexia .. .	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	—
10. Cholera .. .	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
11. Diarrhoea .. .	—	1	7	2	—	—	—	—	—	—	—	—	—	—	—	—
11a. Enteritis .. .	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Dysentery .. .	—	1	7	7	1	—	—	2	3	—	1	—	—	—	2	2
13. Anchylostomiasis or Dochmias Duo- denalis .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer .. .	—	1	8	6	—	—	—	—	—	1	—	—	—	—	—	—
15. Phthisis .. .	—	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—
16. Other Tuberculous Diseases .. .	2	1	14	9	—	1	—	—	2	1	3	2	—	—	1	1
17. Anaemia .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus .. .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
19. Convulsions .. .	—	—	1	1	—	—	—	—	1	—	—	—	—	—	—	—
20. Tetanus .. .	1	1	—	—	—	—	—	—	—	3	—	—	—	—	—	—
21. Bronchitis .. .	—	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Pneumonia .. .	1	1	7	6	1	1	—	—	—	—	—	—	—	—	—	—
23. Other Diseases of the Respiratory System .. .	3	1	23	13	2	2	—	2	3	2	2	2	1	2	3	1
24. Bright's Disease and Nephritis .. .	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—
25. Puerperal Eclampsia .. .	—	—	2	1	2	1	2	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Miscarriage .. .	—	1	—	6	—	—	—	—	—	—	—	3	—	—	—	—
28. Other undefined Accidents of Childbirth .. .	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
29. Starvation .. .	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence .. .	—	—	11	2	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide .. .	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide .. .	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution .. .	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes .. .	4	5	39	14	7	6	2	3	3	4	6	5	4	3	3	4

Table V.—Causes of Death by Sex registered during the Month of August, 1926, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.		Deaths among all Races.													
	Wellawatta South.		Europeans.		Burghers.		Sinhalese.		Tamils.		Moors.		Malays.		Others.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	5	13	2	—	18	16	191	175	71	48	58	47	15	6	22	5
I—Infantile Mortality	3	4	—	—	5	3	46	43	14	12	20	9	3	1	2	4
<i>A.—One Week and under.</i>																
1. Prematurity	—	—	—	—	1	—	6	6	4	—	—	—	—	—	—	—
2. Debility	—	—	—	—	—	—	4	4	2	—	—	—	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	1	2	—	1	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4a. Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Other Causes	1	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	—	—	—	1	6	7	1	3	4	3	1	—	—	—
2. Debility	2	2	—	—	1	1	6	8	1	3	7	2	—	—	—	—
3. Convulsions	—	1	—	—	—	—	1	1	1	—	1	—	—	—	—	1
4. Diarrhoea	—	—	—	—	1	2	4	8	—	—	2	1	—	—	—	1
4a. Enteritis	—	—	—	—	—	—	4	8	—	—	—	—	—	—	—	—
5. Tetanus	—	—	—	—	—	—	2	1	—	—	1	—	—	—	—	—
6. Bronchitis	—	—	—	—	—	—	12	4	1	—	1	2	—	—	1	1
7. Pneumonia	—	1	—	—	—	—	4	3	1	1	1	1	—	—	—	—
8. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over)	2	9	2	—	13	13	145	132	57	36	38	38	12	5	20	1
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	4	3	3	2	2	4	1	—	1	—
5. Influenza	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pyrexia or Fever	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Enteric Fever	—	—	—	—	1	1	8	6	—	—	—	1	—	—	1	—
8. Malaria	—	—	—	—	1	—	3	3	2	2	3	—	—	—	—	—
9. Malarial Cachexia	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
10. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Diarrhoea	—	1	—	—	—	1	4	1	8	4	—	2	—	—	—	—
11a. Enteritis	—	1	—	—	—	—	8	4	4	—	3	1	—	—	1	—
12. Dysentery	—	—	1	—	—	—	6	7	1	1	1	1	—	—	2	—
13. Anchylostomiasis or Doohmius Duodenalis	—	1	—	—	—	—	6	4	1	4	—	—	—	—	1	—
14. Cancer	—	—	—	—	—	—	—	5	—	1	—	—	—	—	—	—
15. Phthisis	1	—	—	—	3	1	18	12	2	3	4	3	1	1	2	—
16. Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—
19. Convulsions	—	1	—	—	—	1	2	2	2	1	1	5	—	—	—	—
20. Tetanus	—	—	—	—	—	—	1	1	2	2	2	3	—	—	—	—
21. Bronchitis	—	1	—	—	—	—	6	7	2	3	1	3	—	—	—	—
22. Pneumonia	—	—	1	—	1	1	20	19	9	7	7	4	1	—	5	—
23. Other Diseases of the Respiratory System	—	—	—	—	—	—	3	2	—	—	—	—	—	—	—	—
24. Bright's Disease and Nephritis	—	1	—	—	1	1	4	5	1	1	1	—	1	1	—	—
25. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Puerperal Septicaemia	—	—	—	—	—	—	—	7	—	2	—	—	—	—	—	—
27. Miscarriage	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
28. Other undefined Accidents of Childbirth	—	—	—	—	—	2	—	—	—	1	—	1	—	—	—	—
29. Starvation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence	—	1	—	—	1	—	3	3	3	—	5	—	—	—	2	—
31. Homicide	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—
32. Suicide	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	1	2	—	—	5	4	43	36	16	4	8	13	8	3	4	1