

SUPPLEMENT

TO THE

CEYLON GOVERNMENT GAZETTE

No. 7624 — FRIDAY, JANUARY 13, 1928.

VITAL STATISTICS OF TOWNS IN CEYLON IN THE MONTH OF NOVEMBER, 1927.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 33 principal towns in the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The marriages of residents in proclaimed towns numbered 479 (400 General, 5 Kandyan, and 74 Muslim), as against 404 in the preceding month and 395 in the corresponding month of last year. In Colombo the number of marriages was 198 (147 General and 51 Muslim), as against 158 in the preceding month and 161 in the corresponding month of last year.

Births.

3. The births registered numbered 1,976 (1,022 males and 954 females), and were equivalent to an annual rate of 37·78 per 1,000 of the population, as against 35·23 in the preceding month, 36·99 in the corresponding month of last year, and 31·78 the average for the corresponding months since 1917. The rate, exclusive of the town of Mullaittivu, where no births were registered, ranged from 12·20 in Hatton-Dikoya to 76·12 in Kegalla. There were 1,775 births of children, whose mothers were residents of the towns, equivalent to an annual rate of 33·94, as against 31·49 in the preceding month and 33·96 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 746 (388 males and 358 females), and were equivalent to an annual rate of 34·67, as against 32·83 in the preceding month, 35·06 in the corresponding month of last year, and 27·96 the average for the corresponding months since 1917. The rate, exclusive of the Fort and Pettah Wards, ranged from 14·55 in St. Paul's to 34·33 in Maradana East. There were 633 births of children, whose mothers were residents of the city, equivalent to an annual rate of 29·42, as against 28·20 in the preceding month and 31·20 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,603 (838 males and 765 females). The number was equivalent to an annual rate of 30·65, as against 29·24 in the preceding month and 31·72 in the corresponding month of last year. There were 1,194 deaths of residents of the towns, equivalent to an annual standardized rate of 24·69, as against 22·87 in the preceding month, 25·55 in the corresponding month of last year, and 29·51 the average for the corresponding months since 1917. The standardized death rate ranged from 69·06 in Kalpitiya to 2·41 in Tangalla.

6. In the city of Colombo the deaths registered numbered 527 (276 males and 251 females), equivalent to an annual rate of 24·50, as against 25·68 in the preceding month and 30·12 in the corresponding month of last year. There were 396 deaths of residents of the city, which corresponded to an annual standardized rate of 21·19, as against 22·32 in the preceding month, 27·17 in the corresponding month of last year, and 29·55 the average for the corresponding months since 1917. The death rate of residents, exclusive of the Fort and Pettah Wards, ranged from 18·58 in Kotahena South to 4·30 in Kollupitiya.

7. The stillbirths registered during the month numbered 148 (77 males and 71 females), as against 162 in the preceding month.

Infant Mortality.

8. The deaths of children under one year amounted to 387 and corresponded to a rate of 217 per 1,000 births registered during the twelve months ended November, 1927. Reckoned on the births registered during the month only the rate was 196, as against 172 in the preceding month, 190 in the corresponding month of last year, and 275 the average for the corresponding months since 1917. There were 354 deaths of children under one year, whose mothers were residents of the towns, which corresponded to a rate of 199, as against 175 in the preceding month and 188 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year amounted to 115 and corresponded to a rate of 164 per 1,000 births registered during the twelve months ended November, 1927. Reckoned on the births registered during the month only, the rate was 154, as against 167 in the preceding month, 201 in the corresponding month of last year, and 233 the average for the corresponding months since 1917. There were 101 deaths of children under one year, whose mothers were residents of the city, which corresponded to a rate of 160, as against 167 in the preceding month and 197 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 13 per cent. of the total deaths were due. *Debility* (of children under one year) caused 9 per cent.; *Convulsions*, 7 per cent.; *Phthisis*, 6 per cent.; *Enteritis*, *Anchylostomiasis*, *Diarrhoea*, and *Malaria* and *Malarial Cachexia*, each 4 per cent.; *Prematurity*, *Dysentery*, *Intestinal Parasites*, and *Bright's Disease* and *Nephritis*, each 3 per cent.; *Accidents*, *Puerperal Septicaemia*, and *Enteric Fever*, each 2 per cent.; *Influenza*, *Paralysis*, *Bronchitis*, *Heart Disease*, and *Cancer*, each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 13 per cent. of the total deaths were due. *Debility* (of children under one year) and *Phthisis*, each caused 9 per cent.; *Convulsions*, 5 per cent.; *Enteritis*, 4 per cent.; *Bright's Disease* and *Nephritis*, *Puerperal Septicaemia*, *Prematurity*, and *Influenza*, each 3 per cent.; *Dysentery*, *Cancer*, *Accidents*, *Heart Disease*, *Diabetes*, *Anchylostomiasis*, *Bronchitis*, and *Paralysis*, each 2 per cent.; *Diarrhoea*, *Enteric Fever*, *Malaria* and *Malarial Cachexia*, and *Intestinal Parasites*, each 1 per cent.

12. Eight deaths (7 males and 1 female) from *Plague* were registered in Kandy, as against 3 in the previous month. No deaths from *Plague* were registered in Colombo either in the month or in the preceding month.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 119 cases were reported (86 in Colombo); *Chickenpox* followed with 77 (50 in Colombo, 13 in Jaffna, 8 in Matale); *Enteric Fever* 43 (17 in Colombo, 6 in Panadure); *Measles* 21 (16 in Panadure, 3 in Colombo); *Continued Fever* 18 (12 in Colombo); *Plague* 14 (13 in Kandy and 1 in Colombo); *Dysentery* 12 (5 in Moratuwa, 4 in Kurunegala); *Whooping Cough* 7 (5 in Nuwara Eliya); *Diphtheria* 3 (2 in Colombo); *Mumps* 2 (in Colombo); *Smallpox* 2 (1 each in Colombo and Mullaitivu).

Meteorology.

14. *Rainfall.*—Batticaloa recorded the highest rainfall (20·02 in.). In the other towns the rainfall ranged from 13·81 in. in Nawalapitiya to 3·30 in. in Mannar. Colombo recorded 7·43 in.

15. *Mean Temperature.*—The mean temperature varied from 81·4° in Mannar to 60·6° in Nuwara Eliya, and was 80·1° in Colombo.

16. For detailed statistics, see Tables I., II., and III. for all towns, and IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, December 22, 1927.

C. COOMARASWAMY,
Registrar-General.

Table F.—Number of Marriages, Births, Deaths, and Stillbirths registered during November, 1927, the Proportion of Births and Deaths per 1,000 of the Population per Annum the Deaths of Children under One Year and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1917, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Provinces and Towns.	Population Census of the Military and Shipping at the middle of 1927 by the Census of March 18, 1921.		Population estimated to the middle of 1927 by the Census of March 18, 1921.		Marriages.			Births.			Deaths.			Stillbirths.			Deaths of Persons registered in Town Hospitals and Jails.		Birth Rate.		Mortality of Children under One Year.		Mean Temperature.*	Rainfall in inches.		
	General.	Kandyan.	Muslim.	Total.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Nov. 1927.	Average for 1917-1926.	Number registered during Nov. 1927.			Its proportion to 1,000 births during Nov. 1927.	Its proportion to per annum to 1,000 births during the year ended the 31st of Nov. 1927.
All 33 Towns	597,867	400	5	74	479	1,022	954	1,976	838	765	1,603	77	71	148	400	37	78	31	78	30	65	387	196	247		
Western.																										
Colombo	244,163	147	51	198	388	358	746	276	251	527	25	31	56	127	34	67	27	96	24	50	115	154	164	80.1	7.43	
Negombo	27,639	36	3	39	38	57	95	40	37	77	6	2	8	13	39	95	37	77	32	38	14	147	158	—	12.26	
Moratuwa	41,858	28	—	28	56	57	113	38	51	89	1	4	5	2	30	89	40	84	24	33	27	239	260	—	—	
Kalutara	13,596	8	—	8	21	11	32	10	19	29	4	2	6	4	27	85	34	20	25	24	5	156	129	—	9.05	
Panadura	10,747	2	—	2	14	19	33	13	15	28	1	—	1	7	34	70	29	23	29	44	5	152	168	—	—	
Central.																										
Kandy	32,562	12	1	14	69	45	114	64	47	111	4	6	10	27	40	40	35	28	39	33	34	298	314	75.6	6.36	
Gampola	6,202	2	1	3	10	11	21	10	11	21	—	—	—	9	38	29	35	62	38	29	5	238	276	—	6.91	
Nawalapitiya	3,221	—	—	—	—	—	—	—	—	—	—	—	—	19	35	69	36	25	84	35	4	364	251	—	13.81	
Hatton-Dikoya	2,940	—	—	—	—	—	—	—	—	—	—	—	—	8	12	20	21	19	56	92	4	—	546	—	4.45	
Matale	7,865	4	2	6	19	15	34	33	27	60	1	1	1	28	45	85	39	47	80	91	11	323	328	—	9.53	
Nuwara Eliya	7,625	7	—	7	14	13	27	11	11	23	1	—	1	6	39	79	30	13	33	89	11	407	445	60.6	8.79	
Southern.																										
Galle	39,073	25	—	27	57	62	119	49	58	107	10	10	20	25	36	54	33	72	32	85	33	277	275	79.6	9.78	
Ambalangoda	3,347	2	—	2	7	6	13	1	5	6	—	—	—	—	39	71	27	83	18	33	2	154	234	—	5.62	
Matare	16,779	9	—	9	34	23	57	15	18	33	5	1	6	8	40	54	39	83	23	47	10	175	192	—	—	
Weligama	9,104	9	—	9	25	17	42	3	5	8	—	—	—	—	54	44	39	51	10	37	3	73	93	—	—	
Hambantota	2,849	—	—	—	1	5	11	16	9	14	—	—	—	4	64	90	49	78	56	79	3	—	188	263	80.4	7.53
Tangalla	4,896	4	—	4	9	5	14	3	—	3	1	—	1	2	34	04	36	61	7	29	—	—	—	—	10.82	
Northern.																										
Jaffna	42,436	50	—	53	86	81	167	57	37	94	6	3	9	3	46	45	33	71	26	15	33	198	268	79.7	5.26	
Mannar	3,705	6	—	6	2	7	9	6	6	12	1	—	1	1	29	20	31	80	38	93	—	—	—	—	3.30	
Mullattivu	1,563	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10.42
Vavuniya	936	1	—	1	2	1	3	2	—	2	—	—	—	1	35	55	18	30	23	70	1	—	—	—	—	6.96
Eastern.																										
Batticaloa	10,564	18	—	18	24	23	47	26	13	39	—	—	—	7	52	86	36	13	43	86	7	149	182	79.1	20.02	
Kalmunai	2,586	2	—	2	7	5	12	5	4	9	—	—	—	5	55	81	44	76	41	86	—	—	—	—	—	8.41
Trincomalee	9,414	7	—	7	10	14	24	12	16	28	2	2	4	4	29	81	24	82	34	78	8	333	354	79.8	13.04	
North-Western.																										
Kurunegala	10,187	4	—	4	8	25	26	51	30	63	—	—	—	34	54	53	26	43	67	37	11	176	273	79.2	13.25	
Puttalam	6,905	—	—	—	6	11	17	28	12	11	23	2	2	2	45	12	32	45	37	06	7	250	367	78.8	5.68	
Kalpitiya	1,608	—	—	—	3	1	3	4	4	8	—	—	—	—	30	06	30	12	60	13	3	777	760	—	6.96	
Chilaw	6,642	4	—	4	16	12	28	14	16	30	2	1	3	11	45	30	34	25	48	54	8	286	300	—	8.80	
North-Central.																										
Anuradhapura	7,781	6	1	7	10	13	23	14	10	24	3	1	4	—	28	46	21	98	29	69	5	217	257	78.0	6.03	
Uva.																										
Badulla	8,126	5	—	5	26	20	26	22	9	31	—	—	—	6	61	77	38	76	41	63	10	217	340	71.6	13.11	
Lunugala	526	—	—	—	—	—	—	—	—	—	—	—	—	13	22	83	36	75	319	54	—	—	—	—	—	—
Sabaragamuwa.																										
Ratnapura	7,014	—	—	—	12	7	19	19	12	31	2	—	2	12	30	21	40	92	49	30	4	212	180	80.4	9.47	
Kegalla	3,508	2	—	2	15	9	24	10	6	16	—	—	1	12	76	12	42	05	50	75	4	83	147	—	—	5.62

* Blanks indicate that there are no observatories or rain gauges.

Table II.—Births, Deaths, and Infant Mortality of Residents with their Corresponding Rates for November, 1927.

Provinces and Towns.	Births.*			Birth Rate. November, 1927.	Deaths.			Death Rate (Standardized).		Infant Mortality.†	
	Males.	Females.	Persons.		Males.	Females.	Persons.	November, 1927.	Average for November, 1917-1926.	Number registered during November, 1927.	Rate per 1,000 Births registered during November, 1927.
All 88 Towns	923	852	1,775	33.94	611	583	1,194	24.69	29.51	354	199
<i>Western.</i>											
Colombo	330	303	633	29.42	206	190	396	21.19	29.55	101	160
Negombo	33	46	79	33.22	32	30	62	26.69	30.17	14	177
Moratuwa	52	54	106	28.98	37	50	87	24.22	37.13	27	255
Kalutara	20	10	30	26.11	9	16	25	21.64	25.87	5	167
Panadura	12	16	28	29.44	8	13	21	23.49	23.25	4	143
<i>Central.</i>											
Kandy	63	40	103	36.50	52	32	84	32.60	29.83	27	262
Gampola	9	8	17	31.00	4	8	12	22.62	24.35	4	235
Nawalapitiya	8	3	11	35.69	2	5	7	24.66	39.24	4	364
Hatton-Dikoya	—	3	3	12.20	4	1	5	23.90	30.82	2	667
Matale	19	15	34	45.85	19	13	32	46.07	29.05	9	265
Nuwara Eliya	14	11	25	36.84	9	8	17	27.66	20.96	10	400
<i>Southern.</i>											
Galle	54	58	112	34.39	37	45	82	24.63	26.10	33	295
Ambalangoda	7	6	13	39.71	1	5	6	18.22	—†	2	154
Matara	33	23	56	39.83	10	15	25	17.45	23.82	10	179
Weligama	25	17	42	54.44	3	5	8	10.29	20.80	3	71
Hambantota	5	11	16	64.90	6	4	10	40.31	35.93	3	188
Tangalla	9	5	14	34.04	1	—	1	2.41	20.86	—	—
<i>Northern.</i>											
Jaffna	85	80	165	45.90	54	37	91	26.22	31.80	33	200
Mannar	2	7	9	29.20	5	6	11	36.39	26.30	—	—
Mullaitivu	—	—	—	—	—	3	3	22.62	48.80	1	—
Vavuniya	2	1	3	35.55	—	—	—	—	33.41	—	—
<i>Eastern.</i>											
Batticaloa	24	23	47	52.86	20	12	32	37.52	31.12	7	149
Kalmunai	4	5	9	41.86	2	1	3	14.06	—†	—	—
Trincomalee	9	14	23	28.57	9	15	24	31.18	32.63	8	348
<i>North-Western.</i>											
Kurunegala	22	21	43	45.98	13	16	29	36.04	31.86	9	209
Puttalam	11	16	27	43.51	10	11	21	36.70	43.05	7	259
Kalpitiya	1	3	4	30.06	4	4	8	69.06	—†	3	750
Chilaw	11	11	22	35.60	8	11	19	35.41	34.13	7	318
<i>North-Central.</i>											
Anuradhapura	10	13	23	28.46	14	10	24	35.55	46.74	5	217
<i>Uva.</i>											
Badulla	25	19	44	59.08	17	8	25	34.24	43.46	10	227
Lunugala	1	—	1	22.83	1	—	1	25.73	—†	—	—
<i>Sabaragamuwa.</i>											
Ratnapura	10	6	16	25.44	12	7	19	32.94	18.03	4	250
Kegalla	13	4	17	53.92	2	2	4	14.20	27.94	2	118

* Births of infants whose mothers were residents of the towns.

† Deaths of children under 1 year whose mothers were residents of the towns.

‡ Not available.

Table III.—Causes of Deaths by Sex registered during November, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Death.	All 33 Towns.			Western Province.						Central Province.						Southern Province.																					
	M	F	Total.	Colombo.		Negombo.		Moratuwa.		Kalutara.		Panadura.		Kandy.		Gampola.		Nawalapitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Weligama.		Hambantota.		Tangalla.	
				M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	838	765	1,603	276	251	40	37	38	51	10	19	13	15	64	47	10	11	15	10	4	33	27	12	11	49	58	1	5	15	18	3	5	9	5	3	—	
I.—Infantile Mortality	209	178	387	70	45	8	6	13	14	4	1	2	3	17	17	1	4	2	2	2	7	4	7	4	15	18	—	2	4	6	1	2	3	—	—		
A.—One Week and under.																																					
1. Prematurity	27	23	50	11	5	1	—	3	3	—	—	2	1	1	1	—	2	—	—	—	—	—	—	—	3	6	—	—	—	—	—	—	—	—	—	—	
2. Debility	32	29	61	14	7	2	2	1	—	—	—	1	1	2	3	—	—	—	—	—	2	1	—	—	2	1	—	—	—	—	—	—	—	—	—	—	
3. Convulsions	7	7	14	2	1	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	
4. Tetanus	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Other causes	1*	4†	5	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over 1 Week and under 1 Year.																																					
1. Prematurity	2	3	5	—	—	—	—	—	—	—	—	—	—	1	7	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
2. Debility	52	36	88	14	10	—	—	1	4	1	—	—	1	7	—	—	—	—	—	—	—	—	—	—	—	3	4	—	—	—	—	—	—	—	—	—	
3. Convulsions	27	31	58	5	8	2	2	2	2	2	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—	—	—	—	
4. Diarrhoea	3	5	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Enteritis	10	3	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Tetanus	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	5	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Pneumonia	29	17	46	9	4	1	—	3	3	1	—	—	—	4	2	1	1	1	1	1	2	3	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—
9. Syphilis	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Causes	12‡	12§	24	5	4	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* From obstructed labour (in Colombo).

† Besides 3 deaths mentioned in Table V., footnote †, 1 death from Cellulitis (in Jaffna).

‡ Besides 5 deaths mentioned in Table V., footnote †, 1 death each from Dysentery, Peritonitis, and Pyaemia (in Jaffna), Intestinal obstruction (in Kandy), Influenza (in Weligama), Worms (in Puttalam), and Hydrocephalus (in Chilaw).

§ Besides 4 deaths mentioned in Table V., footnote §, 2 deaths from Nephritis (in Negombo), 2 from Worms (1 each in Puttalam and Ratnapura), 1 each from Rickets (in Gampola), Suffocation due to accidental drowning in a pit (in Nuwara Eliya), Dysentery (in Batticaloa), and Influenza (in Kandy).

Table III.—Causes of Deaths by Sex registered during November, 1927, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	All 33 Towns.			Western Province.						Central Province.						Southern Province.																					
	M		F	Colombo.		Negombo.		Moratuwa.		Kalutara.		Panadure.		Kandy.		Gampola.		Navalapitiya.		Hatton-Dikoya.		Matale.		Nuwara-Eliya.		Galle.		Ambalangoda.		Matera.		Veligama.		Hambantota.		Tangalla.	
	M	F	Total.	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F				
II.—General Mortality (1 Year and Over)	629	587	1,216	206	32	31	25	37	6	18	11	12	47	30	9	7	9	13	8	2	26	23	5	7	34	40	1	3	11	12	2	3	6	5	3		
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Influenza	11	9	20	7	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Enteric Fever	17	11	28	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7. Malaria and Malarial Cachexia	30	28	58	2	4	2	3	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Diarrhoea	22	28	50	3	4	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10. Enteritis	20	28	48	2	10	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
11. Dysentery	31	14	45	7	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
12. Anchylostomiasis or Doehmuis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Duodenitis	22	37	59	5	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
13. Diseases due to other Intestinal Parasites	23	19	42	2	4	1	4	2	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
14. Cancer	7	11	18	6	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
15. Phthisis	42	56	98	20	25	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
16. Other Tuberculous Diseases	4	4	8	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
17. Anaemia	4	3	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18. Diabetes Mellitus	5	6	11	4	4	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19. Paralysis	14	9	23	4	4	2	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20. Convulsions	16	17	33	4	5	2	3	3	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
21. Tetanus	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22. Heart Disease	8	12	20	4	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23. Bronchitis	6	9	15	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24. Pneumonia	97	69	166	31	23	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
25. Other Diseases of the Respiratory System	7	2	9	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
26. Bright's Disease and Nephritis	25	17	42	10	7	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
27. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28. Puerperal Septicæmia	36	36	72	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
29. Accidents of Childbirth	24	24	48	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
30. Accidents and Negligence	33	33	66	10	1	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
31. Homicide	5	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32. Suicide	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33. Execution	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34. All Other Causes	163*	120†	283	67	52	6	7	9	11	—	8	2	5	14	7	2	2	2	1	3	—	4	2	1	2	13	5	—	2	1	—	—	—	—	—		

* Here are included 54 deaths from Senility, 17 from Debility, and 8 from Cerebral Haemorrhage.
 † Here are included 55 deaths from Senility, 15 from Debility, and 1 from Cerebral Haemorrhage.

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of November, 1927, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1926, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March 18, 1921.	Population estimated to the middle of 1927 by Inter-censal Increase.	Births.			Stillbirths.			Deaths including Deaths in Hospitals and Jails.			Deaths of Non-residents in Town Hospitals and Jails.	Deaths of Residents.	Per Mille per Annum.				Mortality of Children under One Year.				
			Males.		Females.		Males.		Females.		Males.			Females.		Birth Rate. Average for Nov., 1927, 1922-26.	Death Rate. Average for Nov., 1927, 1922-26.	Standardized Death-rate, November, 1927.*	Number registered during Nov., 1927.	Its proportion to 1,000 births registered during Nov., 1927.	Its proportion per annum to 1,000 births registered during the Year ended last day of Nov., 1927.	
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.			Males.	Females.							Persons.
City of Colombo ..	244,163	261,793	388	358	746	25	31	56	276	251	527	127	396	34.67†	29.70	18.40†	25.23	21.19	115	154	164	
Fort and Galle Face	2,690	2,885	—	1	1	—	—	—	—	—	—	—	—	4.22	0.89	—	6.12	—	—	—	—	
Pettah ..	7,601	8,150	—	1	1	—	—	—	2	1	3	—	3	1.49	1.53	4.48	6.84	—	—	—	—	
St. Paul's ..	23,395	25,084	18	12	30	3	2	5	16	20	36	—	35	14.55	19.28	16.98	23.44	—	6	200	146	
San Sebastian ..	11,492	12,322	18	13	31	—	—	—	10	9	19	—	18	30.61	22.16	17.78	15.33	—	6	194	272	
Kotahena North ..	18,683	20,034	28	17	45	—	—	—	11	13	24	—	24	27.33	22.48	14.58	19.08	—	5	111	115	
Kotahena South ..	27,488	29,473	27	30	57	1	1	2	25	20	45	—	45	23.53	20.57	18.58	21.52	—	14	246	238	
New Bazaar ..	23,341	25,027	34	29	63	2	1	3	18	16	34	—	34	30.63	24.71	16.53	26.77	—	11	175	202	
Maradana Hospitals	—	—	134	127	261	15	19	34	123	104	227	125	102	—	—	—	—	—	32	—	—	—
Maradana North ..	30,404	32,593	29	35	64	3	4	7	25	23	48	—	48	23.89	25.20	17.92	20.37	—	17	266	264	
Maradana East ..	8,593	9,214	12	14	26	—	1	1	5	8	13	1	12	34.33	26.71	15.85	25.50	—	4	154	200	
Maradana South (exclusive of Hospitals)	18,531	19,870	15	15	30	—	1	1	11	9	20	—	20	18.37	17.35	12.25	16.20	—	2	67	78	
Slave Island ..	21,564	23,121	29	24	53	—	1	1	12	13	25	—	24	27.89	25.32	12.63	23.21	—	6	113	112	
Kollupitiya ..	23,752	25,468	21	10	31	1	—	1	7	4	11	1	9	14.81	12.85	4.30	11.99	—	4	129	139	
Wellawatta North..	15,816	16,958	14	15	29	—	1	1	8	4	12	—	12	20.81	24.75	8.61	17.70	—	4	138	122	
Wellawatta South..	10,813	11,594	9	15	24	—	—	—	3	7	10	—	10	25.19	24.25	10.49	12.15	—	4	167	180	

* Standardized death rates for the wards of the city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., of residents not assigned to wards.

Table V.—Causes of Deaths by Sex registered during the Month of November, 1927, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
				Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
	M	F	Total.	M	F	M	F	M	F	M	F	M	F		
All Causes	276	251	527	—	—	2	1	16	20	10	9	11	18	25	20
I.—Infantile Mortality	70	45	115	—	—	—	—	3	3	4	2	4	1	7	7
<i>A.—One Week and under.</i>															
1. Prematurity	11	5	16	—	—	—	—	—	—	—	—	1	—	—	—
2. Debility	14	7	21	—	—	—	—	1	2	1	—	—	—	—	—
3. Convulsions	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Other Causes	1*	3†	4	—	—	—	—	—	—	—	—	—	—	—	1
<i>B.—Over 1 Week and under 1 Year.</i>															
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	14	10	24	—	—	—	—	2	1	2	—	1	—	1	1
3. Convulsions	5	8	13	—	—	—	—	—	—	—	1	—	1	2	1
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Enteritis	8	1	9	—	—	—	—	—	—	—	—	—	—	1	—
6. Tetanus	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	1	1	2	—	—	—	—	—	—	—	—	1	—	—	—
8. Pneumonia	9	4	13	—	—	—	—	—	—	1	—	1	—	1	2
9. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Causes	5‡	4§	9	—	—	—	—	—	—	—	1	—	—	2	2
II.—General Mortality (1 Year and Over)	206	206	412	—	—	2	1	13	17	6	7	7	12	18	13
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	7	6	13	—	—	1	—	2	—	2	2	—	1	1	—
6. Enteric Fever	5	1	6	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia	2	4	6	—	—	—	—	—	—	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	3	4	7	—	—	—	—	—	1	1	—	—	1	—	—
10. Enteritis	2	10	12	—	—	—	—	—	1	1	—	—	—	—	2
11. Dysentery	7	4	11	—	—	—	—	1	—	—	—	—	—	—	—
12. Anchylostomiasis or Dochmias Duodenalis	5	3	8	—	—	—	—	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	2	4	6	—	—	—	—	—	1	—	—	—	1	—	—
14. Cancer	6	6	12	—	—	—	—	—	—	—	—	—	—	—	1
15. Phthisis	20	25	45	—	—	—	—	1	3	—	—	—	1	—	—
16. Other Tuberculous Diseases	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	2	1	3	—	—	—	—	—	—	—	—	—	1	—	—
18. Diabetes Mellitus	4	6	10	—	—	—	—	—	—	—	1	—	—	—	—
19. Paralysis	4	4	8	—	—	—	—	1	—	—	—	—	2	—	—
20. Convulsions	4	5	9	—	—	—	—	1	—	—	—	—	—	1	—
21. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	4	5	9	—	—	1	—	—	1	—	—	—	—	1	—
23. Bronchitis	3	3	6	—	—	—	—	1	—	—	—	—	—	—	—
24. Pneumonia	31	23	54	—	—	—	—	3	1	—	1	—	—	3	—
25. Other Diseases of the Respiratory System	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
26. Bright's Disease and Nephritis	10	7	17	—	—	—	—	—	3	—	—	—	—	—	1
27. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
28. Puerperal Septicaemia	—	17	17	—	—	—	—	—	1	—	—	—	2	—	—
29. Accidents of Childbirth	—	12	12	—	—	—	—	—	—	—	1	—	—	—	—
30. Accidents and Negligence	10	1	11	—	—	—	—	—	—	—	—	—	—	1	—
31. Homicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	67	52¶	119	—	—	—	1	3	5	3	1	5	5	10	8

* From Obstructed labour.

† One death each from Umbilical Hernia, Congenital Cleft Plate and Maternal Toxaemia.

‡ One death each from Cardiac Asthma, Tubercular Peritonitis, Gastritis, Anchylostomiasis and Parasitic Stomatitis.

§ Two deaths each from Influenza and Dysentery.

|| Here are included 18 deaths from Senility, and 7 from Debility.

¶ Here are included 19 deaths from Senility, and 7 from Debility.

Table V.—Causes of Deaths by Sex registered during the Month of November, 1927, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.															
	New Bazaar.		Maradana Hos- pitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals).		Slave Island.		Kollupitiya.		Wellawatta North.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	18	16	123	104	25	23	5	8	11	9	12	13	7	4	8	4
I.—Infantile Mortality	7	4	23	9	10	7	1	3	1	1	3	3	2	2	3	1
<i>A.—One Week and under.</i>																
1. Prematurity	—	—	9	4	—	—	—	—	—	—	1	—	—	1	—	—
2. Debility	2	—	4	—	4	2	—	2	—	—	1	1	—	—	1	—
3. Convulsions	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Other Causes	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	3	1	1	1	4	3	—	—	—	1	—	1	—	—	—	—
3. Convulsions	—	1	—	—	—	2	1	—	1	—	—	1	1	1	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Enteritis	1	—	5	1	1	—	—	—	—	—	—	—	—	—	—	—
6. Tetanus	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
8. Pneumonia	—	1	2	—	1	—	—	1	—	—	—	—	—	—	—	—
9. Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Causes	—	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—
II.—General Mortality (1 Year and Over)	11	12	100	95	15	16	4	5	10	8	9	10	5	2	5	3
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	—	1	—	—	—	1	—	—	—	—	—	—	—	—	1	—
6. Enteric Fever	—	—	5	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia	—	—	2	2	—	1	—	—	—	1	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	—	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—
10. Enteritis	1	—	1	5	—	—	—	1	—	—	—	1	—	—	—	—
11. Dysentery	1	—	4	3	—	—	—	—	—	1	1	—	—	—	—	—
12. Anchylostomiasis or Dochmius Duo- denalis	—	—	5	3	—	—	—	—	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	—	2	—	1	1	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	—	—	6	5	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	1	2	12	14	4	3	—	1	1	—	1	—	—	—	—	—
16. Other Tuberculous Diseases	—	—	1	2	1	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
18. Diabetes Mellitus	—	—	2	2	—	1	—	—	—	—	1	1	—	1	—	—
19. Paralysis	—	—	1	1	—	1	—	—	1	—	—	—	—	—	—	—
20. Convulsions	—	3	—	—	—	1	2	—	—	—	—	—	—	—	—	—
21. Tetanus	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	—	—	—	3	2	—	—	1	—	—	—	—	—	—	—	—
23. Bronchitis	—	—	2	3	—	—	—	—	—	—	—	—	—	—	—	—
24. Pneumonia	2	—	13	10	3	2	—	—	3	1	4	6	—	1	—	—
25. Other Diseases of the Respiratory System	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—	—
26. Bright's Disease and Nephritis	1	—	7	2	—	—	1	—	—	1	1	—	—	—	—	—
27. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Puerperal Septicaemia	—	2	—	9	—	1	—	—	—	—	—	—	—	—	—	—
29. Accidents of Childbirths	—	—	—	10	—	—	—	—	—	—	—	—	—	2	—	—
30. Accidents and Negligence	—	—	7	1	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
34. All Other Causes	4	2	26	16	2	3	2	2	5	4	1	2	1	1	4	1

Table V.—Causes of Deaths by Sex registered during the Month of November, 1927, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wellavatta South.		Deaths among all Races.													
	Wards.		Europeans.		Burghers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.	
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Causes	3	7	2	—	18	14	148	162	48	42	41	24	5	5	14	4
I.—Infantile Mortality	2	2	—	—	3	3	39	22	12	12	12	6	2	—	2	2
<i>A.—One Week and under.</i>																
1. Prematurity	—	—	—	—	1	—	10	5	—	—	—	—	—	1	—	—
2. Debility	—	—	—	—	—	—	7	1	3	3	2	1	—	—	—	2
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—
7. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	—	—	1	1	5	4	2	3	6	2	—	—	—	—
2. Debility	—	1	—	—	—	1	3	4	1	2	1	1	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	3	—	4	1	—	—	—	—	—	—
5. Enteritis	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
6. Tetanus	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
7. Bronchitis	—	1	—	—	—	1	7	3	—	—	2	—	—	—	—	—
8. Pneumonia	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Syphilis	1	—	—	—	1	—	2	1	1	2	1	1	—	—	—	—
10. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over)	1	5	2	—	15	11	109	140	38	30	29	18	3	5	12	2
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	1	—	—	—	—	3	4	—	2	4	—	—	—	—	—
5. Influenza	—	—	—	—	—	—	3	1	1	—	—	—	—	—	—	—
6. Enteric Fever	—	—	—	—	—	—	1	4	1	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	3	1	1	2	—	—	—	—	—
9. Diarrhoea	—	—	—	—	1	—	1	8	—	2	—	—	—	—	—	—
10. Enteritis	—	—	—	—	—	—	5	3	—	1	2	—	—	—	—	—
11. Dysentery	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Anchylostomiasis or Dochmius Duodenalis	—	—	—	—	—	—	5	3	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—
14. Cancer	—	1	—	—	1	1	12	19	3	1	2	3	2	1	—	—
15. Phthisis	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
16. Other Tuberculous Diseases	—	1	—	—	—	—	1	1	—	—	—	—	—	—	1	—
17. Anaemia	—	—	—	—	—	—	2	4	2	—	1	—	—	—	—	—
18. Diabetes Mellitus	—	—	—	—	—	2	2	3	1	—	1	1	—	—	—	—
19. Paralysis	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—
20. Convulsions	—	—	—	—	—	—	1	1	1	1	2	2	—	—	—	—
21. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	—	—	—	—	—	—	1	4	3	1	—	—	—	—	—	—
23. Bronchitis	—	—	—	—	—	—	2	3	1	—	—	—	—	—	—	—
24. Pneumonia	—	1	—	—	4	1	13	13	8	6	3	3	—	—	—	3
25. Other Diseases of the Respiratory System	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—
26. Bright's Disease and Nephritis	—	—	—	—	—	—	7	5	1	1	2	—	—	—	—	—
27. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Puerperal Septicæmia	—	—	—	—	—	1	—	11	—	3	—	2	—	—	—	—
29. Accidents of Childbirth	—	—	—	—	—	1	—	9	—	—	—	1	—	—	—	—
30. Accidents and Negligence	—	—	—	—	—	—	6	1	1	—	—	—	—	—	—	3
31. Homicide	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
34. All Other Causes	1	1	2	—	7	4	35	29	9	10	10	6	1	3	3	—