



SUPPLEMENT TO THE
**CEYLON GOVERNMENT
GAZETTE**

No. 7,774 — FRIDAY, APRIL 25, 1930.

**VITAL STATISTICS OF TOWNS IN CEYLON FOR THE
MONTH OF FEBRUARY, 1930.**

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the vital statistics of the 35 principal towns in the Island, proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 465 (451 General, 4 Kandyan, and 10 Muslim), as against 380 in the preceding month and 528 in the corresponding month of last year.

Births.

3. The births registered numbered 1,905 (952 males and 953 females), and were equivalent to an annual rate of 37·7 per 1,000 of the population, as against 37·9 in the preceding month, 34·8 in the corresponding month of last year, and 34·6 the average for the corresponding months since 1920. The rate ranged from 14·9 in Kalmunai to 79·6 in Nawalapitiya. There were 1,619 births of children whose mothers were residents of the towns, equivalent to an annual rate of 32·0, as against 32·9 in the preceding month and 30·4 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 769 (391 males and 378 females), and were equivalent to an annual rate of 37·0, as against 36·2 in the preceding month, 32·4 in the corresponding month of last year, and 32·7 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah Wards, ranged from 13·3 in San Sebastian to 32·6 in Wellawatta South. There were 625 births of children whose mothers were residents of the city, equivalent to an annual rate of 30·1, as against 29·0 in the preceding month and 27·0 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,871 (995 males and 876 females), and were equivalent to an annual rate of 37·0, as against 41·0 in the preceding month and 39·5 in the corresponding month of last year. There were 1,305 deaths of residents of the towns, equivalent to an annual standardized rate of 27·9, as against 32·6 in the preceding month, 31·2 in the corresponding month of last year, and 31·9 the average for the corresponding months since 1920. The standardized death rate ranged from 5·0 in Kalmunai to 71·1 in Vavuniya.

6. In the city of Colombo the deaths registered numbered 624 (344 males and 280 females), and were equivalent to an annual rate of 30·1, as against 33·1 in the preceding month and 29·8 in the corresponding month of last year. There were 482 deaths of residents of the city, which corresponded to an annual standardized rate of 26·7, as against 28·6 in the preceding month, 25·7 in the corresponding month of last year, and 30·6 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and Pettah Wards, ranged from 23·6 in St. Paul's to 8·4 in Kollupitiya.

7. The stillbirths registered during the month numbered 155 (79 males and 76 females), as against 191 in the preceding month and 154 in the corresponding month of last year.

Infant Mortality.

8. The deaths of children under one year of age numbered 334, and corresponded to a rate of 197 per 1,000 births registered during the twelve months ended February, 1930. Reckoned on the births registered during the month only, the rate was 175, as against 214 in the preceding month, 226 in the corresponding month of last year, and 224 the average for the corresponding months since 1920. There were 283 deaths of children under one year of age whose mothers were residents of the towns, which corresponded to a rate of 175, as against 227 in the preceding month and 233 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age numbered 132, and corresponded to a rate of 198 per 1,000 births registered during the twelve months ended February, 1930. Reckoned on the births registered during the month only, the rate was 172, as against 191 in the preceding month, 203 in the corresponding month of last year, and 211 the average for the corresponding months since 1920. There were 109 deaths of children under one year of age whose mothers were residents of the city, which corresponded to a rate of 174, as against 217 in the preceding month and 211 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Malaria and Malarial Cachexia* caused 7 per cent.; *Debility* (of children under one year of age) and *Senility*, each 6 per cent.; *Phthisis* and *Enteritis*, each 5 per cent.; *Dysentery*, *Bright's Disease* and *Nephritis*, and *Anchylostomiasis*, each 4 per cent.; *Diseases and Accidents of Childbirth*, *Convulsions*, *Prematurity*, *Diarrhoea*, *Influenza*, *Enteric Fever*, and *Accidents and Negligence*, each 3 per cent.; *Intestinal Parasites* other than *Anchylostomiasis*, *Paralysis*, *Heart Disease*, and *Bronchitis*, each 2 per cent.; *Debility* (over one year), *Cancer*, and *Diabetes Mellitus*, each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Enteritis* caused 8 per cent.; *Phthisis*, 7 per cent.; *Senility* and *Influenza*, each 6 per cent.; *Debility* (of children under one year of age), 5 per cent.; *Prematurity*, 4 per cent.; *Diseases and Accidents of Childbirth*, *Malaria and Malarial Cachexia*, *Heart Disease*, *Convulsions*, and *Anchylostomiasis*, each 3 per cent.; *Bright's Disease* and *Nephritis*, *Dysentery*, *Cancer*, *Enteric Fever*, *Paralysis*, *Accidents and Negligence*, and *Bronchitis*, each 2 per cent.; *Diarrhoea*, *Intestinal Parasites* other than *Anchylostomiasis*, *Cerebral Haemorrhage*, and *Diabetes Mellitus*, each 1 per cent.

12. One death from *Plague* was registered (in Colombo), as against 3 deaths in the previous month and 4 in the corresponding month of last year.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Chickenpox*, of which 178 cases were reported (124 in Colombo, 18 in Galle, 16 in Moratuwa). *Enteric Fever* followed with 83 cases (38 in Colombo, 12 in Galle), *Phthisis* 79 (53 in Colombo, 9 in Galle); *Dysentery* 68 (22 in Colombo, 14 in Kalutara, 6 in Kurunegala); *Continued Fever* 26 (23 in Colombo, 2 in Galle); *Mumps* 21 (5 in Colombo, 10 in Kandy); *Measles* 17 (7 in Colombo, 3 in Nawalapitiya); *Whooping Cough* 4 (in Colombo); *Plague* 3 (in Colombo), *Diphtheria* 2 (1 each in Colombo and Moratuwa); and *Smallpox* 2 (in Colombo).

Meteorology.

14. *Rainfall.*—Weligama recorded the highest rainfall (9.00 in.) In other towns rainfall ranged from 5.84 in. in Ratnapura to 0.05 of an inch in Vavuniya. Colombo recorded 1.97 in.

15. *Mean Temperature.*—The mean temperature varied from 81.9° in Ratnapura to 57.0° in Nuwara Eliya, and was 80.0° in Colombo.

Appendix.

16. For detailed statistics see Tables I., II., and III. for all towns, and Tables IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, March 29, 1930.

G. FURSE ROBERTS,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during February, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum, the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Principal Towns.	Population (exclusive of the Military and Ship-ping) at the Census of March 18, 1921.		Population estimated to the middle of 1930 by Inter-censal Increase.		Marriages.		Births.		Deaths.				Stillbirths.		Deaths of Non-registered Persons in Towns, Hospitals, and Jails.		Birth Rate.		Mortality of Children under One Year of Age.		Mean Temperature.	Rainfall in Inches.		
	General.	Kandyan.	Muslim.	Total.	Males.	Female.	Persons.	Males.	Female.	Persons.	Males.	Female.	Persons.	Males.	Female.	Persons.	Registered.	Un-registered.	Average for February, 1930.	Average for 1920-1929.			Number registered during Feb., 1930.	Its proportion to 1,000 births.
All 85 Towns	600,812	451	4	10,465	952	953	1,905	995	876	1,874	79	76	155	553	37.7	34.6	37.0	334	175	197	80.0	24	—	
Western.	244,163	183	—	8	391	378	769	344	280	624	26	38	64	133	37.0	32.7	30.1	132	172	198	1.97	—	—	
Colombo	27,639	58	—	—	58	57	92	33	38	71	2	4	6	11	40.6	35.9	31.3	10	109	116	1.76	—	—	
Negombo	41,858	44	—	—	44	44	123	42	43	85	2	2	4	3	35.0	37.2	24.2	17	138	166	1.71	—	—	
Moratuwa	13,596	16	—	—	16	21	46	30	34	64	1	2	3	24	42.3	40.4	58.9	9	196	219	4.57	—	—	
Kalutara	10,747	6	—	—	6	14	33	6	7	13	2	—	2	3	36.7	35.8	14.4	1	30	33	1.52	—	—	
Panadura	32,562	5	—	—	5	44	103	57	68	125	3	6	9	35	38.1	38.4	46.3	19	184	180	2.34	—	—	
Kandy	637	—	—	—	—	—	2	8	6	14	—	—	—	13	22.8	—	159.9	1	500	483	—	—	—	
Teldeniya	6,202	3	—	—	3	6	15	9	12	21	1	1	—	10	28.3	35.9	39.6	3	200	146	5.60	—	—	
Gampola	3,221	1	—	—	1	10	24	13	8	21	2	—	2	13	79.6	52.5	69.7	2	83	112	3.70	—	—	
Nawalapitiya	2,940	1	—	—	1	7	9	8	2	10	—	—	—	6	38.9	33.1	43.2	2	222	246	3.67	—	—	
Hatton-Dikoya	7,865	3	—	—	3	26	49	43	42	85	6	3	9	48	69.7	43.9	120.9	12	245	430	2.12	—	—	
Matale	7,525	2	—	—	2	16	28	15	6	21	1	2	5	5	42.3	31.5	31.7	6	214	251	1.37	—	—	
Nuwara Eliya	39,073	22	—	—	22	61	114	71	57	128	4	7	11	45	37.2	42.1	41.8	13	114	108	4.44	—	—	
Galle	3,847	3	—	—	3	4	11	2	2	2	—	—	—	13	58.1	39.9	44.5	11	143	237	5.01	—	—	
Ambalangoda	16,779	9	—	—	9	46	31	29	30	59	2	2	4	13	33.1	32.4	6.0	2	182	212	9.00	—	—	
Matara	9,104	14	—	—	14	12	15	27	3	7	10	1	1	6	55.1	42.3	63.6	2	154	169	3.42	—	—	
Welligama	2,849	—	—	—	—	7	6	13	8	9	1	—	—	8	43.8	42.9	46.4	2	118	130	—	—	—	
Hambantota	4,896	4	—	—	4	6	11	17	9	18	2	—	—	5	27.1	31.8	34.7	31	337	309	0.25	—	—	
Tangalla	42,436	31	—	—	31	40	52	63	55	118	7	2	9	12	41.5	34.5	93.3	3	250	318	0.13	—	—	
Jafna	3,770	1	—	—	1	8	4	12	11	16	—	—	—	12	74.9	24.1	59.9	3	300	954	0.61	—	—	
Mannar	1,563	1	—	—	1	5	5	10	1	7	—	—	—	4	60.7	33.3	109.3	4	800	—	0.05	—	—	
Mullaitivu	936	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Vavuniya	10,564	12	—	—	12	14	13	27	17	34	—	—	—	6	32.2	23.7	40.5	1	37	32	0.82	—	—	
Batticaloa	2,586	2	—	—	2	—	—	3	2	—	—	—	—	1	14.9	26.4	9.9	—	—	—	1.59	—	—	
Kalmunai	9,414	7	—	—	7	12	21	6	5	11	1	—	—	1	27.4	21.2	14.4	3	143	143	79.9	—	—	
Trincomalee	10,187	5	—	—	5	20	17	37	25	78	4	2	6	53	40.2	34.9	84.8	9	243	307	80.1	—	—	
Kurunegala	6,905	2	—	—	2	6	14	20	16	26	2	—	—	8	33.1	44.5	43.0	4	200	291	79.2	—	—	
Puttalam	1,608	—	—	—	—	2	1	3	1	2	—	—	—	—	24.1	36.8	24.1	1	333	435	0.94	—	—	
Kalpitiya	6,642	2	—	—	2	13	3	16	20	33	3	1	4	16	26.2	34.8	54.0	9	563	419	2.94	—	—	
Chilaw	7,781	4	—	—	4	7	14	20	14	31	1	—	—	14	16.6	24.1	40.3	6	429	367	78.4	—	—	
Anuradhapura	8,126	5	—	—	5	13	23	36	11	15	1	—	—	13	49.2	38.1	35.5	6	167	230	71.7	—	—	
Badulla	526	—	—	—	—	—	—	—	—	—	—	—	—	7	72.9	29.9	194.4	1	333	686	—	—	—	
Lunugala	7,014	1	—	—	1	10	18	23	14	37	3	—	—	14	45.8	33.7	60.5	2	71	85	81.9	—	—	
Ratnapura	3,508	4	—	—	4	6	12	13	15	28	—	—	—	23	58.6	42.1	91.2	6	333	378	—	—	—	
Kegalla	2,308	—	—	—	—	5	3	8	2	1	—	—	—	—	34.7	—	13.0	1	125	186	4.56	—	—	
Rambukkana																								

* Blanks indicate that there are no observatories or rain gauges. † Population of new limits.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for February, 1930.

Principal Towns.	Births.*			Birth Rate. February, 1930.	Deaths.			Death Rate (Standardized).		Infant Mortality.	
	Males.	Females.	Persons.		Males.	Females.	Persons.	February, 1930.	Average for February, 1920- 1929.	† Number registered during February, 1930.	Rate per 1,000 Births registered during February, 1930.
1	2	3	4	5	6	7	8	9	10	11	12
All 35 Towns	801	818	1,619	32.0	683	622	1,305	27.9	31.9	233	175
<i>Western.</i>											
Colombo	307	318	625	30.1	269	213	482	26.7	30.6	109	174
Negombo	43	32	75	33.1	27	32	59	26.6	30.0	9	120
Moratuwa	62	51	113	32.1	40	42	82	23.8	31.3	17	150
Kalutara	20	23	43	39.6	19	21	40	36.6	26.3	8	186
Panadure	13	17	30	33.3	6	4	10	11.8	21.2	1	33
<i>Central.</i>											
Kandy	37	50	87	32.2	35	55	90	36.5	30.0	17	195
Taldeniya	2	—	2	22.8	1	—	1	—†	—†	—	—
Gampola	5	8	13	24.5	4	7	11	21.5	27.5	3	230
Nawalapitiya	6	10	16	53.1	6	2	8	28.8	29.7	2	125
Hatton-Dikoya	2	7	9	38.9	3	1	4	20.3	28.9	2	222
Matale	20	16	36	51.2	17	20	37	56.2	41.5	8	222
Nuwara Eliya	12	10	22	33.2	13	3	16	26.7	16.6	6	273
<i>Southern.</i>											
Galle	54	45	99	32.3	47	35	82	26.2	33.8	12	121
Ambalangoda	4	7	11	33.1	2	—	2	6.0	—†	2	182
Matara	41	29	70	52.8	20	26	46	34.1	26.6	10	143
Weligama	12	15	27	37.0	3	7	10	12.7	22.5	—	—
Hambantota	7	6	13	55.1	5	4	9	37.9	36.4	2	154
Tangalla	6	6	12	30.9	5	4	9	23.0	29.5	1	83
<i>Northern.</i>											
Jaffna	40	51	91	26.8	59	54	113	34.5	39.0	31	341
Mannar	8	4	12	41.5	7	8	15	52.9	38.6	2	167
Mullaitivu	5	5	10	74.9	1	7	8	62.4	49.8	3	300
Vavuniya	3	1	4	48.6	2	3	5	71.1	59.2	2	500
<i>Eastern.</i>											
Batticaloa	14	13	27	32.2	13	15	28	34.8	31.5	1	37
Kalmunai	—	2	2	9.9	1	—	1	5.0	—†	—	—
Trincomalee	9	12	21	27.4	6	4	10	13.7	37.2	3	143
<i>North-Western.</i>											
Kurunegala	13	10	23	25.0	18	7	25	31.6	33.9	7	304
Puttalam	6	12	18	29.8	11	7	18	32.3	64.9	4	222
Kalpitiya	2	1	3	24.1	1	2	3	27.7	—†	1	333
Chilaw	13	3	16	26.2	10	7	17	32.0	46.4	6	375
<i>North-Central.</i>											
Anuradhapura	6	6	12	14.2	11	8	19	27.0	77.4	4	333
<i>Uva.</i>											
Badulla	13	22	35	47.8	4	9	13	18.1	28.6	6	171
Lunugala	1	2	3	72.9	1	—	1	27.4	—†	—	—
<i>Sabaragamuwa.</i>											
Ratnapura	7	16	23	37.6	12	11	23	41.0	27.2	1	43
Kegalla	3	5	8	26.1	2	3	5	18.2	19.6	2	250
Rambukkana	5	3	8	34.7	2	1	3	—†	—†	1	125

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of Deaths by Sex registered during February, 1930, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Death.	All 85 Towns.	Western Provinces.											Central Province.										Southern Province.																																											
		Colombo.			Negombo.			Moratuwa.			Kajutera.		Panadura.		Kandy.		Telentya.		Gampola.		Nawalapitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Veligama.		Hambantota.		Tangalle.																											
		M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.	M	F	Total.																							
1. All Causes	995	876	1,871	280	388	668	42	43	85	30	34	64	6	7	13	57	68	125	8	6	14	9	12	21	13	8	21	23	24	47	26	26	52	43	42	85	15	6	21	29	30	59	32	31	63	33	34	67	29	30	59	29	30	59	29	30	59	29	30	59	29	30	59			
1. Infantile Mortality	188	146	334	76	56	132	7	3	10	10	7	17	5	4	9	1	1	2	1	1	2	1	2	3	2	2	4	2	2	4	5	7	12	1	5	6	2	2	4	6	5	11	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2	1	1	2
A.—One Week and under.																																																																		
1. Prematurity	32	17	49	12	6	18	2	1	3	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
2. Debility	31	27	58	12	5	17	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
3. Convulsions	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
5. Bronchitis	1	—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
7. Other Causes	4*	2†	6	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—															
B.—Over 1 Week and under 1 Year.																																																																		
1. Prematurity	5	6	11	2	2	4	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
2. Debility	29	24	53	8	9	17	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
3. Convulsions	23	13	36	3	2	5	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
4. Diarrhoea	6	7	13	3	3	6	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
5. Enteritis	13	12	25	8	7	15	3	3	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
6. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
7. Bronchitis	6	2	8	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
8. Pneumonia	12	12	24	5	8	13	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
9. Syphilis	3	6	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		
10. Other Causes	20†	15§	35	7	9	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—																		

* Besides 3 deaths mentioned in Table V., footnote *, one death from Gonorrhoeal Conjunctivitis (in Anuradhapura).
 † Besides 1 death mentioned in Table V., footnote †, one death from Toxaemia due to Imperforate Anus (in Kandy).
 ‡ Besides 9 deaths mentioned in Table V., footnote ‡, 6 deaths from Malaria (2 in Anuradhapura and 1 each in Mannar, Kurunegala, Puttalam, and Kalpitiya), 2 from Dysentery (1 each in Matale and Jaffna), 1 each from Tetany (in Kandy), Rickets (in Badulla), and Meningitis (in Kurunegala).
 § Besides 7 deaths mentioned in Table V., footnote §, 3 deaths from Influenza (1 each in Moratuwa, Kandy, and Mullattivu), 2 from Malaria (1 each in Hambantota and Anuradhapura), 1 each from Worms (in Moratuwa), Dysentery (in Matale), and Gangrene (in Mannar).

Table III.—Causes of Deaths by Sex registered during February, 1930, in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	All 35 Towns.						Western Province.										Central Province.										Southern Province.															
	M		F		Total.	Colombo.			Negombo.		Moratuwa.		Kalutara.		Pandure.		Kandy.		Teldeniya.		Gampola.		Nawalpitiya.		Hatton-Dikoya.		Matale.		Nuwara Eliya.		Galle.		Ambalangoda.		Matara.		Weligama.		Hambantota.		Tangalla.	
	M	F	M	F		M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F			
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40			
II.—General Mortality (1 Year and Over)	807	730	1,537	268	224	28	35	32	36	25	30	6	6	51	55	7	6	8	10	11	8	6	2	33	35	10	5	64	51													
1. Plague	1			1																																						
2. Smallpox																																										
3. Chickenpox																																										
4. Measles																																										
5. Influenza	23	20	43	19	8									1	1											1	1															
6. Enteric Fever	24	29	53	6	7									2	2											8	8															
7. Malaria and Malarial Cachexia	68	58	126	12	7									2	2											8	8															
8. Cholera																																										
9. Diarrhoea	22	20	42	2	1									1	1											3	3															
10. Enteritis	35	33	68	16	17									1	1												3	3														
11. Dysentery	47	32	79	12	3									2	1											2	1															
12. Anchylostomiasis or Dochmias Duodenalis																																										
13. Diseases due to other Intestinal Parasites	36	38	74	13	4									2	2											2	2															
14. Cancer	23	21	44	4	4									1	1											1	1															
15. Phthisis	5	13	18	4	10									4	2																											
16. Other Tuberculous Diseases	44	52	96	15	24									3	1												6	3														
17. Anaemia	3	3	6	2	1									1	1																											
18. Diabetes Mellitus	2	2	4	1	1									1	1																											
19. Paralysis	7	3	10	3	1									1	1																											
20. Convulsions	23	11	34	9	4									4	1												1	1														
21. Tetanus	11	12	23	2	2									2	1												1	1														
22. Heart Disease	6	1	7	1	1																																					
23. Bronchitis	16	14	30	6	12									3	3																											
24. Pneumonia	8	14	22	3	6									1	1																											
25. Other Diseases of the Respiratory System	151	91	242	47	27									4	3												11	7														
26. Bright's Disease and Nephritis	7	4	11	4	2									1	1																											
27. Puerperal Eclampsia	38	39	77	6	8									3	1											2	1															
28. Puerperal Septicæmia	10	10	20	4	4									3	2																											
29. Accidents of Childbirth	31	31	62	8	8									2	2																											
30. Accidents and Negligence	23	23	46	9	7									2	1																											
31. Homicide	34	14	48	9	4									1	1																											
32. Suicide	4	1	5	2	1									1	1																											
33. Execution	3	1	4	1	1																																					
34. All Other Causes	165*	141†	306	69	52									7	5												8	15														

* Here are included 51 deaths from Semility and 8 each from Debility and Cerebral Haemorrhage.
† Here are included 56 deaths from Semility and 10 from Debility.

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of February, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1929, in each Sanitary Ward of the City of Colombo.

Wards.	Population of (exclusive of the Military and Shipping) at the Census of March 18, 1921.		Population estimated to the middle of 1930, by intercensal increase.		Births.			Stillbirths.			Deaths Including Deaths in Hospitals and Jails.			Deaths of Non-residents in Town Hospitals and Jails.		Deaths of Residents.			Per Mille per Annum.				Mortality of Children under One Year of Age.	
	2	244,163	270,700	Males		Females		7	8	9	10	11	12	13	14	17	18	19	20	21	22	23	24	25
				4	5	6	378																	
1																								
City of Colombo ..				391	378	769	26	38	64	344	280	624	482	35.2	28.2†	26.6	132	172	198					
Fort and Galle Face ..	2,690		2,980	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pettah ..	7,601		8,430	—	2	2	—	—	—	3	6	—	5	4.8	7.7	8.4	—	—	—	—	—	—	—	—
St. Paul's ..	23,395		25,940	27	19	46	3	1	4	31	16	47	47	21.8	23.6	23.8	—	—	—	—	—	—	—	—
San Sebastian ..	11,492		12,740	2	11	13	1	1	2	8	7	15	15	23.4	15.3	24.0	—	—	—	—	—	—	—	—
Kotahena North ..	18,683		20,710	18	28	46	1	—	1	15	14	29	28	26.1	17.6	23.6	—	—	—	—	—	—	—	—
Kotahena South ..	27,488		30,480	28	21	49	2	1	3	21	24	45	45	27.6	19.3	27.3	—	—	—	—	—	—	—	—
New Bazaar ..	23,341		25,880	30	24	54	1	1	2	21	18	39	39	28.1	19.7	25.6	—	—	—	—	—	—	—	—
Maradana Hospitals	—		—	169	137	306	15	27	42	145	105	250	117	—	—	—	—	—	—	—	—	—	—	—
Maradana North ..	30,404		33,700	32	42	74	1	3	4	30	23	53	52	26.0	20.1	19.6	—	—	—	—	—	—	—	—
Maradana East ..	8,593		9,530	12	8	20	1	1	2	11	5	16	16	25.3	21.9	19.5	—	—	—	—	—	—	—	—
Maradana South (exclusive of Hospitals)	18,531		20,550	10	14	24	1	1	2	11	13	24	24	16.7	15.2	17.4	—	—	—	—	—	—	—	—
Slave Island ..	21,564		23,900	24	23	47	—	1	1	20	18	38	33	25.9	18.0	22.0	—	—	—	—	—	—	—	—
Kollupitiya ..	23,762		26,340	13	17	30	—	1	1	7	10	17	17	13.3	8.4	9.4	—	—	—	—	—	—	—	—
Wellawatta North..	15,816		17,530	12	16	28	—	—	—	14	13	27	26	20.8	19.3	18.1	—	—	—	—	—	—	—	—
Wellawatta South..	10,813		11,990	14	16	30	—	—	—	7	11	18	18	32.6	19.6	15.1	—	—	—	—	—	—	—	—

* Standardized death rates for the wards of the city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.

Table V.—Causes of Deaths by Sex registered during the Month of February, 1930, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.			Wards.											
	M	F	Total.	Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
				M	F	M	F	M	F	M	F	M	F	M	F
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16
All Causes	344	280	624	—	—	3	3	31	16	8	7	15	14	21	24
I.—Infantile Mortality	76	56	132	—	—	—	—	8	3	2	3	2	5	9	4
<i>A.—One Week and under.</i>															
1. Prematurity	12	6	18	—	—	—	—	—	1	—	—	—	—	—	—
2. Debility	12	5	17	—	—	—	—	2	1	1	—	—	1	—	—
3. Convulsions	2	—	2	—	—	—	—	—	—	—	—	—	—	1	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	1	—	1	—	—	—	—	—	—	—	—	—	1	—	—
7. Other Causes	3*	1†	4	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>															
1. Prematurity	2	2	4	—	—	—	—	1	—	—	—	—	—	—	—
2. Debility	8	9	17	—	—	—	—	1	1	—	—	—	—	—	—
3. Convulsions	8	3	11	—	—	—	—	—	—	—	—	1	1	2	1
4. Diarrhoea	3	3	6	—	—	—	—	—	—	—	—	—	—	2	—
5. Enteritis	8	7	15	—	—	—	—	1	—	—	1	—	1	1	—
6. Tetanus	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
8. Pneumonia	5	8	13	—	—	—	—	—	—	—	—	—	2	—	1
9. Syphilis	2	3	5	—	—	—	—	1	—	—	—	—	—	2	—
10. Other Causes	9‡	7§	16	—	—	—	—	2	—	1	2	—	—	1	2
II.—General Mortality (1 Year and Over; .. .	268	224	492	—	—	3	3	23	13	6	4	13	9	12	20
1. Plague	1	—	1	—	—	—	—	—	—	1	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	19	8	27	—	—	—	—	9	1	3	1	1	3	2	—
6. Enteric Fever	6	7	13	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia .. .	12	7	19	—	—	—	—	1	2	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	2	1	3	—	—	—	—	—	—	—	—	—	—	—	1
10. Enteritis	16	17	33	—	—	—	—	—	—	—	—	—	2	—	3
11. Dysentery	12	3	15	—	—	1	—	2	1	—	—	—	2	2	—
12. Anchylostomiasis or Dochmius Duodenalis	13	4	17	—	—	—	—	—	—	—	—	1	—	—	—
13. Diseases due to other Intestinal Parasites	4	4	8	—	—	—	—	—	1	—	—	—	—	—	—
14. Cancer	4	10	14	—	—	—	—	—	—	—	—	1	—	—	—
15. Phthisis	15	24	39	—	—	—	—	1	2	2	—	—	1	2	3
16. Other Tuberculous Diseases	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—
18. Diabetes Mellitus	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—
19. Paralysis	9	4	13	—	—	—	—	—	—	—	—	1	—	—	2
20. Convulsions	2	2	4	—	—	—	—	—	—	—	—	2	—	—	1
21. Tetanus	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	6	12	18	—	—	—	—	2	—	1	1	1	—	—	—
23. Bronchitis	3	6	9	—	—	—	—	1	1	—	—	—	—	—	—
24. Pneumonia	47	27	74	—	—	2	—	1	—	—	—	2	—	—	1
25. Other Diseases of the Respiratory System	4	2	6	—	—	—	—	—	—	—	—	—	—	—	—
26. Bright's Disease and Nephritis	6	8	14	—	—	—	—	—	—	—	—	—	2	—	1
27. Puerperal Eclampsia	—	4	4	—	—	—	—	—	—	—	—	—	—	—	1
28. Puerperal Septicaemia	—	8	8	—	—	—	—	—	1	—	—	—	—	—	—
29. Accidents of Childbirth	—	7	7	—	—	—	—	—	1	—	—	—	—	—	1
30. Accidents and Negligence	9	4	13	—	—	—	—	—	—	—	—	—	—	—	1
31. Homicide	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—
32. Suicide	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
34. All Other Causes	69¶	52¶	121	—	—	—	—	3	3	1	2	3	1	5	5

* One death each from Atelectasis, Asphyxia Neonatorum, and Congenital Morbus Cordis.

† One death from Intestinal Obstruction.

‡ Five deaths from Influenza and 1 each from Fever, Rickets, Uraemia from Nephritis, and Starvation.

§ Four deaths from Influenza and 1 each from Spina Bifida, Stomatitis, and Improper Feeding.

¶ Here are included 19 deaths from Senility and 5 from Cerebral Haemorrhage.

¶ Here are included 21 deaths from Senility.

Table V.—Causes of Deaths by Sex registered during the Month of February, 1930, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.															
	New Bezaar.		Maradana Hos- pitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals).		Slave Island		Kollupitiya.		Wellawatta North.	
	M 17	F 18	M 19	F 20	M 21	F 22	M 23	F 24	M 25	F 26	M 27	F 28	M 29	F 30	M 31	F 32
All Causes	21	18	145	105	30	23	11	5	11	13	19	18	8	10	14	13
I. Infantile Mortality	5	3	23	19	10	3	4	2	2	3	5	2	—	3	4	4
<i>A.—One Week and under.</i>																
1. Prematurity	—	—	11	5	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	—	—	1	1	3	1	2	—	—	—	3	1	—	—	—	—
3. Convulsions	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
7. Other Causes	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																
1. Prematurity	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	3	1	1	—	2	2	—	—	—	2	—	—	—	2	1	1
3. Convulsions	—	—	—	—	1	—	1	2	—	—	1	—	—	—	—	1
4. Diarrhoea	—	1	—	—	1	—	1	—	—	—	—	—	—	—	—	—
5. Enteritis	—	—	4	4	—	—	1	—	—	—	—	—	—	—	1	—
6. Tetanus	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1
7. Bronchitis	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
8. Pneumonia	—	—	—	4	2	—	—	—	—	—	—	—	—	—	—	1
9. Syphilis	—	—	1	2	—	—	1	—	—	—	—	—	—	—	—	—
10. Other Causes	2	1	1	1	—	—	—	—	—	—	1	—	—	1	1	—
II.—General Mortality (1 Year and Over)	16	15	122	86	20	20	7	3	9	10	14	16	8	7	10	9
1. Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	1	2	1	—	—	1	1	—	—	—	—	—	—	—	1	—
6. Enteric Fever	—	—	4	6	—	—	—	—	—	—	2	1	—	—	—	—
7. Malaria and Malarial Cachexia	—	—	7	4	2	1	—	—	—	—	1	—	1	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Enteritis	—	—	7	7	3	3	3	—	1	—	—	—	1	—	—	—
11. Dysentery	—	—	4	2	—	—	—	—	2	—	1	—	—	—	—	—
12. Anchylostomiasis or Dochmius Duo- denalis	—	—	12	4	—	—	—	—	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	1	1	—	—	—	1	—	—	—	—	—	—	—	—	2	—
14. Cancer	—	—	3	7	—	2	—	—	—	—	—	1	—	—	—	—
15. Phthisis	2	2	6	11	—	1	—	—	1	2	1	—	1	—	—	1
16. Other Tuberculous Diseases	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
18. Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Paralysis	—	—	3	1	1	—	—	—	2	1	1	—	—	—	—	—
20. Convulsions	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
21. Tetanus	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	—	1	2	3	—	1	—	—	—	1	—	1	—	1	—	1
23. Bronchitis	—	—	—	1	1	2	—	—	—	—	—	1	—	1	—	—
24. Pneumonia	5	3	29	13	1	2	2	1	1	3	3	1	1	3	—	—
25. Other Diseases of the Respiratory System	1	—	2	—	—	—	—	—	—	—	—	1	1	—	—	—
26. Bright's Disease and Nephritis	—	—	3	4	1	—	—	—	1	—	—	—	—	—	1	1
27. Puerperal Eclampsia	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
28. Puerperal Septicaemia	—	—	—	3	—	—	—	—	—	—	—	2	—	—	—	1
29. Accidents of Childbirth	—	1	—	1	—	1	—	—	—	—	—	2	—	—	—	—
30. Accidents and Negligence	—	—	6	2	1	—	—	—	—	—	—	—	2	—	—	—
31. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	6	4	29	15	7	3	1	2	1	2	4	6	1	2	6	4

Table V.—Causes of Deaths by Sex registered during the Month of February, 1930, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.		Deaths among all Races.															
	Wellawatta South.		Europeans.		Burghers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.			
	M 33	F 34	M 35	F 36	M 37	F 38	M 39	F 40	M 41	F 42	M 43	F 44	M 45	F 46	M 47	F 48		
All Causes	7	11	3	2	13	20	175	155	82	43	49	46	12	8	10	6		
I.—Infantile Mortality	2	2	1	—	2	1	45	37	15	5	8	11	4	1	1	1		
<i>A.—One Week and under.</i>																		
1. Prematurity	1	—	—	—	—	—	11	5	—	1	1	—	—	—	—	—		
2. Debility	—	—	—	—	—	—	5	2	3	1	3	2	1	—	—	—		
3. Convulsions	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—		
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
7. Other Causes	—	—	1	—	—	—	2	—	—	1	—	—	—	—	—	—		
<i>B.—Over 1 Week and under 1 Year.</i>																		
1. Prematurity	—	—	—	—	—	—	2	2	—	—	—	—	—	—	—	—		
2. Debility	—	—	—	—	1	—	3	4	—	—	2	5	1	—	1	—		
3. Convulsions	—	—	—	—	—	—	5	3	3	—	—	—	—	—	—	—		
4. Diarrhoea	—	1	—	—	—	—	3	3	—	—	—	—	—	—	—	—		
5. Enteritis	—	1	—	—	1	—	5	6	1	—	1	1	—	—	—	—		
6. Tetanus	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
7. Bronchitis	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—		
8. Pneumonia	1	—	—	—	—	—	4	6	1	1	—	1	—	—	—	—		
9. Syphilis	—	—	—	—	—	—	1	3	1	—	—	—	—	—	—	—		
10. Other Causes	—	—	—	—	—	1	4	3	4	—	—	2	1	—	—	1		
II.—General Mortality (1 Year and Over)	5	9	2	2	11	19	130	118	67	38	41	35	8	7	9	5		
1. Plague	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5. Influenza	—	—	—	—	1	1	2	5	7	—	7	2	1	—	1	—		
6. Enteric Fever	—	—	—	—	2	—	3	6	1	1	—	—	—	—	—	—		
7. Malaria and Malarial Cachexia	—	—	—	—	1	—	7	3	2	3	2	—	—	—	—	1		
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
9. Diarrhoea	—	—	—	—	—	—	1	—	1	1	—	—	—	—	—	—		
10. Enteritis	—	1	—	—	1	3	5	9	7	1	2	3	1	—	—	1		
11. Dysentery	2	—	—	—	—	—	3	1	5	2	3	—	—	—	1	—		
12. Anchylostomiasis or Dochmius Duodenalis	—	—	—	—	—	—	11	3	1	1	1	—	—	—	—	—		
13. Diseases due to other Intestinal Parasites	—	1	—	—	—	—	1	3	3	1	—	—	—	—	—	—		
14. Cancer	—	—	—	—	—	1	3	7	1	1	—	1	—	—	—	—		
15. Phthisis	—	—	—	—	2	1	7	15	3	5	1	2	1	—	1	1		
16. Other Tuberculous Diseases	—	—	—	—	—	1	1	—	—	—	—	—	—	—	1	—		
17. Anaemia	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—		
18. Diabetes Mellitus	—	—	—	—	—	—	1	1	—	—	1	—	—	—	—	—		
19. Paralysis	—	—	—	1	—	1	7	2	1	—	—	—	—	—	—	—		
20. Convulsions	1	1	—	—	—	—	1	2	1	—	—	—	—	—	—	—		
21. Tetanus	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—		
22. Heart Disease	—	2	—	—	—	2	1	8	2	—	2	2	—	—	—	1		
23. Bronchitis	—	—	—	—	—	—	1	2	2	3	—	—	—	—	1	—		
24. Pneumonia	—	—	—	—	—	1	23	9	13	4	6	10	1	3	4	—		
25. Other Diseases of the Respiratory System	—	—	—	—	—	—	2	1	—	—	2	1	—	—	—	—		
26. Bright's Disease and Nephritis	—	—	—	—	—	—	4	4	1	2	1	1	—	—	—	1		
27. Puerperal Eclampsia	—	—	—	—	—	—	—	1	—	1	—	2	—	—	—	—		
28. Puerperal Septicaemia	—	—	—	—	—	1	—	6	—	1	—	—	—	—	—	—		
29. Accidents of Childbirth	—	1	—	—	—	—	—	1	—	1	—	2	—	—	—	—		
30. Accidents and Negligence	—	—	—	—	1	—	2	1	4	3	1	—	—	1	—	—		
31. Homicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
32. Suicide	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—		
33. Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
34. All Other Causes	2	3	2	1	3	6	42	28	10	6	10	9	2	2	—	—		