



SUPPLEMENT TO THE CEYLON GOVERNMENT GAZETTE

No. 7,787 — FRIDAY, JUNE 27, 1930.

VITAL STATISTICS OF TOWNS IN CEYLON FOR THE MONTH OF APRIL, 1930.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the vital statistics of the 35 principal towns in the Island, proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 217 (156 General, 3 Kandyan, and 58 Muslim), as against 445 in the preceding month and 295 in the corresponding month of last year.

Births.

3. The births registered numbered 1,933 (1,005 males and 928 females), and were equivalent to an annual rate of 35·7 per 1,000 of the population, as against 37·1 in the preceding month, 32·3 in the corresponding month of last year, and 30·9 the average for the corresponding months since 1920. The rate ranged from 8·1 in Hatton-Dikoya to 97·3 in Kegalla. There were 1,630 births of children, whose mothers were residents of the towns, equivalent to an annual rate of 30·1, as against 32·8 in the preceding month and 28·8 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 741 (400 males and 341 females), and were equivalent to an annual rate of 33·3, as against 34·5 in the preceding month, 32·0 in the corresponding month of last year, and 28·0 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah Wards, ranged from 11·8 in Maradana South to 31·5 in Wellawatta South. There were 590 births of children, whose mothers were residents of the city, equivalent to an annual rate of 26·5, as against 30·0 in the preceding month and 27·1 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,629 (882 males and 747 females), and were equivalent to an annual rate of 30·1, as against 32·3 in the preceding month and 30·0 in the corresponding month of last year. There were 1,140 deaths of residents of the towns, equivalent to an annual standardized rate of 22·8, as against 24·6 in the preceding month, 24·6 in the corresponding month of last year, and 26·4 the average for the corresponding months since 1920. The standardized death rate ranged from 2·8 in Ambalangoda to 51·1 in Hambantota.

6. In the city of Colombo the deaths registered numbered 547 (313 males and 234 females), and were equivalent to an annual rate of 26·7, as against 26·2 in the preceding month and 25·5 in the corresponding month of last year. There were 411 deaths of residents of the city, which corresponded to an annual standardized rate of 21·3, as against 22·4 in the preceding month, 22·5 in the corresponding month of last year, and 25·3 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and Pettah Wards, ranged from 19·7 in St. Paul's to 6·5 in Kollupitiya.

7. The stillbirths registered during the month numbered 129 (67 males and 62 females), as against 140 in the preceding month and 135 in the corresponding month of last year.

Infant Mortality

8. The deaths of children under one year of age numbered 300, and corresponded to a rate of 162 per 1,000 births registered during the twelve months ended April, 1930. Reckoned on the births registered during the month only the rate was 155, as against 149 in the preceding month, 199 in the corresponding month of last year, and 207 the average for the corresponding months since 1920. There were 262 deaths of children under one year of age, whose mothers were residents of the towns, which corresponded to a rate of 161, as against 148 in the preceding month and 202 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age numbered 104, and corresponded to a rate of 143 per 1,000 births registered during the twelve months ended April, 1930. Reckoned on the births registered during the month only, the rate was 140, as against 131 in the preceding month, 169 in the corresponding month of last year, and 210 the average for the corresponding months since 1920. There were 88 deaths of children under one year of age, whose mothers were residents of the city, which corresponded to a rate of 149, as against 125 in the preceding month and 178 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Phthisis* and *Debility* (of children under one year of age) caused each 7 per cent.; *Malaria* and *Malarial Cachexia* 6 per cent.; *Senility* 5 per cent.; *Convulsions*, *Bright's Disease* and *Nephritis*, *Anchylostomiasis*, *Diseases and Accidents of Childbirth*, and *Enteritis*, each 4 per cent.; *Dysentery*, *Enteric Fever*, *Prematurity*, *Accidents* and *Negligence*, each 3 per cent.; *Intestinal Parasites* other than *Anchylostomiasis*, *Influenza*, *Heart Disease*, and *Diarrhoea*, each 2 per cent.; *Bronchitis*, *Cancer*, *Cerebral Haemorrhage*, *Paralysis*, *Diabetes Mellitus*, and *Tetanus*, each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths were due. *Phthisis* caused 9 per cent.; *Enteritis* 6 per cent.; *Senility* and *Influenza*, each 5 per cent.; *Debility* (of children under one year of age), *Enteric Fever*, *Diseases and Accidents of Childbirth*, each 4 per cent.; *Convulsions*, *Heart Disease*, *Malaria* and *Malarial Cachexia*, and *Bright's Disease* and *Nephritis*, each 3 per cent.; *Bronchitis*, *Accidents* and *Negligence*, *Prematurity*, *Cerebral Haemorrhage*, *Anchylostomiasis*; *Intestinal Parasites* other than *Anchylostomiasis*, and *Cancer*, each 2 per cent.; *Paralysis*, *Syphilis*, *Dysentery*, *Tetanus*, *Diabetes Mellitus*, and *Diarrhoea*, each 1 per cent.

12. One death from *Plague* was registered (in Colombo), as against 2 deaths in the previous month and 4 in the corresponding month of last year.

13. *Infectious Diseases reported*.—The infectious disease most prevalent during the month was *Chickenpox*, of which 134 cases were reported (111 in Colombo). *Phthisis* followed with 94 cases (71 in Colombo, 5 in Galle); *Measles* 57 (50 in Colombo, 4 in Negombo); *Enteric Fever* 57 (32 in Colombo, 7 in Galle); *Dysentery* 37 (10 in Colombo, 7 in Mullaittivu); *Continued Fever* 12 (9 in Colombo); *Mumps* 12 (8 in Colombo); *Plague* 2 (in Colombo); *Diphtheria* 1 (in Colombo), and *Whooping Cough* 1 (in Colombo).

Meteorology.

14. *Rainfall*.—Kalutara recorded the highest rainfall (16.72 in.). In other towns rainfall ranged from 13.69 in. in Kegalla to 0.61 of an inch in Mullaittivu. Colombo recorded 13.52 in.

15. *Mean Temperature*.—The mean temperature varied from 84.6° in Mannar to 59.9° in Nuwara Eliya, and was 82.2° in Colombo.

Appendix.

16. For detailed statistics see Tables I., II., and III. for all towns, and Tables IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, June 6, 1930.

G. FURSE ROBERTS,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during April, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31–36 of the Ordinance No. 1 of 1895.

Principal Towns	Population ^a (exclusive of the Military and Shipping Estates)	Estimated Population to the middle of 1930 by Census Increase. March 1921, 2	Kandyan General	Marriages.	Births.	Deaths.	Stillbirths.	Death Rate. Deaths of Non-resi- dents regis- tered in Town Hospitals and Jails.	Birth Rate. Average for April 1920–1929	Mortality of Children under One Year of Age.	Mean Tem- perature April, 1930.	Rainfall in Inches April, 1930.		
All 85 Towns	..	600,8142	156	3 58	217 1005	928 1,933	882 747	67 1,629	62 129	477 35·7	30·9 30·1	20 300	25 162	
Western.	..	244,163	270,700	66	— 40	106 400	341 741	313 234	547 31	24 55	129	33·3 28·0	26·7 143	
Colombo	..	27,639	29,570	4	— 2	6 40	34 74	30 34	64 1	7 1	7	30·4 36·9	26·3 20	
Negombo	..	41,858	45,830	10	— 10	50 44	94 33	40 23	73 1	3 4	6 12	42·3 34·3	39·5 18	
Moratuwa	..	13,696	14,170	—	— 13	27 40	15 23	38 6	—	—	20	30·6 32·6	32·6 1	
Kelutara	..	—	10,747	3	— 3	21 18	39 12	11 23	1 3	4 6	40·4	27·3 23·8	21 4	
Panadure	..	—	—	—	—	—	—	—	—	—	—	103	127	—
Kandy	..	32,562	35,210	6	— 1	12 69	64 133	40 40	80 3	4 7	34	46·0 27·6	35·3 15	
Teldeniya	..	637	1,140	—	— 1	— 1	— 1	— 1	6 1	7 1	7	10·7 7·4	7·4 129	
Gampola	..	6,202	6,910	1	—	— 8	16 24	15 8	23 1	—	14	42·3 40·5	40·5 5	
Navalapitiya	..	3,221	3,930	3	—	— 3	11 18	14 12	26 2	—	20	55·7 41·9	80·5 3	
Hatton-Dikoya	..	2,940	3,020	1	—	— 1	— 1	— 1	6 2	8 1	4	8·1 32·4	32·2 1	
Matale	..	7,895	9,170	—	—	— 17	14 31	38 34	72 1	1 1	38	41·1 36·0	95·5 11	
Nuwara Eliya	..	7,525	8,630	1	—	— 1	14 9	23 8	6 14	—	2	32·4 29·0	19·7 7	
Southern.	..	39,073	39,900	9	— 5	14 85	73 158	43 45	88 3	6 9	24	48·2 35·1	26·8 8	
Galle	..	3,847	4,330	2	— 2	4 2	4 1	— 1	— 1	— 1	—	14·1 14·1	23·7 2·8	
Ambalangoda	..	16,779	17,270	2	— 2	4 2	4 1	— 1	— 1	— 1	—	33·8 32·5	31·0 1	
Matale	..	9,104	9,620	3	— 3	15 13	28 9	8 17	—	—	—	35·8 31·6	31·7 4	
Wellawaya	..	2,849	3,070	—	—	— 8	16 9	4 13	—	2 2	63·3	40·6 61·5	63·6 6	
Hambantota	..	4,896	6,060	—	—	— 13	17 30	13 10	23 2	—	8	72·2 29·0	55·3 4	
Tangalle	..	—	—	—	—	—	—	—	—	—	—	—	—	
Northern.	..	42,446	44,200 ^b	22	— 2	24 64	67 131	67 73	140 6	2 8	13	36·1 33·2	38·5 25	
Jaffna	..	3,705	3,770	4	— 4	5 4	9 9	7 8	15 8	1 1	4	29·0 41·9	48·4 1	
Mannar	..	1,653	1,740	—	— 3	3 3	6 3	5 8	—	1 1	1	41·9 36·4	55·9 3	
Mullaitivu	..	1,070	936	—	— 3	— 3	— 3	— 3	—	—	1	34·0 27·2	34·0 —	
Vavuniya	..	—	—	—	—	—	—	—	—	—	—	—	—	
Eastern.	..	10,564	10,940	4	— 4	— 4	18 18	36 12	19 2	1 3	3	40·0 34·9	34·5 7	
Betticalos	..	2,586	2,630	— 5	— 5	5 5	10 4	5 4	9 1	— 1	3	46·3 35·3	41·6 1	
Kalmunai	..	9,414	9,980	— 5	— 5	13 16	29 11	12 23	2 2	4	—	35·3 26·6	28·0 4	
Trincomalee	..	—	—	—	—	—	—	—	—	—	—	—	—	
North-Western.	..	10,187	11,990	3	— 1	4 1	20 10	21 5	5 5	—	2	45·6 32·3	75·1 11	
Kurunegala	..	6,905	7,880	—	—	—	—	—	2 2	—	—	35·5 41·8	15·4 3	
Puttalam	..	1,608	1,620	—	—	—	—	—	1 1	2	—	45·0 26·0	15·0 1	
Kalpitiya	..	6,642	7,970	—	—	—	—	—	33 1	1 2	21	47·3 32·7	50·4 5	
Chilaw	..	—	—	—	—	—	—	—	—	—	—	—	—	
North-Central.	..	7,781	11,000	4	— 4	4 10	14 22	18 40	—	1 1	15	15·5 21·7	44·3 7	
Anuradhapura	..	—	—	—	—	—	—	—	—	—	—	—	—	
Uva.	..	8,126	9,650	2	— 2	10 13	23 11	11 11	22 2	—	2	29·3 28·9	28·0 2	
Badulla	..	—	626	540	—	—	—	6	—	—	6	45·4 40·0	136·4 2	
Lunugala	..	—	—	—	—	—	—	—	—	—	—	—	—	
Sabaragamuwa.	..	7,014	7,980	—	— 1	1 1	12 14	26 20	11 11	—	17	39·7 37·9	47·3 3	
Ratnapura	..	3,508	4,000	—	— 1	1 1	17 15	32 22	8 12	—	12	97·3 34·3	60·8 4	
Regalla	..	2,308	3,010	—	— 1	4 2	—	1 1	—	—	—	24·3 24·3	4·0 4·0	
Rambukkana	..	—	—	—	—	—	—	—	—	—	—	—	—	

^a Banks indicate that there are no observatories or rain gauges.

^b Figures not available.

^c Population of new limits.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for April, 1930.

Principal Towns. 1	Births.*			Birth Rate. April, 1930.	Deaths.			Death Rate (Standardized).		Infant Mortality.	
	Males. 2	Females. 3	Persons. 4		Males. 6	Females. 7	Persons. 8	April, 1930. 9	Average for April, 1920– 1929. 10	† Number registered during April, 1930. 11	Rate per 1,000 Births registered during April, 1930. 12
	All 35 Towns	842	788	1,630	30·1	593	547	1,140	22·8	26·4	262
<i>Western.</i>											
Colombo	319	271	590	26·5	231	180	411	21·3	25·3	88	149
Negombo	30	28	58	23·9	24	32	56	23·6	24·2	20	345
Moratuwa	50	44	94	25·0	29	38	67	18·1	23·3	18	191
Kalutara	10	21	31	26·7	11	15	26	22·2	20·5	1	32
Panadure	12	15	27	28·0	9	8	17	18·8	19·9	3	111
<i>Central.</i>											
Kandy	58	53	111	38·4	23	23	46	17·4	25·6	10	90
Teldeniya	—	1	1	10·7	—	—	—	—‡	—‡	—	—
Gampola	7	13	20	35·2	3	6	9	16·4	23·4	2	100
Nawalapitiya	3	9	12	37·2	2	4	6	20·2	31·1	2	167
Hatton-Dikoya	—	2	2	8·1	3	1	4	19·0	33·4	—	—
Matale	17	14	31	41·1	19	15	34	48·2	31·7	10	323
Nuwar Eliya	13	8	21	29·6	7	5	12	18·7	20·6	7	333
<i>Southern.</i>											
Galle	73	67	140	42·7	31	33	64	19·1	23·5	8	57
Ambalangoda	4	1	5	14·1	—	1	1	2·8	—‡	1	200
Matare	26	18	44	31·0	18	11	29	20·1	21·9	10	227
Weligama	15	13	28	35·8	9	8	17	20·1	17·0	4	143
Hambantota	8	7	15	59·4	9	4	13	51·1	28·0	6	400
Tangalla	13	15	28	67·4	7	7	14	33·4	20·2	3	107
<i>Northern.</i>											
Jaffna	63	62	125	34·4	58	68	126	35·9	32·4	24	192
Mannar	5	4	9	29·0	5	6	11	36·2	35·9	1	111
Mullaittivu	3	3	6	41·9	3	4	7	51·0	55·5	3	500
Vavuniya	2	—	2	22·7	—	2	2	26·5	46·5	—	—
<i>Eastern.</i>											
Batticaloa	17	18	35	38·9	11	17	28	32·5	40·4	7	200
Kalmunai	5	5	10	46·3	3	3	6	28·0	—‡	1	100
Trincomalee	13	16	29	35·3	11	12	23	29·3	52·6	4	138
<i>North-Western.</i>											
Kurunegala	14	14	28	28·4	22	7	29	34·2	27·8	10	356
Puttalam	10	13	23	35·5	5	5	10	16·8	48·7	3	130
Kalpitiya	2	4	6	45·0	—	2	2	17·2	—‡	1	167
Chilaw	13	6	19	29·0	7	5	12	21·1	29·8	4	211
<i>North-Central.</i>											
Anuradhapura	4	9	13	17·4	11	12	23	30·5	47·1	5	385
<i>Uva.</i>											
Badulla	10	13	23	29·3	7	5	12	15·6	28·0	—	—
Lunugala	1	—	1	22·7	—	—	—	—	—‡	—	—
<i>Sabaragamuwa.</i>											
Ratnapura	10	10	20	30·5	10	4	14	23·3	27·4	3	150
Kegalla	8	9	17	51·7	5	3	8	27·2	17·3	3	176
Rambukkana	4	2	6	24·3	—	1	1	—	—‡	—	—

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of deaths by Sex registered during April, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Southern Province.										Northern Province.							Vavuniya.			
	Galle.		Ambalangoda.		Matara.		Welligama.		Hambantota.		Tangalla.		Jaffna.		Manmar.		Mullaittivu.		Vavuniya.		
	Males. 29	Females. 30	Males. 31	Females. 32	Males. 33	Females. 34	Males. 35	Females. 36	Males. 37	Females. 38	Males. 39	Females. 40	Males. 41	Females. 42	Males. 43	Females. 44	Males. 45	Females. 46	Males. 47	Females. 48	
All Causes ..	43	45	—	—	1	28	16	9	8	9	4	13	10	67	73	7	8	3	5	1	2
I.—Infantile Mortality ..	5	3	—	—	1	8	3	1	3	3	3	2	2	12	13	—	1	3	—	—	—
A.—One Week and under.																					
1 Prematurity ..	—	—	—	—	—	—	1	1	1	—	1	—	—	3	3	—	—	—	—	—	—
2 Debility ..	1	—	—	—	—	—	1	—	—	1	1	2	—	4	4	—	1	1	—	—	—
3 Convulsions ..	—	—	—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
B.—Over One Week and under One Year.																					
1 Prematurity ..	1	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
2 Debility ..	—	—	—	—	—	1	—	—	—	—	1	—	—	1	2	3	—	—	2	—	—
3 Convulsions ..	3	2	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	1	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—
II.—General Mortality (1 Year and Over) ..	38	42	—	—	—	20	13	8	5	6	1	11	8	55	60	7	7	—	5	1	2
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	1	1	—	—	—	1	1	2	—	—	1	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	5	2	—	—	—	1	—	—	—	—	—	—	—	8	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia ..	1	1	—	—	—	1	—	1	—	2	—	5	5	7	11	2	—	—	—	—	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	2	6	—	1	—	—	—	—
9 Diarrhoea ..	3	2	—	—	—	—	1	—	—	1	—	—	—	2	5	3	2	—	—	—	—
10 Enteritis ..	1	—	—	—	—	—	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
11 Dysentery ..	1	1	—	—	—	—	—	—	—	—	—	—	—	5	3	2	1	—	—	—	—
12 Anchylostomiasis or Dochimus Duodenalis ..	1	1	—	—	—	—	—	1	—	—	—	—	—	1	2	1	—	—	—	—	—
13 Diseases due to other Intestinal Parasites ..	1	—	—	—	—	2	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—
14 Cancer ..	—	—	—	—	—	1	3	1	1	—	—	—	—	3	3	—	—	—	—	—	—
15 Phthisis ..	4	3	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Anaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Diabetes Mellitus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—
19 Paralysis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
20 Convulsions ..	1	4	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
23 Bronchitis ..	1	3	—	—	—	3	—	—	—	—	—	—	—	2	2	—	—	—	—	—	—
24 Pneumonia ..	1	6	—	—	—	—	—	—	—	—	—	—	—	13	8	1	2	—	—	—	—
25 Other Diseases of the Respiratory System ..	—	1	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis ..	6	2	—	—	—	4	1	2	2	—	—	—	—	—	—	—	1	—	—	—	—
27 Puerperal Eclampsia ..	—	1	—	—	—	—	2	—	—	—	—	—	—	—	3	—	—	1	—	—	—
28 Puerperal Septicaemia ..	—	3	—	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
29 Accidents of Childbirth ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Accidents and Negligence ..	2	—	—	—	—	2	—	—	—	—	—	—	—	1	—	—	2	—	—	—	—
31 Homicide ..	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
32 Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	4	3	—	—	—	—	—	—	1	1	1	7	7	—	—	—
34 All Other Causes ..	9	10	—	—	—	—	—	—	—	—	—	—	—	1	1	1	7	7	—	—	—

Table III.—Causes of deaths by Sex registered during April, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	Eastern Province.						North-Western Province.						North-Central Province.		Province of Uva.						
	Batti-caloa.		Kalmu-nai.		Trinco-malee.		Kurune-gala.		Puttalam.		Kalpitiya.		Chilaw.		Anuradha-pura.		Badulla.		Lunu-gala.		
	Males. 49	Females. 50	Males. 51	Females. 52	Males. 53	Females. 54	Males. 55	Females. 56	Males. 57	Females. 58	Males. 59	Females. 60	Males. 61	Females. 62	Males. 63	Females. 64	Males. 65	Females. 66	Males. 67	Females. 68	
All Causes ..	12	19	4	5	11	12	50	24	5	5	—	2	19	14	22	18	11	11	6	—	
I.—Infantile Mortality ..	5	2	1	—	1	3	7	4	1	2	—	1	3	2	2	5	—	—	2	—	
A.—One Week and under.																					
1 Prematurity ..	2	—	—	—	—	—	1	2	1	2	—	—	1	1	1	—	—	—	—	—	—
2 Debility ..	—	1	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1	1	—	—	1
3 Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over One Week and under One Year.																					
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	2	1	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	2	1	—	—
3 Convulsions ..	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over) ..	7	17	3	5	10	9	43	20	4	3	—	1	16	12	20	13	11	11	4	—	—
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	3	3	1	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Diarrhoea ..	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	—
10 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—
11 Dysentery ..	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—
12 Ankylostomiasis or Dochmias ..	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1	—
13 Diseases due to other Intestinal Parasites ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Cancer ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
15 Phthisis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
17 Anaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
18 Diabetes Mellitus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
19 Paralysis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
24 Pneumonia ..	—	—	1	4	—	—	—	—	6	2	18	5	1	—	—	—	4	2	4	2	—
25 Other Diseases of the Respiratory System ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
26 Bright's Disease and Nephritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	4	2	2	—
27 Puerperal Eclampsia ..	—	—	—	3	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	2	—
28 Puerperal Septicaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—
29 Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
30 Accidents and Negligence ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
31 Homicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	1	5	3	2
34 All Other Causes ..	—	—	1	1	1	1	1	3	8	4	—	—	—	—	—	—	5	1	5	3	1

Table III.—Causes of Deaths by Sex registered during April, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Province of Sabaragamuwa.								Deaths among all Races.												
	Ratnapura.		Kegalla.		Rambuk-kana.		Europeans.		Burghers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.		
	Males. 69	Females. 70	Males. 71	Females. 72	Males. 73	Females. 74	Males. 75	Females. 76	Males. 77	Females. 78	Males. 79	Females. 80	Males. 81	Females. 82	Males. 83	Females. 84	Males. 85	Females. 86	Males. 87	Females. 88	
All Causes	20	11	12	8	—	1	2	2	17	17	464	409	249	227	112	77	21	13	17	2	
I.—Infantile Mortality	2	1	3	1	—	—	—	—	5	3	81	71	47	28	28	21	6	7	3	—	
A.—One Week and under.	—	—	—	—	—	—	—	—	1	1	15	8	9	4	2	2	—	—	—	—	
1 Prematurity	—	—	—	—	—	—	—	—	2	2	2	2	2	1	1	1	—	2	—	—	
2 Debility	—	—	—	—	—	—	—	—	—	—	2	2	2	1	1	1	—	—	—	—	
3 Convulsions	—	—	—	—	—	—	—	—	—	—	2	2	2	1	1	1	—	—	—	—	
4 Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over One Week and under One Year.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1 Prematurity	—	—	—	—	—	—	—	—	—	—	6	3	—	—	—	1	—	—	—	—	—
2 Debility	—	—	—	—	—	—	—	—	—	—	12	14	6	7	6	6	2	2	—	—	
3 Convulsions	—	2	—	—	—	—	—	—	—	—	6	11	3	3	8	—	1	—	—	—	
4 Diarrhoea	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—	
5 Enteritis	—	—	—	—	—	—	—	—	—	—	5	5	1	1	1	1	—	1	—	—	
6 Tetanus	—	—	—	—	—	—	—	—	—	—	3	—	2	—	1	—	1	—	1	—	
7 Bronchitis	—	—	—	—	—	—	—	—	—	—	13	10	4	—	1	4	—	1	1	1	
8 Pneumonia	—	—	—	—	—	—	—	—	—	—	4	2	5	1	3	1	—	—	—	—	
9 Syphilis	—	—	—	—	—	—	—	—	—	—	5	5	1	3	—	—	—	—	—	—	
10 Other Causes	—	—	—	—	—	—	—	—	2	4	7	5	1	3	1	—	—	2	—	—	
II.—General Mortality (1 Year and Over)	18	10	9	7	—	1	2	2	12	14	383	338	202	199	84	56	15	6	14	2	
1 Plague	—	—	—	—	—	—	—	—	—	—	5	4	5	4	6	3	1	—	1	—	
2 Smallpox	—	—	—	—	—	—	—	—	—	—	28	16	4	1	1	1	—	1	—	—	
3 Chickenpox	—	—	—	—	—	—	—	—	—	—	8	5	1	12	2	2	—	—	—	—	
4 Measles	—	—	—	—	—	—	—	—	—	—	11	15	4	12	2	2	—	—	—	—	
5 Influenza	—	—	—	—	—	—	—	—	—	—	12	11	19	10	1	2	—	—	—	—	
6 Enteric Fever	—	—	—	—	—	—	—	—	—	—	32	20	21	15	4	5	3	1	2	—	
7 Malaria and Malarial Cachexia	—	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
8 Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Diarrhoea	—	1	—	—	—	—	—	—	—	—	—	8	5	1	12	2	2	—	—	—	—
10 Enteritis	—	—	1	—	—	—	—	—	—	—	11	15	4	12	2	2	—	—	—	—	—
11 Dysentery	—	3	2	1	—	—	—	—	—	—	12	11	19	10	1	2	—	—	—	—	—
12 Anchylostomiasis or Dochimus Duodenalis	—	1	1	1	1	—	—	—	—	—	11	21	12	16	3	2	—	—	—	—	—
13 Diseases due to other Intestinal Parasites	—	—	—	1	—	—	—	—	—	—	1	7	18	—	3	2	—	—	—	—	—
14 Cancer	—	—	—	—	—	—	—	—	—	—	3	2	5	4	5	1	—	—	—	—	—
15 Phthisis	—	—	—	—	—	—	—	—	—	—	3	3	28	33	10	10	9	8	—	—	—
16 Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	3	—	2	1	3	1	—	—	—	—	—
17 Anaemia	—	—	—	—	—	—	—	—	—	—	6	—	2	1	3	1	1	—	—	—	—
18 Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	5	2	—	2	2	1	—	—	—	—	—
19 Paralysis	—	—	—	—	—	—	—	—	—	—	7	13	6	1	2	1	—	—	—	—	—
20 Convulsions	—	—	—	—	—	—	—	—	—	—	10	6	5	3	6	2	2	—	—	—	—
21 Tetanus	—	—	—	—	—	—	—	—	—	—	4	3	1	3	1	2	1	—	1	—	—
22 Heart Disease	—	—	—	—	—	—	—	—	—	—	63	38	49	26	6	5	3	1	2	—	—
23 Bronchitis	—	—	—	—	—	—	—	—	—	—	1	—	2	3	1	—	—	—	—	—	—
24 Pneumonia	—	—	—	—	—	—	—	—	—	—	1	—	2	3	1	—	—	—	—	—	—
25 Other Diseases of the Respiratory System	—	—	—	—	—	—	—	—	—	—	1	—	2	3	1	—	—	—	—	—	—
26 Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	—	—	1	2	20	14	8	12	6	2	—	—	—
27 Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	3	—	3	—	1	—	—	—	—	—	—
28 Puerperal Septicæmia	—	—	—	—	—	—	—	—	—	—	1	—	13	—	14	—	6	—	—	—	—
29 Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	17	—	6	—	—	—	—	—	—	—	—
30 Accidents and Negligence	—	2	—	—	—	—	—	—	—	—	1	—	21	4	5	5	4	—	—	—	—
31 Homicide	—	—	—	—	—	—	—	—	—	—	3	—	1	1	1	—	—	—	—	—	—
32 Suicide	—	—	—	—	—	—	—	—	—	—	3	—	4	—	1	—	—	—	—	—	—
33 Execution	—	—	—	—	—	—	—	—	—	—	4	—	86	71	41	29	24	8	—	—	—
34 All Other Causes	—	9	1	4	2	—	—	—	—	—	1	1	4	4	—	—	—	—	—	—	—

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of April, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922–1929, in each Sanitary Ward of the City of Colombo.

Wards,	Population estimated to the middle of 1930, by Intercensal Increase.	Population (exclusive of the Military and Shipping) at the Census of March 18, 1921.	Stillbirths.	Per Mille per Annun.										Mortality of Children under One Year of Age.		
				Births.					Deaths Including Deaths in Hospitals and Jails.					Birth Rate.		
				Males.	Females.	Males.	Females.	Males.	Males.	Females.	Males.	Females.	Males.	Average for April, 1930, for April, 1922–29.	Average for April, 1930.	
City of Colombo ..	244,163	270,700	400	341	741	31	24	55	813	234	547	129	411	33.3†	29.3	
Fort and Galle Face	2,690	2,980	—	—	—	—	—	1	1	2	—	—	—	—	—	—
Pettah ..	7,601	8,430	2	1	3	1	—	1	3	1	4	—	4	4.3	2.9	5.8
St. Paul's ..	23,395	25,940	22	7	29	1	—	1	22	20	42	—	42	13.6	18.2	19.7
San Sebastian ..	11,492	12,740	16	7	23	—	—	—	10	3	13	—	13	22.0	18.4	12.4
Kotahena North ..	18,683	20,710	21	22	43	—	—	—	15	10	25	—	25	25.3	21.5	14.7
Kotahena South ..	27,488	30,480	21	26	47	6	—	6	17	21	38	—	38	18.8	22.6	15.2
New Bazaar ..	20,341	25,880	23	17	40	1	—	1	14	21	35	—	34	18.8	22.0	20.2
Maradana Hospitals ..	—	—	171	153	324	17	14	31	147	92	239	124	115	—	—	—
Maradana North ..	30,404	33,700	33	66	2	3	5	23	21	44	—	44	—	23.8	24.1	15.9
Maradana East ..	8,593	9,530	9	10	19	1	1	2	7	4	11	5	6	24.3	25.0	7.7
Maradana South (exclusive of Hospitals)	18,531	20,550	12	8	20	—	1	1	14	7	21	—	20	11.8	15.9	11.8
Slave Island ..	21,564	23,900	23	19	42	1	1	2	18	16	34	—	32	21.4	22.2	18.7
Kollupitiya ..	23,762	26,340	14	13	27	—	—	—	10	5	15	—	14	12.5	13.0	6.5
Wellawatta North ..	15,816	17,530	16	11	27	—	—	2	5	8	13	—	12	18.7	22.8	8.3
Wellawatta South ..	10,813	11,990	17	14	31	1	2	3	7	4	11	—	11	31.5	25.9	11.2

* Standardized death rates for the wards of the city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.

Table V.—Causes of Deaths by Sex registered during the Month of April, 1930, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.												Wards.								
							Fort and Galle Face.			Pettah.			St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.		
	M 2	F 3	Total. 4	M 5	F 6	M 7	F 8	M 9	F 10	M 11	F 12	M 13	F 14	M 15	F 16	M 15	F 16	M 15	F 16	M 15	F 16
All Causes	313	234	547	1	1	3	1	22	20	10	8	15	10	17	21						
I.—Infantile Mortality	65	39	104	—	—	—	—	1	9	1	3	—	—	4	1	3	7	1	3	1	7
A.—One Week and under.																					
1. Prematurity	7	3	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Debility	5	3	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Other Causes	1*	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over 1 Week and under 1 Year.																					
1. Prematurity	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
2. Debility	7	9	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	3	—
3. Convulsions	7	6	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Enteritis	4	5	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	4	—	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Pneumonia	9	6	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Syphilis	4	3	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Causes	12‡	3§	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
II.—General Mortality (1 Year and Over)	248	195	443	1	1	3	—	18	19	7	3	11	9	14	14	—	—	—	—	—	—
1. Plague	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
5. Influenza	11	9	20	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Enteric Fever	13	11	24	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia	13	6	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Enteritis	7	18	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
11. Dysentery	5	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
12. Ankylostomiasis or Dochmias Duo-nalis	6	4	10	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	3	6	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
14. Cancer	2	7	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
15. Phthisis	23	23	46	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
16. Other Tuberculous Diseases	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
17. Anaemia	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
18. Diabetes Mellitus	5	—	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
19. Paralysis	7	1	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
20. Convulsions	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
21. Tetanus	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
22. Heart Disease	12	7	19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
23. Bronchitis	4	5	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
24. Pneumonia	36	13	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
25. Other Diseases of the Respiratory System	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
26. Bright's Disease and Nephritis	9	5	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—
27. Puerperal Eclampsia	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
28. Puerperal Septicaemia	—	12	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
29. Accidents of Childbirth	—	9	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
30. Accidents and Negligence	12	1	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
31. Homicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	64	48	112	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	7	3

* One death from influenza.

† Seven deaths from influenza, and 1 each from congenital malformation (hydrocephalus), congenital morbus cordis, nephritis, improper feeding and pyloric stenosis congenital.

‡ Two deaths from improper feeding and 1 from abscess toxæmia.

|| Here are included 16 deaths from senility and 5 from cerebral haemorrhage.

¶ Here are included 13 deaths from senility and 6 from cerebral haemorrhage.

Table V.—Causes of Deaths by Sex registered during the Month of April, 1930, in each Ward and of each Race in the City of Colombo—*continued.*

Causes of Death.	Wards.																							
	New J.				Maradana Jos. pitals.				Maradana North.				Maradana East.				Maradana South (exclusive of Hospitals).		Slave Island		Kollupitiya.		Wellawatta North.	
	M 17	F 18	M 19	F 20	M 21	F 22	M 23	F 24	M 25	F 26	M 27	F 28	M 29	F 30	M 31	F 32								
All Causes ..	14	21	147	92	23	21	7	4	14	7	18	16	10	5	5	8								
I — Infantile Mortality ..	5	8	19	12	7	6	—	1	3	1	5	4	3	1	1	—								
A.—One Week and under.																								
1. Prematurity	1	1								
2. Debility	4	3	1								
3. Convulsions	1	1	1	—								
4. Tetanus	—								
5. Bronchitis	—								
6. Pneumonia	—								
7. Other Causes	—								
B.—Over 1 Week and under 1 Year.																								
1. Prematurity	2	1	—								
2. Debility	1	—								
3. Convulsions	3	3	—								
4. Diarrhoea	1	1	—								
5. Enteritis	—								
6. Tetanus	—								
7. Bronchitis	1	2	—								
8. Pneumonia	6	2	2	1	—								
9. Syphilis	3	2	2	2	—								
10. Other Causes	2	3	—								
II.—General Mortality (1 Year and Over) ..	9	18	128	80	16	15	7	3	11	6	13	12	7	4	4	8								
1. Plague	—								
2. Smallpox	—								
3. Chickenpox	3	—								
4. Measles	8	8	1	—								
5. Influenza	7	2	1	2	—								
6. Enteric Fever	1	1	1	—								
7. Malaria and Malarial Cachexia	—								
8. Cholera	—								
9. Diarrhoea	—								
10. Enteritis	—								
11. Dysentery	—								
12. Anchylostomiasis or Döchmias Duo-denalis	6	4	—								
13. Diseases due to other Intestinal Parasites	1	1	1	1	1	1	—								
14. Cancer	—								
15. Phthisis	3	12	11	3	—								
16. Other Tuberculous Diseases	2	—								
17. Anaemia	—								
18. Diabetes Mellitus	—								
19. Paralysis	—								
20. Convulsions	—								
21. Tetanus	2	—								
22. Heart Disease	1	3	4	2	—								
23. Bronchitis	2	1	—								
24. Pneumonia	3	27	4	—								
25. Other Diseases of the Respiratory System	2	—								
26. Bright's Disease and Nephritis	3	1	—								
27. Puerperal Eclampsia	2	—								
28. Puerperal Septicæmia	5	1	—								
29. Accidents of Childbirth	—								
30. Accidents and Negligence	7	—								
31. Homicide	1	—								
32. Suicide	1	—								
33. Execution	—								
34. All Other Causes	4	4	36	17	7	4	1	2	1	3	2	4	2	2	—								

Table V.—Causes of Deaths by Sex registered during the Month of April, 1930, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.		Deaths among all Races.																	
	Wellawatta South.		Europeans.				Burglers.				Sinhalese.				Tamils.				Malays.	
	M. 33	F. 34	M. 35	F. 36	M. 37	F. 38	M. 39	F. 40	M. 41	F. 42	M. 43	F. 44	M. 45	F. 46	M. 47	F. 48				
All Causes ..	7	4	2	2	12	13	154	141	66	41	55	27	9	8	15	2				
I.—Infantile Mortality ..	8	1	—	—	4	3	27	18	15	6	13	8	8	4	8	—				
A.—One Week and under.																				
1. Prematurity ..																				
2. Debility ..																				
3. Convulsions ..																				
4. Tetanus ..																				
5. Bronchitis ..																				
6. Pneumonia ..																				
7. Other Causes ..																				
B.—Over 1 Week and under 1 Year.																				
1. Prematurity ..																				
2. Debility ..																				
3. Convulsions ..																				
4. Diarrhoea ..																				
5. Enteritis ..																				
6. Tetanus ..																				
7. Bronchitis ..																				
8. Pneumonia ..																				
9. Syphilis ..																				
10. Other Causes ..																				
II.—General Mortality (1 Year and Over) ..	4	3	2	2	8	10	127	123	51	35	42	19	6	4	12	2				
1. Plague ..																		1		
2. Smallpox ..																				
3. Chickenpox ..																				
4. Measles ..																				
5. Influenza ..																				
6. Enteric Fever ..																				
7. Malaria and Malarial Oachexia ..																		1		
8. Cholera ..																				
9. Diarrhoea ..																				
10. Enteritis ..																				
11. Dysentery ..																				
12. Anchylotomiasis or <i>Dochmias</i> Duo-denalis ..																				
13. Diseases due to other Intestinal Parasites ..																				
14. Cancer ..																				
15. Phthisis ..																				
16. Other Tuberculous Diseases ..	1																			
17. Anaemia ..																				
18. Diabetes Mellitus ..	1																			
19. Paralysis ..																				
20. Convulsions ..																				
21. Tetanus ..																				
22. Heart Disease ..																				
23. Bronchitis ..																				
24. Pneumonia ..																				
25. Other Diseases of the Respiratory System ..	1																			
26. Bright's Disease and Nephritis ..																				
27. Puerperal Eclampsia ..																				
28. Puerperal Septicæmia ..																				
29. Accidents of Childbirth ..																				
30. Accidents and Negligence ..																				
31. Homicide ..																				
32. Suicide ..																				
33. Execution ..																				
34. All Other Causes ..	1		1	1	2	3	31	31	12	9	15	4						3		