



SUPPLEMENT TO THE CEYLON GOVERNMENT GAZETTE

No. 7,799 — FRIDAY, AUGUST 22, 1930.

VITAL STATISTICS OF TOWNS IN CEYLON FOR THE MONTH OF JUNE, 1930.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the Vital Statistics of the 35 principal towns in the Island, proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 375 (325 General, 6 Kandyan, and 44 Muslim), as against 415 in the preceding month and 558 in the corresponding month of last year.

Births.

3. The births registered numbered 1,742 (905 males and 837 females), and were equivalent to an annual rate of 32·2 per 1,000 of the population, as against 33·0 in the preceding month, 32·4 in the corresponding month of last year, and 31·1 the average for the corresponding months since 1920. The rate ranged from 7·5 in Kalpitiya to 90·7 in Lunugala. There were 1,505 births of children whose mothers were residents of the towns, equivalent to an annual rate of 27·8, as against 28·1 in the preceding month, and 29·0 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 661 (343 males and 318 females), and were equivalent to an annual rate of 29·7, as against 28·3 in the preceding month, 30·6 in the corresponding month of last year, and 27·6 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah wards, ranged from 10·2 in Kollupitiya to 27·0 in Slave Island. There were 561 births of children whose mothers were residents of the city, equivalent to an annual rate of 25·2, as against 23·1 in the preceding month and 26·3 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,683 (951 males and 732 females), and were equivalent to an annual rate of 31·1, as against 30·6 in the preceding month and 30·4 in the corresponding month of

last year. There were 1,240 deaths of residents of the towns, equivalent to an annual standardized rate of 24·8, as against 22·2 in the preceding month, 24·4 in the corresponding month of last year and 27·3 the average for the corresponding months since 1920. The standardized death rate ranged from 5·6 in Ambalangoda to 62·0 in Puttalam.

6. In the city of Colombo the deaths registered numbered 674 (378 males and 296 females), and were equivalent to an annual rate of 30·3, as against 24·9 in the preceding month and 28·1 in the corresponding month of last year. There were 548 deaths of residents of the city, which corresponded to an annual standardized rate of 28·4, as against 21·8 in the preceding month, 24·8 in the corresponding month of last year, and 27·6 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and Pettah wards, ranged from 30·6 in Maradana East to 12·9 in Kollupitiya.

7. The stillbirths registered during the month numbered 113 (64 males and 49 females), as against 131 in the preceding month and 128 in the corresponding month of last year.

Infant Mortality.

8. The deaths of children under one year of age numbered 304, and corresponded to a rate of 164 per 1,000 births registered during the twelve months ended June, 1930. Reckoned on the births registered during the month only, the rate was 175, as against 180 in the preceding month, 202 in the corresponding month of last year, and 230 the average for the corresponding months since 1920. There were 282 deaths of children under one year of age whose mothers were residents of the towns, which corresponded to a rate of 187, as against 187 in the preceding month and 203 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age numbered 140, and corresponded to a rate of 195 per 1,000 births registered during the twelve months ended June, 1930. Reckoned on the births registered during the month only, the rate was 212, as against 163 in the preceding month, 194 in the corresponding month of

last year, and 245 the average for the corresponding months since 1920. There were 130 deaths of children under one year of age, whose mothers were residents of the city, which corresponded to a rate of 232, as against 175 in the preceding month and 192 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 12 per cent. of the total deaths were due. *Phthisis* and *Enteritis* caused each 7 per cent.; *Debility* (of children under 1 year of age) 6 per cent.; *Senility* and *Convulsions* each 5 per cent.; *Anchylostomiasis*, *Malaria* and *Malarial Cachexia*, *Dysentery*, *Bright's Disease* and *Nephritis*, and *Influenza* each 4 per cent.; *Diarrhoea* and *Enteric Fever* each 3 per cent.; *Diseases and Accidents of Childbirth*, *Heart Disease*, *Intestinal Parasites* other than *Anchylostomiasis*, *Prematurity*, *Bronchitis*, *Accidents and Negligence*, and *Paralysis* each 2 per cent.; *Cancer*, *Diabetes Mellitus*, *Cerebral Haemorrhage*, and *Tetanus* each 1 per cent.

11. In Colombo the highest mortality was from *Enteritis*, to which 11 per cent. of the total deaths were due. *Pneumonia* caused 9 per cent.; *Phthisis* 8 per cent.; *Influenza* 7 per cent.; *Senility, Debility* (of children under 1 year of age), and *Convulsions* each 5 per cent.; *Heart Disease* and *Diarrhoea* each 4 per cent.; *Enteric Fever, Bronchitis, and Dysentery* each 3 per cent.; *Cancer, Bright's Disease and Nephritis, Accidents and Negligence, Prematurity, Paralysis, Intestinal Parasites* other than *Anchylotomiasis* each 2 per cent.; *Diabetes Mellitus, Anchylotomiasis, Puerperal Septicaemia, Cerebral Haemorrhage, Tetanus, and Malaria and Malarial Cachexia* each 1 per cent.

12. One death from *Plague* was registered (in Colombo), as against 4 deaths in the previous month and 3 in the corresponding month of last year.

13. *Infectious Diseases reported.*—The infectious disease most prevalent during the month was *Phthisis*, of which 125 cases were reported (86 in Colombo, 11 in Galle). *Dysentery* followed with 106 cases (72 in Colombo, 10 in Kalutara); *Chickenpox* 82 (53 in Colombo, 10 in Matale); *Enteric Fever* 80 (44 in Colombo, 10 in Galle); *Continued Fever* 43 (32 in Colombo, 8 in Galle); *Mumps* 14 (5 in Colombo, 3 in Badulla); *Measles* 7 (6 in Colombo, 1 in Moratuwa); *Whooping Cough* 2 (1 each in Colombo and Galle); *Diphtheria* 2 (in Colombo); and *Plague* 1 (in Colombo).

Meteorology.

14. *Rainfall*.—Nawalapitiya recorded the highest rainfall (31.13 in.). In other towns rainfall ranged from 18.12 in. in Hatton to 0.10 of an inch in Mannar. Colombo recorded 13.34 in.

15. *Mean Temperature*.—The mean temperature varied from 84.2° in Mannar to 60.8° in Nuwara Eliya, and was 80.3° in Colombo.

Appendix.

16. For detailed statistics see Tables I., II., and III. for all towns, and Tables IV. and V. for the city of Colombo.

**Registrar-General's Office,
Colombo, July 31, 1930.** **G. FURSE ROBERTS,
Registrar-General.**

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during June, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum, the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Blanks indicate that there are no observatories or rain gauges.

* Figures not available.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for June, 1930.

Principal Towns. 1	Births.*			Birth Rate. June, 1930.	Deaths.			Death Rate (Standardized).		Infant Mortality.	
	Males. 2	Females. 3	Persons. 4		Males. 6	Females. 7	Persons. 8	June, 1930.	Average for June, 1920-1929. †	Number registered during June, 1930. 11	Rate per 1,000 Births registered during June, 1930. 12
	All 35 Towns	780	725	1,505	27·8	661	579	1,240	24·8	27·3	282
<i>Western.</i>											
Colombo	289	272	561	25·2	289	259	548	28·4	27·6	130	232
Negombo	42	38	80	32·9	33	22	55	23·2	25·8	11	138
Moratuwa	49	44	93	24·7	28	40	68	18·4	25·2	18	194
Kalutara	10	16	26	22·3	14	16	30	25·6	24·3	4	154
Panadure	15	11	26	27·0	10	5	15	16·5	20·7	1	38
<i>Central.</i>											
Kandy	33	44	77	26·6	29	30	59	22·3	27·2	12	156
Teldeniya	—	—	—	—	—	—	—	—	—	—	—
Gampola	10	10	20	35·2	9	6	15	27·3	26·8	5	200
Awalapitiya	8	4	12	37·1	3	3	6	20·2	30·8	1	83
Hatton-Dikoya	6	3	9	36·3	3	1	4	19·0	38·1	1	111
Matale	14	18	32	42·5	10	4	14	19·8	31·7	3	94
Nuwara Eliya	10	29	39	55·0	6	7	13	20·2	22·3	6	154
<i>Southern.</i>											
Galle	45	42	87	26·5	41	35	76	22·7	24·2	9	92
Ambalangoda	1	2	3	8·4	—	2	2	5·6	—	—	—
Matara	14	17	31	21·8	13	19	32	22·1	22·5	7	226
Weligama	18	10	28	35·8	10	6	16	18·9	18·8	4	143
Hambantota	4	7	11	43·5	3	3	6	23·6	23·9	2	182
Tangalla	15	5	20	48·1	5	7	12	28·7	22·6	4	200
<i>Northern.</i>											
Jaffna	57	45	102	28·1	43	39	82	23·4	26·7	18	176
Mannar	8	6	14	45·2	4	3	7	23·0	30·7	3	214
Mullaittivu	1	2	3	21·0	—	1	1	7·3	58·7	1	333
Vavuniya	2	1	3	22·7	—	1	1	13·3	34·9	—	—
<i>Eastern.</i>											
Batticaloa	27	16	43	47·8	19	10	29	33·6	40·4	6	140
Kalmunai	7	6	13	60·1	6	1	7	32·6	—	3	231
Trincomalee	17	16	33	40·2	12	11	23	29·3	48·8	6	182
<i>North-Western.</i>											
Kurunegala	17	6	23	23·3	14	9	23	27·1	28·4	7	304
Puttalam	14	17	31	47·9	22	15	37	62·0	44·2	7	226
Kalpitiya	—	1	1	7·5	4	2	6	51·6	—	1	—
Chilaw	6	8	14	21·4	5	4	9	15·8	25·6	4	286
<i>North-Central.</i>											
Anuradhapura	10	8	18	19·9	13	5	18	23·8	54·3	2	111
<i>Uva.</i>											
Badulla	12	6	18	22·9	5	6	11	14·3	29·3	2	111
Lunugala	—	2	2	45·4	1	—	1	25·6	—	—	—
<i>Sabaragamuwa.</i>											
Ratnapura	14	6	20	30·5	6	4	10	16·6	19·1	4	200
Kegalla	2	6	8	24·3	1	2	3	10·2	19·5	—	—
Rambukkana	3	1	4	16·2	—	1	1	—	—	—	—

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of Deaths by Sex registered during June, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895.

* Besides 8 deaths mentioned in Table V., footnote, * one death each from intussusception (in Kalutara), imperforate anus (in Kandy), scabies (in Matale), jaundice (in Kandy), rickets (in Galle), erysipelas (in Kandy), and worms (in Puttalam).

† Besides 5 deaths mentioned in Table V., footnote, † 2 deaths from malaria (1 each in Tangalla and Kalpitiya), 1 each from dysentery (in Moratuwa), pneumococcal meningitis (in Kandy), intussusception (in Galle), pyaemia (in Moratuwa), influenza (in Weligama), and worms (in Puttalam).

[†] Here are included 41 deaths from senility, 12 from debility, and 10 from cerebral haemorrhage.

§ Here are included 46 deaths from senility, 7 from cerebral haemorrhage, and 6 from debility.

Table III.—Causes of deaths by Sex registered during June, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	Southern Province.										Northern Province.											
	Galle.		Ambalan-goda.		Matara.		Welligama.		Hamban-tota.		Tangalla.		Jaffna.		Mannar.		Mullaittivu.		Vavu-niya.			
	Males. 20	Females. 20	Males. 30	Females. 30	Males. 31	Females. 31	Males. 33	Females. 34	Males. 35	Females. 36	Males. 37	Females. 38	Males. 39	Females. 40	Males. 41	Females. 42	Males. 43	Females. 44	Males. 45	Females. 46	Males. 47	Females. 48
All Causes ..	58	47	—	—	2	18	22	10	6	5	4	9	9	45	40	8	5	—	—	2	2	2
I.—Infantile Mortality ..	5	5	—	—	—	4	3	3	1	2	—	3	1	11	7	2	1	—	—	1	—	—
A.—One Week and under.	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—
1 Prematurity ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—
2 Debility ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
3 Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over One Week and under One Year.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
3 Convulsions ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1) Year and Over) ..	53	42	—	—	2	14	19	7	5	8	4	6	8	34	33	6	4	—	—	1	2	2
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
5 Influenza ..	—	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia ..	—	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	—	—	—	—	—	—
9 Diarrhoea ..	—	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Enteritis ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Dysentery ..	—	4	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12 Anchyllostomiasis or Dochiurus Duodenalis ..	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13 Diseases due to other Intestinal Parasites ..	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14 Cancer ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Phthisis ..	—	4	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Anaemia ..	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Diabetes Mellitus ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19 Paralysis ..	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Convulsions ..	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Heart Disease ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Bronchitis ..	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Pneumonia ..	—	7	4	—	—	1	1	2	2	1	1	1	2	—	—	2	—	3	—	3	—	1
25 Other Diseases of the Respiratory System ..	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis ..	—	5	4	—	—	—	—	1	—	3	1	3	—	—	—	—	—	—	—	—	—	—
27 Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
28 Puerperal Septicaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
30 Accidents and Negligence ..	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Homicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 All Other Causes ..	—	13	12	—	—	1	2	5	—	—	—	—	—	—	—	—	2	—	4	—	7	—

Table III.—Causes of deaths by Sex registered during June, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	Eastern Province.						North-Western Province.						North-Central Province.			Province of Uva.					
	Batti-caloa.		Kalmu-nai.		Trinco-malee.		Kurune-gala.		Puttalam.		Kalpitiya.		Chilaw.		Anuradha-pura.		Badulla.		Lunu-gala.		
	Males. 49	Females. 50	Males. 51	Females. 52	Males. 53	Females. 54	Males. 55	Females. 56	Males. 57	Females. 58	Males. 59	Females. 60	Males. 61	Females. 62	Males. 63	Females. 64	Males. 65	Females. 66	Males. 67	Females. 68	
All Causes ..	23	11	6	1	14	11	41	21	32	16	4	2	9	8	23	7	15	11	6	1	
I.—Infantile Mortality ..	4	2	3	—	4	2	6	2	4	3	—	1	1	3	1	1	1	1	1	1	—
A.—One Week and under.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	1	1	—	—	—	—	2	1	4	—	1	—	—	—	—	—	—	—	—	1	—
3 Convulsions ..	1	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over One Week and under One Year.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Convulsions ..	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over) ..	19	9	3	1	10	9	35	19	28	13	4	1	8	5	22	6	14	10	5	1	—
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia ..	2	1	—	—	—	—	1	1	6	4	2	1	2	—	—	3	—	2	—	1	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	1	3	1	—	—	—	3	—	—	1	1	—
9 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11 Dysentery ..	3	2	—	—	—	—	1	—	2	—	—	—	—	—	—	—	1	—	1	—	1
12 Anchylostomiasis or Dochmimus Duodenalis ..	—	—	1	—	—	—	—	—	1	5	2	—	—	—	—	—	—	—	2	2	—
13 Diseases due to other Intestinal Parasites ..	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	—	—	—
14 Cancer ..	—	—	—	—	—	—	—	—	—	6	2	1	—	—	—	—	—	—	2	1	2
15 Phthisis ..	—	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Anaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Diabetes Mellitus ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19 Paralysis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20 Convulsions ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23 Bronchitis ..	1	—	—	—	—	—	1	—	9	2	7	4	2	—	—	—	—	—	1	2	1
24 Pneumonia ..	3	—	1	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25 Other Diseases of the Respiratory System ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	3	—
27 Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Puerperal Septicaemia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Accidents and Negligence ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Homicide ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
32 Suicide ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 All Other Causes ..	5	2	1	1	1	—	—	—	4	4	5	2	1	—	—	1	3	4	1	2	1

Table III.—Causes of Deaths by Sex registered during June, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	Province of Sabaragamuwa.						Deaths among all Races.													
	Ratnapura.		Kegalla.		Rambuk-kana.		Europeans.		Burghers.		Sinhalese.		Tamil.		Moors.		Malays.		Others.	
	Males. 69	Females. 70	Males. 71	Females. 72	Males. 73	Females. 74	Males. 75	Females. 76	Males. 77	Females. 78	Males. 79	Females. 80	Males. 81	Females. 82	Males. 83	Females. 84	Males. 85	Females. 86	Males. 87	Females. 88
All Causes	11	9	18	10	—	1	1	2	18	18	523	430	254	168	118	98	19	13	18	3
I.—Infantile Mortality	3	1	1	—	—	—	—	—	6	5	94	65	44	22	24	30	9	3	2	—
A.—One Week and under.									1	1	13	8	6	3	2	1	—	—	—	—
1 Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility	—	—	—	—	1	—	—	—	—	—	12	7	12	5	5	4	2	—	—	—
3 Convulsions	—	1	—	—	—	—	—	—	—	—	5	2	2	1	—	—	1	—	—	—
4 Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over One Week and under One Year.									—	—	—	—	—	—	—	—	—	—	—	—
1 Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility	—	—	—	—	1	—	—	—	—	—	8	8	7	5	4	9	1	—	—	—
3 Convulsions	—	2	—	—	—	—	—	—	—	—	17	12	3	—	1	5	2	—	—	—
4 Diarrhoea	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	1	—	—	—	—
5 Enteritis	—	—	—	—	—	—	—	—	—	—	14	10	2	4	3	5	1	—	—	—
6 Tetanus	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—	—	—	—
7 Bronchitis	—	—	—	—	—	—	—	—	—	—	2	2	3	—	—	—	—	—	—	—
8 Pneumonia	—	—	—	—	—	—	—	—	—	—	9	6	6	2	—	—	—	—	—	—
9 Syphilis	—	—	—	—	—	—	—	—	—	—	1	1	1	—	—	—	—	—	—	—
10 Other Causes	—	—	—	—	—	—	—	—	—	—	9	8	1	—	3	4	2	1	—	—
II.—General Mortality (1 Year and Over)	8	8	17	10	—	1	1	2	12	13	429	365	210	146	94	68	10	10	16	3
1 Plague	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
2 Smallpox	—	—	—	—	—	—	—	—	—	—	6	10	10	8	5	5	2	—	—	—
3 Chickenpox	—	—	—	—	—	—	—	—	—	—	24	17	4	—	—	1	3	2	—	—
4 Measles	—	—	—	—	—	—	—	—	—	—	1	6	10	8	5	5	2	—	—	—
5 Influenza	—	—	—	—	—	—	—	—	—	—	20	21	13	5	6	4	2	—	—	—
6 Enteric Fever	—	—	—	—	—	—	—	—	—	—	16	12	17	11	7	1	2	3	—	—
7 Malaria and Malarial Cachexia	—	—	—	—	3	1	—	—	—	—	19	9	21	12	3	4	—	1	—	—
8 Cholera	—	—	—	—	—	—	—	—	—	—	16	15	7	4	2	4	—	—	—	—
9 Diarrhoea	—	—	—	—	—	—	—	—	—	—	20	21	13	5	6	4	2	—	—	—
10 Enteritis	—	—	—	—	—	—	—	—	—	—	16	12	17	11	7	1	2	3	—	—
11 Dysentery	—	2	—	—	—	—	—	—	—	—	22	17	12	14	5	3	—	—	—	—
12 Anchylostomiasis or Duodenitis	1	1	1	1	1	—	—	—	—	—	13	12	4	3	4	2	1	—	—	—
13 Diseases due to other Intestinal Parasites	—	—	—	—	—	—	—	—	—	—	6	6	2	8	7	12	—	2	1	—
14 Cancer	—	—	—	—	—	—	—	—	—	—	3	39	26	18	7	7	—	—	—	—
15 Phthisis	—	—	—	—	3	2	—	—	—	—	63	54	31	10	10	4	—	—	—	—
16 Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	2	3	3	2	1	—	2	1	—	—
17 Anaemia	—	—	—	—	—	—	—	—	—	—	1	2	—	—	—	1	—	—	—	—
18 Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	9	4	1	2	2	1	2	—	—	—
19 Paralysis	1	—	—	—	—	—	—	—	—	—	1	1	9	6	3	2	1	1	—	—
20 Convulsions	—	—	—	—	—	—	—	—	—	—	14	5	2	1	1	—	—	—	—	—
21 Tetanus	—	—	—	—	—	—	—	—	—	—	7	13	6	3	1	—	—	—	—	—
22 Heart Disease	—	—	—	—	—	—	—	—	—	—	5	10	4	1	2	2	—	—	—	—
23 Bronchitis	2	—	—	—	—	—	—	—	—	—	63	54	31	10	10	4	—	2	5	—
24 Pneumonia	1	1	3	2	—	—	—	—	—	—	16	17	13	7	4	4	1	3	3	—
25 Other Diseases of the Respiratory System	—	—	—	—	—	—	—	—	—	—	10	7	—	13	1	—	—	—	—	—
26 Bright's Disease and Nephritis	—	1	1	1	—	—	—	—	—	—	3	4	2	—	—	2	—	—	—	—
27 Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	1	—	1	—	1	—	—	—	—	—
28 Puerperal Septicaemia	—	—	—	—	—	—	—	—	—	—	10	7	—	13	1	3	—	—	—	—
29 Accidents of Childbirth	—	—	—	—	—	—	—	—	—	—	7	—	—	13	1	—	—	—	—	—
30 Accidents and Negligence	—	—	—	—	2	—	—	—	—	—	3	4	3	—	—	2	—	—	—	—
31 Homicide	—	—	—	—	—	—	—	—	—	—	1	—	7	3	—	—	1	—	—	—
32 Suicide	—	—	—	—	—	—	—	—	—	—	1	—	1	3	—	—	—	—	—	—
33 Execution	—	—	—	—	—	—	—	—	—	—	3	4	3	—	—	1	—	—	—	—
34 All Other Causes	2	3	3	3	—	—	—	—	—	—	91	76	35	29	21	13	5	—	—	—

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of June, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1929, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) at the Census of March 18, 1921.	Population estimated to the middle of 1930 by Intercensal Increase.										Deaths including Deaths in Hospitals and Jails.										Per Mille per Annum.				
		Births.					Stillbirths.					Deaths of Residents.					Birth Rate.					Death Rate of Residents.				
		Males.	Females.	Persons.	Males.	Females.	Males.	Females.	Persons.	Males.	Females.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.
City of Colombo	244,163	270,700	343	318	661	17	14	31	378	296	674	124	548	29.7†	27.7	24.6†	24.5	28.4	140	212	195	—	—	—	—	—
Fort and Galle Face	2,690	2,980	—	—	—	—	—	—	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Pettah	7,601	8,430	—	1	1	—	—	—	2	2	4	—	—	4	1.4	2.8	5.8	6.9	—	—	—	—	—	—	—	—
St. Paul's	23,395	25,940	20	19	39	1	—	1	26	17	43	—	—	43	18.3	16.5	20.2	21.1	—	9	308	219	—	—	—	—
San Sebastian	11,492	12,740	11	9	20	—	—	2	9	11	20	—	—	20	19.1	19.3	19.1	19.4	—	6	300	298	—	—	—	—
Kotahena North	18,683	20,710	13	16	29	1	1	2	13	18	31	—	—	31	17.0	21.5	18.2	21.4	—	5	172	124	—	—	—	—
Kotahena South	27,488	30,480	23	19	42	—	—	—	21	16	37	—	—	37	16.8	18.4	14.8	21.8	—	9	205	171	—	—	—	—
New Bazaar	23,341	25,880	18	21	39	—	—	—	23	21	44	—	—	44	18.3	22.0	20.7	23.5	—	15	385	300	—	—	—	—
Maredana Hospitals	—	—	136	124	260	13	7	20	154	95	249	114	—	135	—	—	—	—	—	—	26	—	—	—	—	—
Maredana North	30,404	33,700	37	26	63	—	1	1	32	31	63	—	—	63	22.7	20.7	22.7	17.4	—	27	429	443	—	—	—	—
Maradana East	8,503	9,530	7	7	14	—	—	—	23	11	34	10	24	17.9	21.2	30.6	22.9	—	11	786	503	—	—	—	—	
Maradana South (ex- clusive of Hospitals)	18,531	20,550	15	12	27	—	—	—	20	14	34	—	—	34	16.0	17.7	20.1	16.1	—	4	148	166	—	—	—	—
Slave Island	21,664	23,900	27	26	53	1	1	2	24	21	45	—	—	43	27.0	23.6	21.9	22.0	—	9	170	180	—	—	—	—
Kollupitiya	23,752	26,340	14	8	22	—	1	1	12	16	28	—	—	28	10.2	12.0	12.9	11.0	—	8	364	264	—	—	—	—
Wellawatta North	15,816	17,530	14	19	33	—	—	—	9	15	24	—	—	24	22.9	21.2	16.7	14.8	—	7	212	225	—	—	—	—
Wellawatta South	10,813	11,990	8	11	19	1	1	2	8	8	16	—	—	16	19.3	20.6	16.2	14.5	—	4	211	157	—	—	—	—

* Standardized death rates for the wards of the city are not available.

[†] The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.

Table V.—Causes of Deaths by Sex registered during the Month of June, 1930, in each Ward and of each Race in the City of Colombo.

Causes of Death.	City of Colombo.						Wards.											
	1						Fort and Galle Face.		Pettah.		St. Paul's.		San Sebastian.		Kotahena North.		Kotahena South.	
	M 2	F 3	Total. 4	M 5	F 6	M 7	F 8	M 9	F 10	M 11	F 12	M 13	F 14	M 15	F 16			
All Causes	378	296	674	2	—	2	2	26	17	9	11	13	18	21	16			
I.—Infantile Mortality	79	61	140	—	—	—	—	6	3	3	3	4	1	5	4			
A.—One Week and under.																		
1. Prematurity	9	5	14	—	—	—	—	—	—	—	—	—	—	—	—			
2. Debility	9	6	15	—	—	—	—	—	—	—	—	—	—	—	—			
3. Convulsions	2	2	4	—	—	—	—	—	—	—	—	—	—	—	—			
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
6. Pneumonia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
7. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
B.—Over 1 Week and under 1 Year.																		
1. Prematurity	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
2. Debility	6	12	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Convulsions	10	6	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Diarrhoea	6	1	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Enteritis	14	16	30	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	5	2	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Pneumonia	8	4	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Syphilis	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Other Causes	8*	5†	13	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over)	299	235	534	2	—	—	—	20	14	6	8	9	17	16	12			
1. Plague	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	18	22	40	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Enteric Fever	14	8	22	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Malaria and Malarial Cachexia	4	1	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	9	8	17	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10. Enteritis	24	21	45	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
11. Dysentery	14	4	18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
12. Ankylostomiasis or Dochmiasis Duodenalis	2	7	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
13. Diseases due to other Intestinal Parasites	6	8	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
14. Cancer	7	9	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15. Phthisis	32	18	50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16. Other Tuberculous Diseases	3	4	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17. Anaemia	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18. Diabetes Mellitus	6	3	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19. Paralysis	5	9	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
20. Convulsions	8	3	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21. Tetanus	3	2	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22. Heart Disease	13	12	25	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
23. Bronchitis	3	9	12	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24. Pneumonia	29	20	49	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
25. Other Diseases of the Respiratory System	2	1	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26. Bright's Disease and Nephritis	8	7	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27. Puerperal Eclampsia	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28. Puerperal Septicaemia	—	9	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29. Accidents of Childbirth	—	3	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30. Accidents and Negligence	15	1	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31. Homicide	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32. Suicide	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	2	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	67†	45§	112	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* Five deaths from influenza, and 1 each from continuous fever, multiple abscess, and worms.

† Two deaths from influenza, and 1 each from rickets, acute nephritis, and starvation.

‡ Here are included 18 deaths from senility and 8 from cerebral haemorrhage.

§ Here are included 19 deaths from senility.

Table V.—Causes of Deaths by Sex registered during the Month of June, 1930, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.		Wards.																	
		New Bazaar.		Maradana Hos- pitals.		Maradana North.		Maradana East.		Maradana South (exclusive of Hospitals).		Slave Island		Kollupitiya.		Wellawatta North.			
		M 17	F 18	M 19	F 20	M 21	F 22	M 23	F 24	M 25	F 26	M 27	F 28	M 29	F 30	M 31	F 32		
All Causes	..	23	21	154	95	32	31	23	11	20	14	24	21	12	16	9	15		
I.—Infantile Mortality	..	9	6	18	8	13	14	7	4	2	2	4	5	3	5	3	4		
A.—One Week and under.																			
1. Prematurity	..	1	1	8	4	1	1	—	—	—	—	—	—	—	—	—	—	1	
2. Debility	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	1	
3. Convulsions	..	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
4. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
5. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
6. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
7. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
B.—Over 1 Week and under 1 Year.																			
1. Prematurity	..	1	2	2	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
2. Debility	..	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
3. Convulsions	..	1	5	5	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
4. Diarrhoea	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
5. Enteritis	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
6. Tetanus	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
7. Bronchitis	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
8. Pneumonia	..	1	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	2	
9. Syphilis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
10. Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	
II.—General Mortality (1 Year and Over)		14	15	136	87	19	17	16	7	18	12	20	16	9	11	6	11		
1. Plague	..	1	2	10	7	1	1	1	1	1	2	4	3	3	2	2	2		
2. Smallpox	..	1	5	2	2	2	2	2	2	2	2	2	2	2	1	1	1		
3. Chickenpox	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
4. Measles	..	3	5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
5. Influenza	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
6. Enteric Fever	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
7. Malaria and Malarial Cachexia	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
8. Cholera	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
9. Diarrhoea	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
10. Enteritis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
11. Dysentery	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
12. Anchylostomiasis or Dochmias Duo-denalis	..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	
13. Diseases due to other Intestinal Parasites	..	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2		
14. Cancer	..	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1		
15. Phthisis	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
16. Other Tuberculous Diseases	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
17. Anaemia	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
18. Diabetes Mellitus	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
19. Paralysis	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
20. Convulsions	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
21. Tetanus	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
22. Heart Disease	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
23. Bronchitis	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
24. Pneumonia	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
25. Other Diseases of the Respiratory System	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
26. Bright's Disease and Nephritis	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
27. Puerperal Eclampsia	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
28. Puerperal Septicaemia	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
29. Accidents of Childbirth	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		
30. Accidents and Negligence	..	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	2		
31. Homicide	..	—	—	—	—	—	—	—	—	—	—	—	—	7	7	7	7		
32. Suicide	..	—	—	—	—	—	—	—	—	—	—	—	—	4	4	4	4		
33. Execution	..	—	—	—	—	—	—	—	—	—	—	—	—	3	3	3	3		
34. All Other Causes	..	—	—	—	—	—	—	—	—	—	—	—	—	1	1	1	1		

Table V.—Causes of Deaths by Sex registered during the Month of June, 1930, in each Ward and of each Race in the City of Colombo—continued.

Causes of Death.	Wards.		Deaths among all Races.																			
	Wellawatta South.		Europeans.				Burghers.				Sinhalese.				Tamil.				Moors.			
	M 33	F 34	M 35	F 36	M 37	F 38	M 39	F 40	M 41	F 42	M 43	F 44	M 45	F 46	M 47	F 48						
All Causes	8	8	1	2	12	10	207	175	70	49	57	47	14	10	17	3						
I.—Infantile Mortality ..		2	2				4	2	45	33	12	8	11	15			6	8	1			
A.—One Week and under.																						
1. Prematurity ..			1						8	4	1	1										
2. Debility ..									4	2	2	2										
3. Convulsions ..									1	1	1	1										
4. Tetanus ..									1	1	1	1										
5. Bronchitis ..									1	1	1	1										
6. Pneumonia ..									1	1	1	1										
7. Other Causes ..									1	1	1	1										
B.—Over 1 Week and under 1 Year.																						
1. Prematurity ..									1	3	2	2					2	8	1			
2. Debility ..									6	4	1	1					1	2	1			
3. Convulsions ..									2	3	1	1					1	2	1			
4. Diarrhoea ..									10	7	1	3					2	3	1			
5. Enteritis ..									1	2	1	2					1	1	1			
6. Tetanus ..									1	1	1	1					1	1	1			
7. Bronchitis ..									6	3	1	1					1	1	1			
8. Pneumonia ..									4	3	1	1					2	1	1			
9. Syphilis ..																						
10. Other Causes ..																						
II.—General Mortality (1 Year and Over) ..	6	6	1	2	8	8	162	142	58	41	46	32					8	7	16	8		
1. Plague ..										1												
2. Smallpox ..										4	7	6	7				5	5	1			
3. Chickenpox ..									11	6	2	2					1	1	3	1		
4. Measles ..									1	1	1	2					1	2	1			
5. Influenza ..									6	7	2	2					1	1	2			
6. Enteric Fever ..									12	15	4	4					2	2	3			
7. Malaria and Malarial Cachexia ..									4	2	6	2					1	1	2			
8. Cholera ..																						
9. Diarrhoea ..																						
10. Enteritis ..																						
11. Dysentery ..																						
12. Anchylostomiasis or Dochmias Duo-denalis ..																						
13. Diseases due to other Intestinal Parasites ..																						
14. Cancer ..																						
15. Phthisis ..																						
16. Other Tuberculous Diseases ..																						
17. Anaemia ..																						
18. Diabetes Mellitus ..																						
19. Paralysis ..																						
20. Convulsions ..																						
21. Tetanus ..																						
22. Heart Disease ..																						
23. Bronchitis ..																						
24. Pneumonia ..																						
25. Other Diseases of the Respiratory System ..																						
26. Bright's Disease and Nephritis ..																						
27. Puerperal Eclampsia ..																						
28. Puerperal Septicaemia ..																						
29. Accidents of Childbirth ..																						
30. Accidents and Negligence ..																						
31. Homicide ..																						
32. Suicide ..																						
33. Execution ..																						
34. All Other Causes ..		1							3	42	26	10	12	10	4							