



SUPPLEMENT TO THE
CEYLON GOVERNMENT
GAZETTE

No. 7,810 — FRIDAY, OCTOBER 17, 1930.

VITAL STATISTICS OF TOWNS IN CEYLON FOR THE
MONTH OF AUGUST, 1930.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the Vital Statistics of the 35 principal towns in the Island, proclaimed under-sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 324 (254 General, 3 Kandyan, and 67 Muslim), as against 350 in the preceding month and 351 in the corresponding month of last year.

Births.

3. The births registered numbered 1,673 (824 males and 849 females), and were equivalent to an annual rate of 29.9 per 1,000 of the population, as against 32.3 in the preceding month, 32.3 in the corresponding month of last year, and 30.7 the average for the corresponding months since 1920. The rate ranged from 12.8 in Anuradhapura to 56.2 in Mannar. There were 1,441 births of children whose mothers were residents of the towns, equivalent to an annual rate of 25.7, as against 26.7 in the preceding month, and 28.6 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 680 (321 males and 359 females), and were equivalent to an annual rate of 29.6, as against 30.3 in the preceding month, 30.5 in the corresponding month of last year, and 27.1 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah Wards, ranged from 5.7 in Maradana South to 27.5 in Wellawatta South. There were 576 births of children whose mothers were residents of the city, equivalent to an annual rate of 25.1, as against 24.8 in the preceding month and 25.6 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,857 (987 males and 870 females), and were equivalent to an annual rate of 33.2, as against 36.1 in the preceding month and 33.6 in the corresponding month of last year. There were 1,383 deaths of residents of the towns, equivalent to an annual standardized rate of 26.7, as against 29.8 in the preceding month, 27.6 in the corresponding month of last year, and 27.8 the average for the corresponding months since 1920. The standardized death rate ranged from 5.4 in Ambalangoda to 76.7 in Kalmunai.

6. In the city of Colombo the deaths registered numbered 779 (417 males and 362 females), and were equivalent to an annual rate of 33.9, as against 41.9 in the preceding month and 31.6 in the corresponding month of last year. There were 596 deaths of residents of the city, which corresponded to an annual standardized rate of 29.9, as against 39.3 in the preceding month, 29.7 in the corresponding month of last year, and 28.4 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 28.4 in Maradana East to 9.8 in Kollupitiya.

7. The stillbirths registered during the month numbered 153 (85 males and 68 females), as against 141 in the preceding month and 140 in the corresponding month of last year.

Infant Mortality.

8. The deaths of children under one year of age amounted to 339, and corresponded to a rate of 179 per 1,000 births registered during the twelve months ended August, 1930. Reckoned on the births registered during the month only, the rate was 203, as against 224 in the preceding month, 215 in the corresponding month of last year, and 229 the average for the corresponding months since 1920. There were 304 deaths of children under one year of age whose mothers were residents of the towns, which corresponded to a rate of 211, as against 250 in the preceding month and 223 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age amounted to 149, and corresponded to a rate of 201 per 1,000 births registered during the twelve months ended August, 1930. Reckoned on the births registered during the month only, the rate was 219, as against 320 in the preceding month, 246 in the corresponding month of last year, and 248 the average for the corresponding months since 1920. There were 132 deaths of children under one year of age whose mothers were residents of the city, which corresponded to a rate of 229, as against 357 in the preceding month and 273 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 13 per cent. of the total deaths were due. *Enteritis* caused 7 per cent.; *Debility* (of children under one year of age) 6 per cent.; *Phthisis* and *Bright's Disease and Nephritis* each 5 per cent.; *Dysentery, Malaria and Malarial Cachexia, and Convulsions* each 4 per cent.; *Diarrhea, Diseases and Accidents of Childbirth, Anchylostomiasis, Enteric Fever, and Bronchitis* each 3 per cent.; *Heart Disease, Intestinal Parasites other than Anchylostomiasis, Prematurity, Accidents and Negligence, and Influenza* each 2 per cent.; *Paralysis, Cancer, Diabetes Mellitus, and Tetanus* each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Enteritis* caused 10 per cent.; *Phthisis* 7 per cent.; *Debility* (of children under one year of age) 5 per cent.; *Influenza, Heart Disease, and Bright's Disease and Nephritis* each 4 per cent.; *Enteric Fever, Bronchitis, and Diarrhea* each 3 per cent.; *Diseases and Accidents of Childbirth, Convulsions, Prematurity, Anchylostomiasis, Dysentery, Intestinal Parasites other than Anchylostomiasis, Malaria and Malarial Cachexia, and Cerebral Hemorrhage* each 2 per cent.; *Diabetes Mellitus, Paralysis, Accidents and Negligence, Cancer, and Tetanus* each 1 per cent.

12. Two deaths from *Plague* were registered (both in Colombo), as against 2 in the previous month and 1 in the corresponding month of last year.

13. *Infectious Diseases reported*.—The infectious disease most prevalent during the month was *Phthisis*, of which 106 cases were reported (92 in Colombo). *Enteric Fever* followed with 97 cases (58 in Colombo, 11 in Galle); *Dysentery* 96 (37 in Colombo, 21 in Kalutara); *Chickenpox* 78 (70 in Colombo, 4 in Ratnapura); *Continued Fever* 41 (24 in Colombo, 8 in Galle); *Whooping Cough* 11 (7 in Colombo, 3 in Hatton-Dikoya); *Mumps* 5 (1 in Colombo); *Plague* 4 (in Colombo); *Measles* 2 (in Colombo); and *Diphtheria* 2 (1 each in Colombo and Kandy).

Meteorology.

14. *Rainfall*.—Nawalapitiya recorded the highest rainfall (21.12 in.). In other towns rainfall ranged from 14.91 in. in Hatton to 0.16 of an inch in Kalpitiya. Colombo recorded 1.93 in.

15. *Mean Temperature*.—The mean temperature varied from 84.2° in Trincomalee to 60.7° in Nuwara Eliya, and was 80.6° in Colombo.

Appendix.

16. For detailed statistics see Tables I., II., and III. for all towns; and Tables IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, September 26, 1930.

J. C. W. ROCK,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during August, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum, the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Principal Towns.	Population (exclusive of the Military and Ship-plug at the Census of March 18, 1921.)	Marriages.			Births.		Deaths.		Stillbirths.		Deaths of Non-rest-registered persons in Towns, Hospitals and Jails.		Birth Rate.		Mortality of Children under One Year of Age.		Mean Temperature.	Rainfall in Inches.*						
		General.	Kandyan.	Muslim.	Total.	Males.	Females.	Males.	Females.	Males.	Females.	Persons.	Persons.	Persons.	Persons.	Average for 1920-1929.			Death Rate, August, 1930.	Number registered during August, 1930.	Its proportion to 1,000 births registered during the last day of August, 1930.			
All 35 Towns	659,040	254	3	67	324	824	849	1,673	987	870	1,857	85	68	153	460	29.9	30.7	33.2	389	203	179	24	25	
<i>Western.</i>																								
Colombo	244,163	88	43	131	359	680	417	362	779	38	25	63	175	29.6	27.1	33.9	149	219	201	1.93	80.6			
Negombo	27,639	20	—	20	65	46	111	49	36	85	5	10	7	44.2	38.8	33.8	22	198	205	8.94	—			
Moratuwa	41,868	27	—	27	41	45	86	54	99	6	1	7	7	22.1	30.3	25.4	17	198	151	3.14	—			
Kalutara	13,696	5	—	5	20	15	35	39	33	72	3	2	5	29.1	35.1	59.8	2	57	43	3.71	—			
Fanadure	10,747	4	—	4	24	13	37	22	15	37	1	—	10	37.1	30.8	37.1	5	135	155	4.44	—			
<i>Central.</i>																								
Kandy	35,210	8	1	4	49	34	74	43	54	97	7	6	13	24.7	36.5	32.4	12	162	108	3.96	—			
Teldeniya	637	—	—	—	1	4	5	7	1	8	—	—	5	51.6	—	82.5	1	200	406	—	—			
Gampola	6,202	2	—	2	10	6	16	4	6	10	—	—	1	27.3	27.0	17.0	3	187	139	6.12	—			
Nawalapitiya	3,221	1	—	1	8	6	14	9	10	19	1	2	3	41.9	35.9	56.9	5	357	280	21.12	—			
Hettion-Dikoya	2,940	1	—	1	6	3	9	8	3	11	2	2	8	35.1	31.1	42.9	2	222	231	14.91	—			
Makale	7,865	3	1	—	4	7	14	21	16	38	1	2	18	27.0	33.7	48.8	6	286	176	3.39	—			
Nuwara Eliya	7,525	4	—	2	6	17	15	32	14	10	24	1	9	43.7	31.4	32.7	7	219	239	7.63	—			
<i>Southern.</i>																								
Galle	39,073	19	—	2	43	47	90	59	58	117	3	9	12	26.6	31.7	34.5	21	233	163	2.97	—			
Ambalangoda	3,347	3	—	3	2	4	6	1	1	2	—	—	1	16.3	24.2	5.4	—	—	—	—	—	—	—	
Matara	16,779	6	—	2	13	33	46	18	18	36	—	—	9	31.4	31.8	24.5	8	174	148	2.26	—			
Weligama	9,104	5	—	5	15	11	26	5	5	10	—	—	—	32.1	32.9	12.4	2	77	70	5.99	—			
Hambantota	2,849	4	—	4	2	6	8	8	3	11	3	4	5	30.6	47.0	42.1	2	260	150	81.2	—			
Tangalla	4,896	1	—	1	7	9	16	11	7	18	—	—	12	37.3	37.6	42.0	2	125	120	1.90	—			
<i>North ern.</i>																								
Jaffna	42,436	15	—	2	57	57	114	49	46	95	2	1	3	30.4	33.7	25.3	23	202	201	1.20	—			
Mannar	3,705	3	—	3	8	10	18	4	5	9	1	1	4	56.2	44.0	28.1	2	111	187	82.3	—			
Mullaitivu	1,563	—	—	—	3	3	6	3	3	6	—	—	1	40.6	33.3	40.6	3	500	666	4.07	—			
Vavuniya	936	—	—	—	—	—	—	—	—	—	—	—	—	21.9	18.7	—	—	—	—	—	—	—	—	
<i>Eastern.</i>																								
Batticaloa	10,564	3	—	3	23	21	44	17	21	38	1	2	3	47.4	50.9	40.9	7	159	208	4.94	—			
Kalmunai	2,686	—	—	—	5	4	9	8	10	18	—	—	—	40.3	46.4	80.6	5	556	607	2.29	—			
Trincomalee	9,414	5	—	5	17	21	38	12	5	17	3	4	7	44.8	29.6	20.0	1	26	38	84.2	—			
<i>North-Western.</i>																								
Kurunegala	10,187	3	—	3	7	8	15	23	14	37	—	—	14	14.7	28.8	36.3	6	400	179	81.9	—			
Puttalam	6,905	1	—	1	10	8	11	4	10	14	3	—	3	16.4	31.4	20.9	5	465	286	2.02	—			
Kelpiya	1,608	—	—	—	1	1	3	4	2	2	—	—	—	29.0	28.3	29.0	—	—	—	—	—	—	—	
Caftaw	6,642	4	—	4	13	13	26	26	11	37	—	—	9	38.4	35.3	54.7	4	164	143	0.16	—			
<i>North-Central.</i>																								
Anuradhapura	7,781	6	—	6	9	3	12	18	12	30	1	1	10	12.8	23.5	32.1	6	500	376	83.8	—			
<i>Uva.</i>																								
Badulla	8,126	6	—	6	11	11	22	12	14	26	3	3	6	27.1	34.9	32.1	2	91	73	78.3	—			
Lunugala	526	1	—	1	—	—	—	—	—	—	—	—	—	43.9	42.8	66.8	1	500	620	4.69	—			
<i>Sabaragamuwa.</i>																								
Ratnapura	7,014	2	—	2	9	7	16	19	13	32	—	—	14	23.6	30.4	47.2	6	375	217	80.9	—			
Kegalla	3,508	3	—	3	8	7	15	6	8	14	2	1	3	44.1	40.8	41.2	—	—	—	—	—	—	—	
Rambukkana	2,308	1	—	1	3	4	7	2	2	4	—	—	—	27.4	—	15.7	2	286	306	8.34	—			

* Figures not available. † Population of new limits.

Blanks indicate that there are no observatories or rain gauges.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for August, 1930.

Principal Towns.	Births.*			Birth Rate.	Deaths.			Death Rate (Standardized).		Infant Mortality.	
	Males.	Females.	Persons.		August, 1930.	Males.	Females.	Persons.	August, 1930.	Average for August, 1920-1929. †	Number registered during August, 1930.
1	2	3	4	5	6	7	8	9	10	11	12
All 35 Towns	717	724	1,441	25.7	701	682	1,383	26.7	27.8	304	211
<i>Western.</i>											
Colombo	275	301	576	25.1	304	292	596	29.9	28.4	132	229
Negombo	43	26	69	27.5	46	32	78	31.8	26.6	20	290
Moratuwa	37	42	79	20.3	40	51	91	23.8	28.5	17	215
Kalutara	14	13	27	42.4	27	27	54	44.6	22.9	2	74
Panadura	23	11	34	34.1	18	9	27	28.8	24.1	5	147
<i>Central.</i>											
Kandy	36	29	65	21.7	22	30	52	19.0	28.7	7	108
Taldeniya	1	1	2	20.6	3	—	3	—	—	1	500
Gampola	9	6	15	25.6	2	4	6	10.6	22.9	3	200
Nawalapitiya	5	5	10	30.0	4	3	7	22.8	30.2	3	300
Hatton-Dikoya	6	3	9	35.1	3	—	3	13.8	52.0	2	222
Matale	7	14	21	27.0	11	9	20	27.4	30.9	6	286
Nuwara Eliya	17	14	31	42.3	6	9	15	22.6	18.5	7	226
<i>Southern.</i>											
Galle	41	39	80	23.6	38	47	85	24.5	22.6	17	213
Ambalangoda	2	4	6	16.3	1	1	2	5.4	—	—	—
Matara	13	30	43	29.3	13	14	27	18.1	23.8	7	163
Weligama	15	11	26	32.1	5	5	10	11.4	16.0	2	77
Hambantota	2	6	8	30.6	3	3	6	22.8	34.2	2	250
Tangalla	6	7	13	30.3	3	3	6	13.9	20.6	2	154
<i>Northern.</i>											
Jaffna	54	54	108	28.8	40	45	85	23.5	29.0	23	213
Manar	2	8	10	49.9	2	3	5	15.9	30.2	1	63
Mullaitivu	2	3	5	33.8	3	2	5	35.2	33.7	3	600
Vavuniya	—	2	2	21.9	—	—	—	—	23.6	—	—
<i>Eastern.</i>											
Batticaloa	23	21	44	47.4	15	20	35	39.3	43.5	6	136
Kalmunai	5	4	9	40.3	8	9	17	76.7	—	5	556
Trincmalee	16	20	36	42.5	10	4	14	17.3	35.6	1	28
<i>North-Western.</i>											
Kurunegala	5	7	12	11.8	12	11	23	26.2	32.4	6	500
Puttalam	8	3	11	16.4	4	10	14	22.7	46.8	5	456
Kalpitiya	1	3	4	29.0	2	2	4	33.3	—	—	—
Ohilaw	11	11	22	32.5	17	11	28	47.7	30.3	4	182
<i>North-Central.</i>											
Anuradhapura	8	3	11	11.8	11	7	18	23.1	43.1	6	545
<i>Uva.</i>											
Badulla	11	10	21	25.9	12	8	20	25.2	26.8	2	95
Lungala	—	2	2	43.9	1	1	2	49.5	—	1	500
<i>Sabaragamuwa.</i>											
Ranapura	7	3	10	14.8	11	7	18	29.0	20.0	4	460
Kegalla	3	4	7	20.6	2	1	3	9.9	16.5	—	—
Rambukkana	3	4	7	27.4	2	2	4	—	—	2	286

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of Deaths by Sex registered during August, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Causes of Death. 1	All 35 Towns.			Western Province.										Central Province.														
				Colombo.		Ne-gombo.		Mora-tuwa.		Kalu-tara.		Pana-dure.		Kandy.		Tel-deniya.		Gam-pola.		Nawala-pitiya.		Hatton-Dikoya.		Matala.		Nuwara Eliya.		
	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	
All Causes	987	870	1857	417	362	49	36	45	54	39	33	22	15	43	54	7	1	4	6	9	10	8	3	22	16	14	10	
I.—Infantile Mortality	165	174	339	70	79	12	10	8	9	1	1	4	1	4	8	1	—	2	1	3	2	2	—	2	4	3	4	
A.—Ons Week and under.																												
1 Prematurity	24	13	37	10	4	—	1	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility	25	29	54	8	8	3	1	—	1	—	—	—	—	1	3	1	—	1	—	—	—	—	—	—	2	1	1	
3 Convulsions	4	4	8	1	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Tetanus	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Bronchitis	1	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Pneumonia	2	1	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Other causes	*1	†2	3	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
B.—Over One Week and under One Year.																												
1 Prematurity	—	4	4	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Debility	30	27	57	9	11	3	3	2	1	—	1	—	—	—	1	—	—	—	—	2	1	2	—	1	1	2	1	
3 Convulsions	16	17	33	5	5	3	2	—	1	—	—	1	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	
4 Diarrhoea	2	4	6	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	
5 Enteritis	21	16	37	11	12	—	—	5	4	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Tetanus	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
7 Bronchitis	4	10	14	1	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	
8 Pneumonia	11	19	30	8	10	2	1	—	2	—	—	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—	
9 Syphilis	2	2	4	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
10 Other causes	‡20	§21	41	12	15	—	1	1	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
II.—General Mortality (1 Year and Over)	822	696	1518	347	283	37	26	37	45	38	32	18	14	39	46	6	1	2	5	6	8	6	3	20	12	11	6	
1 Plague	2	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2 Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3 Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5 Influenza	19	9	28	12	8	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6 Enteric Fever	31	18	49	18	9	1	—	1	—	3	1	2	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	
7 Malaria and Malarial Cachexia	48	23	71	9	2	3	2	—	—	—	—	—	—	3	1	3	—	—	—	—	—	—	—	3	1	—	—	
8 Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9 Diarrhoea	25	29	54	7	15	2	1	4	—	—	—	—	—	2	2	1	—	—	—	3	1	2	—	2	1	—	—	
10 Enteritis	47	48	95	26	31	3	2	3	1	—	—	—	—	—	—	—	—	1	—	3	1	2	—	—	1	—	—	
11 Dysentery	51	29	80	9	3	1	2	2	1	15	9	3	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
12 Anchylostomiasis or Dochnius Duodenalis	25	29	54	7	9	3	1	—	—	1	—	—	—	2	7	—	—	—	—	1	—	1	1	2	—	—	—	
13 Diseases due to other Intestinal Parasites	18	23	41	4	8	3	3	—	4	2	2	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	
14 Cancer	7	12	19	2	5	1	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	2	—	—	
15 Phthisis	55	42	97	31	24	—	—	2	1	—	—	2	—	3	8	—	—	1	—	—	—	—	—	1	—	—	—	
16 Other Tuberculous Diseases	3	1	4	1	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
17 Anaemia	1	1	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
18 Diabetes Mellitus	11	1	12	8	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
19 Paralysis	9	15	24	2	6	—	—	—	3	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
20 Convulsions	13	14	27	2	4	—	—	3	3	—	1	3	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
21 Tetanus	6	1	7	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
22 Heart Disease	26	15	41	18	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
23 Bronchitis	12	20	32	9	10	—	1	—	3	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
24 Pneumonia	124	85	209	52	34	9	3	5	8	—	3	3	—	5	6	—	—	—	—	4	—	—	—	2	3	2	1	
25 Other Diseases of the Respiratory System	7	5	12	6	2	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
26 Bright's Disease and Nephritis	39	48	87	15	13	3	3	1	—	—	1	1	2	1	6	—	—	—	—	—	—	—	—	1	1	4	1	
27 Puerperal Eclampsia	—	11	11	—	4	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
28 Puerperal Septicæmia	—	30	30	—	6	—	1	—	—	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	
29 Accidents of Childbirth	—	16	16	—	8	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	—	—	
30 Accidents and Negligence	23	9	32	8	—	—	—	1	—	4	—	—	1	3	—	—	—	—	—	2	1	1	2	—	—	—	—	
31 Homicide	10	3	13	3	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
32 Suicide	5	—	5	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
33 Execution	4	—	4	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34 All Other Causes	‡201	¶157	358	87	67	8	6	13	17	10	13	3	2	11	8	1	—	3	1	—	2	—	4	1	5	2	—	

* One death from Congenital Syphilis (in Panadure).

Table III.—Causes of Deaths by Sex registered during August, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death	Southern Province.												Northern Province.							
	Galle.		Ambalangaoda.		Matara.		Welligama.		Hambantota.		Tangalla.		Jaffna.		Manuar.		Mullaittivu.		Vavuniya.	
	Males. 29	Females. 30	Males. 31	Females. 32	Males. 33	Females. 34	Males. 35	Females. 36	Males. 37	Females. 38	Males. 39	Females. 40	Males. 41	Females. 42	Males. 43	Females. 44	Males. 45	Females. 46	Males. 47	Females. 48
All Causes	59	58	1	1	18	18	5	5	8	3	11	7	49	46	4	5	3	3		
I.—Infantile Mortality	11	10			3	5	1	1		2	1	1	12	11		2	2	1		
<i>A.—One Week and under.</i>																				
1 Prematurity		1			1	1							4	2		2	2			
2 Debility						2							2	3						
3 Convulsions									1		1			1						
4 Tetanus														1						
5 Bronchitis																				
6 Pneumonia																				
7 Other Causes		1																		
<i>B.—Over One Week and under One Year.</i>																				
1 Prematurity						1														
2 Debility	2	1												2				1		
3 Convulsions	3	3			1					1			1							
4 Diarrhoea	1	1																		
5 Enteritis													3							
6 Tetanus																				
7 Bronchitis		1												2	3					
8 Pneumonia						1						1								
9 Syphilis	1																			
10 Other Causes	1	2			1		1	1												
II.—General Mortality (1 Year and Over)	48	48	1	1	15	13	4	4	8	1	10	6	37	35	4	3	1	2		
1 Plague																				
2 Smallpox																				
3 Chickenpox																				
4 Measles																				
5 Influenza	1								3											
6 Enteric Fever	3	4			1									1						
7 Malaria and Malarial Cachexia	2				2				1		1	1	4	7			1			
8 Cholera																				
9 Diarrhoea	6	3			1								1	4						
10 Enteritis	1	1			2								2	1						
11 Dysentery	1								1				2	2	3	2				
12 Anchylostomiasis or Dochmius Duodenalis		1			1	3	1				2		2		1					
13 Diseases due to other Intestinal Parasites	4	1			1								2	1						
14 Cancer		1				1							2	1						
15 Plithisis	1	3		1	1	1		1					2	1						
16 Other Tuberculous Diseases			1																	
17 Anæmia																				
18 Diabetes Mellitus														3						
19 Paralysis	3	2																		
20 Convulsions		2					1	1												
21 Tetanus	1																			
22 Heart Disease	2	2							1				1							
23 Bronchitis	1	2												1						
24 Pneumonia	1	3			2	1	1	1			3		3		1			1		
25 Other Diseases of the Respiratory System																				
26 Bright's Disease and Nephritis	3	4			2	4	1	2			1			3						
27 Puerperal Eclampsia																				
28 Puerperal Septicæmia		4				1						1		2					1	
29 Accidents of Childbirth						1					1									
30 Accidents and Negligence	1	1											1	1						
31 Homicide	2										1		1							
32 Suicide																				
33 Execution																				
34 All Other Causes	15	14			2				1		2	4	11	9						

Table III.—Causes of Deaths by Sex registered during August, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895—continued.

Causes of Death.	Eastern Province.						North-Western Province.								North Central Province.		Province of Uva.			
	Batticaloa.		Kalmunai.		Trincomalee.		Kurunegala.		Puttalam.		Kalpitiya.		Chilaw.		Anuradhapura.		Badulla.		Lunugala.	
	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.
	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68
All Causes ..	17	21	8	10	12	5	23	14	4	10	2	2	26	11	18	12	12	14	1	2
I.—Infantile Mortality ..	5	2	2	3	1	—	2	4	1	4	—	—	3	1	2	4	2	—	—	1
A.—One Week and under.																				
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
2 Debility ..	1	1	2	2	1	—	—	1	1	1	—	—	1	—	2	2	—	—	—	—
3 Convulsions ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
B.—Over One Week and under One Year.																				
1 Prematurity ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	3	—	—	1	—	—	1	—	—	1	—	—	1	—	—	—	—	—	—	—
3 Convulsions ..	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	—	—	—	—	—	1	—	—	2	—	—	1	—	—	1	—	—	—	—
II.—General Mortality (1 Year and Over) ..	12	19	6	7	11	5	21	10	3	6	2	2	23	10	16	8	10	14	1	1
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia ..	2	1	2	—	—	—	6	2	1	2	1	1	—	1	1	—	1	1	—	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Diarrhoea ..	—	1	—	—	—	—	1	1	—	—	—	—	—	1	—	—	—	—	2	—
10 Enteritis ..	—	1	1	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	—
11 Dysentery ..	—	1	—	—	—	—	2	1	—	1	—	—	—	—	2	2	1	—	—	—
12 Anchylostomiasis or Dochnfius Duodenalis ..	—	—	—	—	1	1	—	—	—	—	—	—	6	—	—	—	—	2	—	—
13 Diseases due to other Intestinal Parasites ..	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
14 Cancer ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Phthisis ..	—	1	—	—	2	—	1	—	—	—	—	—	2	—	1	—	2	1	—	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Anæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
18 Diabetes Mellitus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19 Paralysis ..	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
20 Convulsions ..	1	1	—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1
23 Bronchitis ..	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Pneumonia ..	—	3	2	4	5	3	5	1	2	2	1	—	6	1	6	2	1	2	—	—
25 Other Diseases of the Respiratory System ..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis ..	—	1	—	—	—	—	2	2	—	—	—	—	2	1	—	—	—	1	—	—
27 Puerperal Eclampsia ..	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Puerperal Septicæmia ..	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—
29 Accidents of Childbirth ..	—	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
30 Accidents and Negligence ..	1	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
31 Homicide ..	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Suicide ..	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 All Other Causes ..	2	3	1	—	2	—	1	1	—	—	—	—	6	3	6	—	1	3	—	—

Table III.—Causes of Deaths by Sex registered during August, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Province of Sabaragamuwa.						Deaths among all Races.													
	Ratnapura.		Kegalla.		Rambukkana.		Europeans.		Burghers.		Sinhalese.		Tamils.		Moors.		Malays.		Others.	
	Males. 69	Females. 70	Males. 71	Females. 72	Males. 73	Females. 74	Males. 75	Females. 76	Males. 77	Females. 78	Males. 79	Females. 80	Males. 81	Females. 82	Males. 83	Females. 84	Males. 85	Females. 86	Males. 87	Females. 88
All Causes	19	13	6	8	2	2	2	—	29	27	560	485	249	235	110	107	18	15	19	1
I.—Infantile Mortality	4	2	—	—	1	1	—	—	6	4	85	86	46	44	22	31	5	9	1	—
<i>A.—One Week and under.</i>																				
1 Prematurity	1	—	—	—	—	—	—	—	3	—	12	6	7	4	2	3	—	—	—	—
2 Debility	—	1	—	—	—	—	—	—	—	1	10	11	13	13	2	3	—	—	—	—
3 Convulsions	—	—	—	—	—	—	—	—	—	—	2	—	2	3	—	—	—	—	—	—
4 Tetanus	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
5 Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
6 Pneumonia	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—	—	—	—
7 Other Causes	—	—	—	—	—	—	—	—	—	—	1	1	—	1	—	—	—	—	—	—
<i>B.—Over One Week and under One Year.</i>																				
1 Prematurity	—	—	—	—	—	—	—	—	—	—	—	3	—	1	—	—	—	—	—	—
2 Debility	1	—	—	—	—	—	—	—	—	—	13	10	8	9	9	7	—	—	1	—
3 Convulsions	1	1	—	—	1	—	—	—	1	—	8	10	5	2	2	3	—	—	2	—
4 Diarrhoea	—	—	—	—	—	—	—	—	—	1	2	2	—	1	—	—	—	—	—	—
5 Enteritis	—	—	—	—	—	—	—	—	—	1	14	13	4	—	3	1	—	—	1	—
6 Tetanus	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—
7 Bronchitis	—	—	—	—	—	—	—	—	—	—	1	2	3	2	—	4	—	—	2	—
8 Pneumonia	—	—	—	—	—	—	—	—	1	1	8	12	—	2	—	3	1	—	1	1
9 Syphilis	1	—	—	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	—	—
10 Other Causes	—	—	—	—	—	1	—	—	1	—	8	15	3	2	4	6	4	1	—	—
II.—General Mortality (1 Year and Over)	15	11	6	8	1	1	2	—	23	23	475	399	203	191	88	76	13	6	18	1
1 Plague	—	—	—	—	—	—	—	—	—	—	1	—	—	—	1	—	—	—	—	—
2 Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza	—	—	—	—	—	—	—	—	—	—	10	5	5	1	4	2	—	—	—	1
6 Enteric Fever	1	—	—	—	—	—	—	—	2	4	22	9	1	3	3	2	—	—	3	—
7 Malaria and Malarial Cachexia	—	1	1	—	1	—	—	—	1	—	25	9	17	10	4	4	1	—	—	—
8 Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Diarrhoea	—	—	—	—	—	—	—	—	1	1	17	12	5	12	2	4	—	—	—	—
10 Enteritis	1	—	—	—	—	—	—	—	5	—	22	31	14	12	4	4	1	—	1	—
11 Dysentery	2	1	—	—	—	—	—	—	2	1	23	19	18	8	3	1	—	—	—	—
12 Anchylostomiasis or Dochmius Duodenalis	—	—	—	3	—	—	—	—	—	—	10	14	13	13	2	2	—	—	—	—
13 Diseases due to other Intestinal Parasites	1	—	—	2	—	—	—	—	1	—	14	13	1	3	2	6	—	—	1	—
14 Cancer	—	—	—	—	—	—	1	—	—	1	2	6	3	4	1	1	—	—	—	—
15 Phthisis	2	1	1	—	—	—	—	—	2	—	35	26	13	6	5	8	1	—	—	1
16 Other Tuberculous Diseases	—	—	—	—	—	—	—	—	—	—	3	—	—	1	—	—	—	—	—	—
17 Anemia	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—
18 Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	4	1	5	—	1	—	—	—	—	1
19 Paralysis	—	1	—	—	—	—	—	—	—	—	4	10	—	3	4	1	—	—	—	—
20 Convulsions	—	—	—	—	—	—	—	—	1	1	9	8	2	4	1	2	1	—	—	—
21 Tetanus	—	—	—	—	—	1	—	—	—	—	6	1	—	—	—	—	—	—	—	—
22 Heart Disease	—	—	—	—	—	—	—	—	2	—	15	7	6	5	2	2	—	—	—	1
23 Bronchitis	—	—	—	—	—	—	—	—	—	1	4	12	5	6	2	1	—	—	—	—
24 Pneumonia	—	—	—	—	—	—	—	—	—	—	66	46	34	27	15	6	3	—	—	5
25 Other Diseases of the Respiratory System	3	1	1	—	—	—	—	—	1	3	—	—	—	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis	—	—	—	—	—	—	—	—	—	—	5	3	1	1	1	—	—	—	—	1
27 Puerperal Eclampsia	—	2	—	1	—	—	—	—	1	—	28	32	6	14	3	2	1	—	—	—
28 Puerperal Septicæmia	—	1	—	—	—	—	—	—	—	—	—	6	—	4	—	1	—	—	—	—
29 Accidents of Childbirth	—	—	—	1	—	—	—	—	—	—	—	17	—	13	—	—	—	—	—	—
30 Accidents and Negligence	—	—	—	—	—	—	—	—	—	—	—	8	—	5	—	—	—	—	—	—
31 Homicide	1	—	—	1	—	—	—	—	—	—	16	2	6	5	—	2	—	—	—	1
32 Suicide	—	1	—	—	—	—	—	—	—	—	6	2	2	1	2	—	—	—	—	—
33 Execution	—	—	—	—	—	—	—	—	—	—	4	1	—	1	1	—	—	—	—	—
34 All Other Causes	3	1	3	—	—	—	1	—	6	8	115	99	45	29	25	21	4	—	—	5

[For Table IV., see page 10.]

Table V.—Causes of Deaths by Sex registered during the Month of August, 1930.

Causes of Death.	DEATHS AMONG																					
	City of Colombo.			Fort and Galle Face.		Pettah.		St. Pauls.		San Sebastian.		Kotahena North.		Kotahena South.		New Bazaar.		Maradana Hospitals.		Maradana North.		
	M	F	Total	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	
All Causes	417	362	779	—	—	4	2	21	28	13	9	16	24	30	27	23	33	187	130	28	25	
I.—Infantile Mortality	70	79	149	—	—	2	5	6	2	2	2	6	3	3	7	6	8	18	19	9	5	
<i>A.—One Week and under.</i>																						
1. Prematurity	10	4	14	—	—	—	—	—	—	—	—	2	—	—	—	1	1	4	3	—	—	
2. Debility	8	8	16	—	—	—	—	—	1	1	1	—	—	—	—	—	—	5	2	2	1	
3. Convulsions	1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
4. Tetanus	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
5. Bronchitis	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
6. Pneumonia	2	1	3	—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—	—	
7. Other Causes	—	1*	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
<i>B.—Over 1 Week and under 1 Year.</i>																						
1. Prematurity	—	2	2	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	
2. Debility	9	11	20	—	—	—	—	2	1	—	—	—	—	—	—	1	1	1	3	3	—	
3. Convulsions	5	5	10	—	—	—	—	1	1	—	—	—	—	—	1	1	—	—	—	1	1	
4. Diarrhoea	—	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Enteritis	11	12	23	—	—	—	—	1	1	—	—	1	2	1	1	1	1	3	2	1	1	
6. Tetanus	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
7. Bronchitis	1	6	7	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	1	—	2	
8. Pneumonia	8	10	18	—	—	—	—	—	—	—	—	—	—	—	—	2	1	1	1	1	—	
9. Syphilis	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	1	—	
10. Other Causes	12†	15‡	27	—	—	—	—	1	3	1	1	1	1	1	1	—	2	2	4	1	—	
II.—General Mortality (1 Year and Over)	347	283	630	—	—	4	—	16	22	11	7	10	21	27	20	17	25	169	111	19	20	
1. Plague	2	—	2	—	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
5. Influenza	12	8	20	—	—	1	—	3	2	—	2	—	1	1	—	5	3	—	—	1	—	
6. Enteric Fever	18	9	27	—	—	—	—	—	—	—	1	—	—	—	1	1	1	12	3	—	1	
7. Malaria and Malarial Cachexia	9	2	11	—	—	—	—	—	—	1	—	—	—	—	—	—	—	6	1	—	1	
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
9. Diarrhoea	7	15	22	—	—	—	—	—	—	—	—	3	2	6	—	—	—	3	3	—	1	
10. Enteritis	26	31	57	—	—	—	—	1	2	2	2	2	1	4	1	—	—	12	16	1	1	
11. Dysentery	9	3	12	—	—	—	—	—	1	—	—	—	—	—	—	—	—	7	2	—	—	
12. Anchylostomiasis or Doehmius Duodenalis	7	9	16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	8	1	1	
13. Diseases due to other Intestinal Parasites	4	8	12	—	—	—	—	—	2	—	—	2	—	1	1	—	—	—	—	—	2	
14. Cancer	2	5	7	—	—	—	—	—	—	—	—	1	1	1	—	—	—	1	3	—	—	
15. Phthisis	31	24	55	—	—	—	—	3	1	2	—	2	1	1	1	1	4	18	10	—	1	
16. Other Tuberculous Diseases	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	
17. Anæmia	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
18. Diabetes Mellitus	8	1	9	—	—	—	—	1	—	—	—	—	—	—	—	—	—	5	—	1	—	
19. Paralysis	2	6	8	—	—	—	—	—	—	—	—	2	—	—	2	—	—	—	—	—	—	
20. Convulsions	2	4	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	
21. Tetanus	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	
22. Heart Disease	18	11	29	—	—	2	—	1	2	—	—	1	—	2	—	1	3	6	5	3	1	
23. Bronchitis	9	10	19	—	—	—	—	1	1	2	—	1	1	1	—	3	4	4	8	1	1	
24. Pneumonia	52	34	86	—	—	1	—	1	1	1	—	2	3	1	3	4	29	15	4	4	4	
25. Other Diseases of the Respiratory System	6	2	8	—	—	—	—	1	—	1	—	—	1	1	—	—	—	3	1	—	—	
26. Bright's Disease and Nephritis	15	13	28	—	—	—	—	1	1	—	—	2	2	—	—	3	10	5	2	1	—	
27. Puerperal Eclampsia	—	4	4	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
28. Puerperal Septicæmia	—	6	6	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	3	—	—	
29. Accidents of Child-birth	—	8	8	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	2	—	—	
30. Accidents and Negligence	8	—	8	—	—	—	—	—	—	—	—	—	—	—	—	—	—	4	—	—	—	
31. Homicide	3	1	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	
32. Suicide	2	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
33. Execution	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
34. All Other Causes	87§	67	154	—	—	—	—	3	7	1	2	3	4	11	4	6	5	35	23	4	7	

* One death from congenital morbus cordis.

† Four deaths from influenza, 3 from rickets, and 1 each from dysentery, chronic nephritis, malarial fever, improper feeding, and seven deaths from influenza, 4 from improper feeding, 2 from rickets, and 1 each from cleft palate and worms.

‡ Here are included 18 deaths from senility and 7 from cerebral hæmorrhage.

§ Here are included 17 deaths from senility and 5 from cerebral hæmorrhage.

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of August, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1929, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) as the Census of March 18, 1921.	Population estimated to the middle of 1930, by Inter-censal Increase.	Births.			Stillbirths.			Deaths including Deaths in Hospitals and Jails.			Deaths of Non-residents in Town Hospitals and Jails.	Deaths of Residents.	Per Mille per Annum.				Mortality of Children under One Year of Age.			
			Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.			Average for Aug., 1930.	Death Rate of Residents.		Standardized Death Rate August, 1930.*	Number registered during Aug., 1930.	Its proportion to 1,000 births registered during August, 1930.	Its proportion to annum per 1,000 births registered during the Year ended the last day of August, 1930.	
															Average for Aug., 1922-29.	Average for Aug., 1922-29.					
			4	5	6	7	8	9	10	11	12			13	14	15	16	17	18	19	20
City of Colombo..	2	244,163	321	359	680	38	25	63	417	362	779	175	596	29.6†	28.1	25.9†	25.6	29.9	149	219	201
Fort and Galle Face	..	2,690
Pettah	7,001	2	..	2	4	2	6	..	6	..	3.9	8.4	6.0	..	2
St. Paul's	23,395	17	20	37	1	1	2	21	23	49	..	49	16.8	17.0	22.2	23.5	11	297	259	
San Sebastian	11,402	13	8	21	13	9	22	..	22	19.4	20.7	20.3	21.0	4	160	19	
Katthana North	18,683	20	18	38	2	2	4	16	24	40	..	40	21.6	22.3	22.7	21.5	9	237	215	
Koshera South	27,488	34	30	64	1	..	1	30	27	57	..	57	24.7	21.2	22.0	23.1	10	156	184	
New Bazaar	23,341	15	20	35	4	1	5	23	33	56	..	56	15.9	20.3	25.5	23.2	14	400	236	
Maradana Hospitals	113	139	252	26	17	43	187	130	317	167	150	37	
Maradana North	30,404	24	38	62	..	2	2	28	25	53	..	53	21.7	20.1	18.5	18.3	14	226	221	
Maradana East	8,593	4	13	17	15	16	31	8	23	21.0	21.0	28.4	21.4	8	471	383	
Lakshana South (exclusive of Hospitals)	..	18,531	6	4	10	15	13	28	..	26	5.7	17.3	14.9	18.7	5	500	220	
Clave Island	21,564	25	16	41	2	1	3	31	24	55	..	52	20.2	23.6	25.6	22.6	17	415	339	
Kollupitiya	23,752	15	20	35	1	..	1	12	12	24	..	22	15.7	12.7	9.8	11.3	9	257	288	
Wellawatta North	15,816	17	21	38	1	..	1	8	12	20	..	19	25.5	21.2	12.8	16.9	1	26	31	
Wellawatta South	10,813	16	12	28	1	14	7	21	..	21	27.5	22.7	20.6	15.9	8	286	285	

* Standardized death rates for the wards of this city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.