



SUPPLEMENT TO THE
CEYLON GOVERNMENT
GAZETTE

No. 7,814 — FRIDAY, NOVEMBER 14, 1930.

VITAL STATISTICS OF TOWNS IN CEYLON FOR THE
MONTH OF SEPTEMBER, 1930.

REPORT OF THE REGISTRAR-GENERAL.

This report deals with the vital statistics of the 35 principal towns in the island, proclaimed under sections 81-86 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 387 (291 General, 4 Kandyan, and 92 Muslim), as against 324 in the preceding month and 532 in the corresponding month of last year.

Births.

3. The births registered numbered 1,817 (905 males and 912 females), and were equivalent to an annual rate of 33.5 per 1,000 of the population, as against 29.9 in the preceding month, 31.5 in the corresponding month of last year, and 32.5 the average for the corresponding months since 1920. The rate ranged from 11.1 in Anuradhapura to 54.4 in Matale. There were 1,539 births of children whose mothers were residents of the towns, equivalent to an annual rate of 28.4, as against 25.7 in the preceding month and 27.6 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 723 (356 males and 367 females), and were equivalent to an annual rate of 32.5, as against 29.6 in the preceding month, 27.1 in the corresponding month of last year, and 30.9 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah Wards, ranged from 13.0 in Maradana South to 32.1 in Slave Island. There were 615 births of children whose mothers were residents of the city, equivalent to an annual rate of 27.6, as against 25.1 in the preceding month and 23.4 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,537 (802 males and 735 females), and were equivalent to an annual rate of 28.4, as against 33.2 in the preceding month and 32.4 in the corresponding month of last year. There were 1,123 deaths of residents of the towns, equivalent to an annual standardized rate of 22.4, as against 26.7 in the preceding month, 26.1 in the corresponding month of last year, and 27.0 the average for the corresponding months since 1920. The standardized death rate ranged from 7.3 in Mullaivivu to 42.9 in Batticaloa.

6. In the city of Colombo the deaths registered numbered 558 (282 males and 276 females), and were equivalent to an annual rate of 25.1, as against 33.9 in the preceding month and 32.4 in the corresponding month of last year. There were 443 deaths of residents of the city, which corresponded to an annual standardized rate of 22.9, as against 29.9 in the preceding month, 29.0 in the corresponding month of last year, and 26.6 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 20.6 in St. Paul's to 9.2 in Kollupitiya.

7. The stillbirths registered during the month numbered 142 (84 males and 58 females), as against 153 in the preceding month and 133 in the corresponding month of last year.

Infant Mortality.

8. The deaths of children under one year of age amounted to 285, and corresponded to a rate of 154 per 1,000 births registered during the twelve months ended September, 1930. Reckoned on the births registered during the month only, the rate was 157, as against 203 in the preceding month, 109 in the corresponding month of last year, and 197 the average for the corresponding months since 1920. There were 252 deaths of children under one year of age whose mothers were residents of the towns, which corresponded to a rate of 164, as against 211 in the preceding month and 208 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age amounted to 106, and corresponded to a rate of 146 per 1,000 births registered during the twelve months ended September, 1930. Reckoned on the births registered during the month only, the rate was 147, as against 219 in the preceding month, 240 in the corresponding month of last year, and 197 the average for the corresponding months since 1920. There were 91 deaths of children under one year of age whose mothers were residents of the city, which corresponded to a rate of 148, as against 229 in the preceding month and 243 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia*, to which 14 per cent. of the total deaths were due. *Debility* (of children under one year of age) caused 7 per cent.; *Phthisis* 6 per cent.; *Enteritis* 5 per cent.; *Bright's Disease* and *Nephritis*; *Malaria* and *Malarial Cachexia*, *Convulsions*, and *Dysentery*, each 4 per cent.; *Diseases and Accidents of Childbirth*, *Prematurity*, *Anchylostomiasis*, and *Enteric Fever*, each 3 per cent.; *Accidents and Negligence*, *Bronchitis*, *Influenza*, *Intestinal Parasites* other than *Anchylostomiasis*, *Heart Disease*, *Dysentery*, and *Paralysis*, each 2 per cent.; *Cancer*, *Diabetes Mellitus*, *Cerebral Hemorrhage*, and *Tetanus*, each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia*, to which 11 per cent. of the total deaths were due. *Phthisis*, *Debility* (of children under one year of age), and *Enteritis*, each 8 per cent.; *Bright's Disease* and *Nephritis* 5 per cent.; *Diseases and Accidents of Childbirth*, *Heart Disease*, and *Influenza*, each 4 per cent.; *Convulsions*, *Prematurity*, *Bronchitis*, *Enteric Fever*, *Malaria* and *Malarial Cachexia*, and *Accidents and Negligence*, each 3 per cent.; *Intestinal Parasites* other than *Anchylostomiasis*, *Paralysis*, and *Dysentery*, each 2 per cent.; *Cancer*, *Diabetes Mellitus*, *Anchylostomiasis*, and *Tetanus*, each 1 per cent.

12. One death from *Plague* was registered (in Colombo), as against 2 deaths in the previous month and 4 deaths in the corresponding month of last year.

13. *Infectious Diseases reported*.—The infectious diseases most prevalent during the month was *Dysentery*, of which 117 cases were reported (40 in Colombo, 33 in Anuradhapura). *Phthisis* followed with 105 cases (77 in Colombo, 8 in Anuradhapura); *Chickengpox* 90 (77 in Colombo); *Enteric Fever* 78 (33 in Colombo, 15 in Galle); *Continued Fever* 22 (11 in Colombo, 5 in Moratuwa); *Mumps* 6 (2 each in Colombo and Kandy); *Measles* 5 (2 in Nurgara Eliya); *Diphtheria* 5 (4 in Colombo); *Whooping Cough* 2 (1 each in Colombo and Anuradhapura); and *Plague* 1 (in Colombo).

Meteorology.

14. *Rainfall*.—Nawalapitiya recorded the highest rainfall (33.74 in.). In other towns rainfall ranged from 17.71 in. in Hatton to 0.97 of an inch in Badulla. Colombo recorded 6.59 in.

15. *Mean Temperature*.—The mean temperature varied from 83.6° in Trincomalee to 59.8° in Nuwara Eliya, and was 85.5° in Colombo.

Appendix.

16. For detailed statistics see Tables I, II, and III. for all towns; and Tables IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, October 24, 1930

J. C. W. ROCK,
Registrar-General.

Table I.—Number of Marriages, Births, Deaths, and Stillbirths registered during September, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum, the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

Principal Towns.	Population (exclusive of Military and Shipping) at the middle of March, 1930 by Census of March, 1921.		Population estimated to the middle of March, 1930 by Inter-censal Increase.		Marriages.		Births.		Deaths.		Stillbirths.		Deaths of Non-residents registered in Town Hospitals and Jails.		Birth Rate.		Mortality of Children under One Year of Age.		Mean Temperature.*	Rainfall in Inches.*						
	1	2	3	4	General.	Kandyan.	Muslim.	Total.	Males.	Females.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.			Number registered during Sept., 1930.	Death Rate, September, 1930.	Its proportion to 1,000 Births registered during Sept., 1930.	Its proportion per annum to 1,000 Births registered during the last day of Sept., 1930.		
All 35 Towns	600,812	659,040	291	4	291	4	291	905	912	1,817	802	755	1,537	84	58	142	407	33.5	32.5	28.4	285	157	154	80.5	6.59	
<i>Western.</i>																										
Colombo	244,163	270,700	107	—	107	—	176	356	367	723	252	276	558	40	20	60	112	32.5	30.9	25.1	106	147	146	80.5	6.59	
Negombo	27,639	29,570	22	—	22	—	24	32	32	64	36	32	68	7	5	12	13	26.3	38.9	28.0	15	234	149	—	4.38	
Moratuwa	41,858	45,830	17	—	17	—	17	55	65	120	35	47	82	4	2	6	—	31.8	35.3	21.8	21	175	398	—	5.59	
Kalutara	13,596	14,170	5	—	5	—	5	22	7	29	29	16	45	2	1	3	12	24.9	36.8	38.6	10	345	233	—	9.84	
Fanadure	10,747	11,740	2	—	2	—	2	21	18	39	13	15	28	2	2	2	7	40.4	30.0	29.0	5	128	157	—	4.71	
<i>Central.</i>																										
Kandy	32,562	35,210	3	1	4	—	8	76	80	156	57	52	107	7	6	13	48	53.9	31.0	37.7	18	115	106	—	7.32	
Teldeniya	637	1,140	—	—	—	—	2	2	2	4	9	4	13	—	—	—	11	42.6	—	138.6	4	—	—	—	—	
Gampola	6,202	6,910	1	—	1	—	11	6	17	11	5	16	1	—	—	—	5	29.9	34.2	28.2	3	176	142	—	8.52	
Newabeddiya	3,221	3,930	—	—	—	—	7	3	10	11	10	11	21	—	—	—	3	31.0	37.6	65.0	3	300	178	—	33.74	
Hatton-Dikoya	2,940	3,020	—	—	—	—	4	8	12	2	6	8	1	—	—	—	6	48.8	37.5	32.2	2	167	248	—	17.71	
Matale	7,865	9,170	1	—	1	—	16	25	41	18	14	32	—	—	—	—	14	54.4	38.3	42.5	2	488	59	—	7.50	
Nuwara Ehiya	7,525	8,630	4	—	4	—	5	14	11	25	8	12	20	2	—	—	9	35.2	31.6	28.2	4	160	144	—	8.80	
<i>Southern.</i>																										
Galle	39,073	39,900	6	2	8	—	18	65	55	120	42	54	96	6	3	9	17	36.6	31.5	29.3	15	125	119	—	6.57	
Ambalangoda	3,347	4,330	4	—	4	—	4	5	3	8	3	5	8	1	—	—	1	22.5	30.2	22.5	3	375	410	—	—	
Matare	16,779	17,270	6	—	6	—	7	30	30	60	16	9	25	3	3	6	7	42.3	32.9	17.6	5	88	94	—	6.33	
Weligama	9,104	9,530	6	—	6	—	7	21	18	39	6	6	12	—	—	—	4	49.8	38.8	15.3	2	51	69	—	9.17	
Hambantota	3,849	3,070	—	—	—	—	3	3	3	6	5	2	7	—	—	—	2	23.7	49.6	27.7	1	167	82	—	3.63	
Tangalla	4,896	5,060	—	—	—	—	6	10	16	7	6	13	—	—	—	—	4	38.5	32.8	31.3	4	250	247	—	3.59	
<i>North-western.</i>																										
Jafna	42,436	44,200†	41	2	43	—	46	47	53	100	43	44	87	1	3	4	8	27.5	34.9	23.9	20	200	183	—	1.42	
Mannar	3,705	3,770	1	—	1	—	1	5	3	8	7	5	12	—	—	—	3	25.8	37.7	38.7	5	625	475	—	1.15	
Mullaitivu	1,663	1,740	2	—	2	—	2	1	1	2	—	—	1	—	—	—	—	14.0	35.5	7.0	—	—	—	—	3.96	
Vavuniya	936	1,070	—	—	—	—	1	1	1	2	2	2	4	—	—	—	2	22.7	18.0	45.4	1	500	392	—	2.56	
<i>Eastern.</i>																										
Batticaloa	10,564	10,940	13	—	13	—	13	22	18	40	24	15	39	—	—	—	2	44.5	41.5	43.4	12	300	363	—	1.79	
Kalmunai	2,586	2,630	2	—	2	—	3	7	10	2	4	6	6	—	—	—	6	46.3	43.7	27.8	—	—	—	—	2.36	
Trincomalee	9,414	9,980	10	—	10	—	10	14	8	22	11	15	26	1	—	—	3	26.8	30.0	31.7	5	227	196	—	1.42	
<i>North-western.</i>																										
Kurunegala	10,187	11,990	3	—	3	—	5	18	19	37	33	18	51	4	2	6	29	37.5	29.1	51.7	7	189	210	—	6.20	
Puttalam	6,905	7,880	2	—	2	—	8	10	6	5	11	15	7	—	—	—	7	17.0	29.2	34.0	3	273	179	—	2.80	
Kalpiya	1,608	1,620	1	—	1	—	1	4	—	4	1	2	3	—	—	—	—	30.0	22.2	22.5	—	—	—	—	1.31	
Chilaw	6,642	7,970	4	—	4	—	4	3	7	10	12	9	21	—	—	—	12	15.3	30.2	32.1	2	200	75	—	3.44	
<i>North-Central.</i>																										
Anuradhapura	7,781	11,000	8	—	8	—	8	6	4	10	14	6	20	—	—	—	7	1.1	22.0	22.1	—	—	—	—	—	4.17
<i>Uva.</i>																										
Badulla	8,126	9,550	4	—	4	—	6	14	16	30	11	7	18	2	2	4	4	38.2	39.0	22.9	3	100	113	—	—	
Lunugala	526	540	—	—	—	—	1	1	1	1	2	—	2	—	—	—	2	22.7	54.5	45.4	—	—	—	—	—	
<i>Subaragamunas.</i>																										
Retnapura	7,014	7,930	2	—	2	—	2	6	15	21	19	17	36	—	—	—	1	32.0	31.6	54.9	2	95	76	—	12.78	
Kegalla	3,508	4,000	1	—	1	—	1	6	10	16	13	10	23	—	—	—	3	48.6	40.5	69.9	1	63	48	—	8.42	
Rambukkana	2,308	3,010	—	—	—	—	1	2	2	4	4	1	5	—	—	—	1	16.2	—	20.2	1	250	156	—	—	

* Figures indicate that there are no observatories of rain gauges.

† Population of new limits.

‡ Figures not available.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for September, 1930.

Principal Towns.	Births.*			Birth Rate. September, 1930.	Deaths.			Death Rate (Standardized).		Infant Mortality.	
	Males.	Females.	Persons.		Males.	Females.	Persons.	September, 1930. †	Average for September, 1920-1929	Number registered during September, 1930.	Rate per 1,000 Births, registered during September, 1930. ‡
1	2	3	4	5	6	7	8	9	10	11	12
All 85 Towns	782	757	1,539	28.4	562	561	1,123	22.4	27.0	252	164
<i>Western.</i>											
Colombo	306	309	615	27.6	214	229	443	22.9	26.6	91	148
Negombo	30	27	57	23.5	28	26	54	22.7	27.1	14	246
Moratuwa	51	57	108	28.7	35	47	82	22.2	30.1	21	194
Kalutara	22	6	28	24.0	21	12	33	28.2	26.9	9	321
Panadura	16	13	29	30.1	10	11	21	23.2	21.1	4	138
<i>Central.</i>											
Kandy	53	58	111	38.4	31	30	61	23.1	26.5	15	135
Taldeniya	1	1	2	21.3	2	—	2	—†	—†	1	500
Gampola	11	6	17	29.9	8	3	11	20.0	23.1	3	176
Nawalapitiya	4	3	7	21.7	2	4	6	20.2	25.3	1	143
Hetton-Dikoya	4	7	11	44.3	1	1	2	9.5	35.8	—	—
Matale	12	17	29	38.5	10	8	18	25.5	29.9	2	69
Nuwara Eliya	13	11	24	33.8	5	6	11	17.1	18.8	4	167
<i>Southern.</i>											
Galle	56	42	98	29.9	33	45	78	23.3	23.8	14	143
Ambalangoda	5	3	8	22.5	3	5	8	22.4	—†	3	375
Matara	27	27	54	38.0	10	8	18	12.4	23.7	4	74
Weligama	21	18	39	49.8	6	6	12	14.2	19.1	2	51
Hambantota	3	3	6	23.7	4	1	5	19.7	32.8	1	167
Taugalla	5	8	13	31.3	4	4	8	19.1	22.5	3	231
<i>Northern.</i>											
Jaffna	47	51	98	27.0	35	44	79	22.5	28.5	20	204
Mannar	4	3	7	22.6	6	3	9	29.6	22.1	5	714
Mullaitivu	1	—	1	7.0	—	1	1	7.3	32.4	—	—
Vavuniya	1	1	2	22.7	2	—	2	26.5	27.7	1	500
<i>Eastern.</i>											
Batticaloa	22	18	40	44.5	22	15	37	42.9	39.3	12	300
Kalmunai	3	6	9	41.6	—	—	—	—	—†	—	—
Trincomalee	13	8	21	25.6	9	14	23	29.3	33.8	4	190
<i>North-Western.</i>											
Kurunegala	13	10	23	23.3	15	7	22	25.9	26.4	7	304
Puttalam	6	5	11	17.0	8	7	15	25.1	35.8	3	273
Kalpitiya	4	—	4	30.0	1	2	3	25.8	—†	—	—
Ohilaw	3	7	10	15.3	7	2	9	15.8	30.9	2	200
<i>North-Central.</i>											
Anuradhapura	6	3	9	10.0	9	4	13	17.2	35.5	—	—
<i>Uva.</i>											
Badulla	11	14	25	31.9	8	6	14	18.2	37.9	3	120
Lunugala	1	—	1	22.7	—	—	—	—	—†	—	—
<i>Sabaragamuwa.</i>											
Ratnapura	4	12	16	24.4	6	7	13	21.6	17.4	2	125
Kegalla	1	1	2	6.1	3	2	5	17.0	17.6	—	—
Rambukkana	2	2	4	16.2	4	1	5	—†	—†	1	250

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of Deaths by Sex registered during September, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Southern Province.												Northern Province.							
	Galle.		Ambalangoda.		Matara.		Weligama.		Hambantota.		Tangalla.		Jaffna.		Mannar.		Mullaittivu.		Vavuniya.	
	Males. 29	Females. 30	Males. 31	Females. 32	Males. 33	Females. 34	Males. 35	Females. 36	Males. 37	Females. 38	Males. 39	Females. 40	Males. 41	Females. 42	Males. 43	Females. 44	Males. 45	Females. 46	Males. 47	Females. 48
All Causes	42	54	3	5	16	9	6	6	5	2	7	6	43	44	7	5	—	1	2	2
I.—Infantile Mortality	7	8	2	1	3	2	—	2	1	—	3	1	8	12	4	1	—	—	1	—
<i>A.—One Week and under.</i>																				
1 Prematurity	2	2	—	—	—	—	—	—	—	—	—	—	3	1	1	—	—	—	—	—
2 Debility	2	—	—	—	2	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—
3 Convulsions	—	1	1	1	—	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4 Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
7 Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over One Week and under One Year.</i>																				
1 Prematurity	1	1	—	—	—	—	—	—	—	—	1	—	—	1	1	—	—	—	—	1
2 Debility	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Convulsions	—	2	1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
4 Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis	—	—	—	—	—	—	—	—	—	—	—	—	2	4	—	—	—	—	—	—
6 Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis	—	1	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—
8 Pneumonia	—	1	—	—	—	—	—	—	1	—	—	—	1	1	—	—	—	—	—	—
9 Syphilis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes	2	—	—	—	—	—	—	—	—	—	—	—	1	2	1	—	—	—	—	—
II.—General Mortality (1 Year and Over)	35	46	1	4	13	7	6	4	4	2	4	5	35	32	3	4	—	1	1	2
1 Plague	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever	4	3	—	—	1	—	—	1	—	—	—	—	4	—	—	—	—	—	—	—
7 Malaria and Malarial Cachexia	2	—	—	—	1	—	—	—	1	—	1	—	7	3	—	—	—	—	—	—
8 Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Diarrhoea	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10 Enteritis	—	—	—	—	—	2	—	—	—	—	—	—	1	2	—	—	—	—	—	—
11 Dysentery	1	—	—	—	—	—	—	—	—	—	—	—	3	3	—	—	—	—	—	—
12 Anchylostomiasis or Doehmius Duodenalis	2	2	—	—	—	—	—	—	—	—	—	1	—	3	—	1	—	—	—	—
13 Diseases due to other Intestinal Parasites	2	1	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—
14 Cancer	—	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Phthisis	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
16 Other Tuberculous Diseases	3	2	—	2	2	1	—	1	—	—	—	1	3	2	—	—	—	—	—	—
17 Anæmia	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
18 Diabetes Mellitus	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
19 Paralysis	—	2	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
20 Convulsions	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Tetanus	1	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
22 Heart Disease	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
23 Bronchitis	1	1	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
24 Pneumonia	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
25 Other Diseases of the Respiratory System	2	5	—	1	1	1	—	1	—	1	2	1	7	4	2	2	—	1	—	1
26 Bright's Disease and Nephritis	—	3	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
27 Puerperal Eclampsia	1	5	—	1	1	1	—	1	—	—	—	—	1	2	—	—	—	—	—	—
28 Puerperal Septicæmia	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
29 Accidents of Childbirth	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
30 Accidents and Negligence	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
31 Homicide	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 All Other Causes	14	14	—	—	1	—	2	2	—	—	1	1	6	7	1	1	—	—	1	—

Table III.—Causes of Deaths by Sex registered during September, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Eastern Province.						North-Western Province.								North Central Province.		Province of Uva.			
	Batticaloa.		Kalmunna.		Trincomalee.		Kurunegala.		Puttalam.		Kalpitiya.		Chilaw.		Anuradhapura.		Badulla.		Lunugala.	
	Males. 49	Females. 50	Males. 51	Females. 52	Males. 53	Females. 54	Males. 55	Females. 56	Males. 57	Females. 58	Males. 59	Females. 60	Males. 61	Females. 62	Males. 63	Females. 64	Males. 65	Females. 66	Males. 67	Females. 68
All Causes ..	24	15	2	4	11	15	33	18	15	7	1	2	12	9	14	6	11	7	2	—
I.—Infantile Mortality ..	7	5	—	—	2	3	5	2	1	2	—	—	1	1	—	—	2	1	—	—
<i>A.—One Week and under.</i>																				
1 Prematurity ..	—	1	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	2	1	—	—	1	1	2	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Convulsions ..	1	1	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Tetanus ..	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over One Week and under One Year.</i>																				
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Debility ..	2	1	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—	—	—	—
3 Convulsions ..	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
8 Pneumonia ..	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	—	—
9 Syphilis ..	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
10 Other Causes ..	—	—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
II.—General Mortality (1 Year and Over) ..	17	10	2	4	9	12	28	16	14	5	1	2	11	8	14	6	9	6	2	—
1 Plague ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	1	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Enteric Fever ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—	—
7 Malaria and Malarial Cachexia ..	1	1	—	—	—	1	4	3	3	—	1	1	—	—	1	1	1	—	—	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9 Diarrhoea ..	—	—	—	—	—	—	—	2	—	—	—	—	—	2	—	—	—	—	—	—
10 Enteritis ..	3	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—
11 Dysentery ..	—	—	—	1	—	—	—	1	5	—	—	—	—	1	2	—	—	—	—	—
12 Anchylostomiasis or Dochmius Duodenalis ..	—	—	—	—	1	2	—	—	—	—	—	—	—	—	—	—	—	3	1	—
13 Diseases due to other Intestinal Parasites ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—
14 Cancer ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
15 Phthisis ..	1	—	—	1	1	—	1	1	—	—	—	—	—	—	1	1	—	—	1	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
17 Anæmia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
18 Diabetes Mellitus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
19 Paralysis ..	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	1	—
20 Convulsions ..	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
23 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
24 Pneumonia ..	7	3	—	—	4	3	12	6	3	4	—	1	3	2	1	—	1	1	1	1
25 Other Diseases of the Respiratory System ..	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
26 Bright's Disease and Nephritis ..	1	1	—	—	—	—	2	—	—	—	—	—	1	—	1	1	—	—	—	—
27 Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
28 Puerperal Septicæmia ..	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
29 Accidents of Childbirth ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
30 Accidents and Negligence ..	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	1
31 Homicide ..	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
32 Suicide ..	—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34 All Other Causes ..	3	1	2	1	2	4	7	2	2	—	—	—	6	1	2	1	1	—	—	—

Table III.—Causes of Deaths by Sex registered during September, 1930, in each Town of the Island proclaimed under sections 31–36 of the Ordinance No. 1 of 1895—*continued.*

Causes of Death.	Province of Sabaragamuwa.						Deaths among all Races.													
	Ratnapura.		Kegalla.		Rambukana.		Europeans.		Burghers.		Sinhalese.		Tamils.		Moors.		Malays.		Others.	
	Males. 69	Females. 70	Males. 71	Females. 72	Males. 73	Females. 74	Males. 75	Females. 76	Males. 77	Females. 78	Males. 79	Females. 80	Males. 81	Females. 82	Males. 83	Females. 84	Males. 85	Females. 86	Males. 87	Females. 88
All Causes ..	19	17	13	19	4	1	2	—	15	27	458	415	206	188	91	82	16	16	14	7
I.—Infantile Mortality ..	1	1	—	1	1	—	—	—	1	6	73	73	40	42	18	19	5	3	1	4
<i>A.—One Week and under.</i>																				
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	12	11	6	4	3	2	—	—	—	—
2 Debility ..	—	1	—	1	—	—	—	—	—	1	22	16	7	11	4	2	—	—	1	1
3 Convulsions ..	—	—	—	—	—	—	—	—	—	—	1	4	1	3	—	2	—	—	—	1
4 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—
7 Other Causes ..	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	—	—	—	—	—
<i>B.—Over One Week and under One Year.</i>																				
1 Prematurity ..	—	—	—	—	—	—	—	—	—	—	2	5	1	—	1	—	—	—	—	—
2 Debility ..	—	—	—	—	1	—	—	—	—	1	10	9	7	6	5	7	—	—	—	—
3 Convulsions ..	—	—	—	—	—	—	—	—	—	1	11	9	1	2	—	1	—	—	—	1
4 Diarrhoea ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Enteritis ..	—	—	—	—	—	—	—	—	—	—	2	3	4	4	—	—	—	—	—	—
6 Tetanus ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7 Bronchitis ..	—	—	—	—	—	—	—	—	—	—	—	3	1	3	—	—	—	—	—	—
8 Pneumonia ..	—	—	—	—	—	—	—	—	—	—	7	8	6	3	1	2	—	—	—	—
9 Syphilis ..	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—
10 Other Causes ..	1	—	—	—	—	—	—	—	3	5	5	3	5	5	2	3	—	—	—	—
II.—General Mortality (1 Year and Over) ..	18	16	13	9	3	1	2	—	14	21	385	342	166	146	73	63	11	13	13	3
1 Plague ..	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—
2 Smallpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3 Chickenpox ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4 Measles ..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5 Influenza ..	—	—	—	—	—	—	1	—	—	—	3	7	4	4	2	1	2	—	—	1
6 Enteric Fever ..	—	—	—	—	1	—	1	—	1	—	18	12	1	1	2	1	—	—	—	3
7 Malaria and Malarial Cachexia ..	—	1	3	—	1	1	—	—	1	—	14	6	19	9	10	2	1	2	—	—
8 Cholera ..	—	—	—	—	—	—	—	—	—	—	7	15	1	4	—	—	—	—	—	—
9 Diarrhoea ..	1	—	—	1	—	—	—	—	—	—	7	15	1	4	—	—	—	—	—	—
10 Enteritis ..	—	1	—	—	—	—	—	—	—	—	21	18	8	5	2	5	1	1	1	—
11 Dysentery ..	1	—	2	—	—	—	—	—	2	3	19	14	15	8	2	—	—	—	—	—
12 Anchylostomiasis or Doehmius Duodenalis ..	4	1	1	2	—	—	—	—	—	—	7	14	7	12	4	3	—	—	—	—
13 Diseases due to other Intestinal Parasites ..	—	1	—	1	—	—	—	—	—	2	10	13	—	1	2	3	—	—	—	—
14 Cancer ..	—	—	—	—	—	—	—	—	—	1	2	7	1	—	—	—	—	—	—	1
15 Phthisis ..	—	2	1	—	—	—	—	—	—	1	31	28	8	10	6	5	1	3	—	—
16 Other Tuberculous Diseases ..	—	—	—	—	—	—	—	—	—	1	1	3	1	—	—	—	—	—	—	—
17 Anemia ..	—	—	—	—	—	—	—	—	—	—	4	2	2	1	2	—	—	—	—	—
18 Diabetes Mellitus ..	—	—	—	—	—	—	—	—	—	—	10	6	4	2	1	—	—	—	—	—
19 Paralysis ..	1	1	1	1	—	—	—	—	1	—	6	9	4	2	—	—	—	—	—	—
20 Convulsions ..	—	1	—	—	—	—	—	—	2	—	8	4	8	1	3	4	—	—	—	—
21 Tetanus ..	—	—	—	—	—	—	—	—	—	—	2	—	4	2	—	—	—	—	—	—
22 Heart Disease ..	—	—	—	—	—	—	—	—	1	—	5	4	10	2	2	1	2	—	—	—
23 Bronchitis ..	—	—	—	—	—	—	—	—	1	1	61	29	37	29	12	9	3	1	5	—
24 Pneumonia ..	4	—	3	—	—	—	—	—	1	2	29	29	37	29	12	9	3	1	5	—
25 Other Diseases of the Respiratory System ..	—	—	—	—	—	—	—	—	—	1	3	4	1	2	1	—	—	—	—	—
26 Bright's Disease and Nephritis ..	—	3	—	—	1	—	—	—	1	1	26	15	7	7	3	5	—	—	1	1
27 Puerperal Eclampsia ..	—	—	—	—	—	—	—	—	—	—	6	—	1	—	2	—	—	—	—	—
28 Puerperal Septicæmia ..	—	—	—	—	—	—	—	—	—	—	19	—	5	—	1	—	—	—	—	—
29 Accidents of Childbirth ..	—	1	—	—	—	—	—	—	—	—	13	—	3	—	2	—	—	—	—	—
30 Accidents and Negligence ..	1	1	—	1	—	—	—	—	—	—	21	4	3	5	1	—	—	—	—	1
31 Homicide ..	—	—	—	—	—	—	—	—	—	—	3	1	—	—	—	—	—	—	—	1
32 Suicide ..	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—
33 Execution ..	—	—	—	—	—	—	—	—	—	—	5	—	—	1	—	—	—	—	—	—
34 All Other Causes ..	5	3	2	2	—	—	—	—	3	6	95	83	32	27	19	17	2	3	1	1

[For Table IV., see page 10.]

Table V.—Causes of Deaths by Sex registered during the Month of September, 1930.

Causes of Death.	City of Colombo.			DEATHS AMONG																	
	M 2	F 3	Total 4	Fort and Galle Face.		Pettah.		St. Pauls.		San Sebastian.		Kotahena North.		Kotahena South.		New Bazaar.		Maradana Hos- pitals.		Maradana North.	
				M 5	F 6	M 7	F 8	M 9	F 10	M 11	F 12	M 13	F 14	M 15	F 16	M 17	F 18	M 19	F 20	M 21	F 22
All Causes	282	276	558	1	—	1	—	22	22	7	8	15	16	17	27	21	20	123	101	12	27
I.—Infantile Mortality	42	64	106	—	—	—	—	5	6	1	2	3	4	2	8	4	3	12	18	2	8
<i>A.—One Week and under.</i>																					
1. Prematurity	6	7	13	—	—	—	—	—	—	—	—	1	—	—	1	—	—	5	5	—	—
2. Debility	10	16	26	—	—	—	—	2	1	—	—	1	—	—	1	3	1	4	6	—	1
3. Convulsions	—	3	3	—	—	—	—	1	—	—	—	—	1	—	1	—	—	—	—	—	—
4. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Bronchitis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
6. Pneumonia	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Other Causes	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
<i>B.—Over 1 Week and under 1 Year.</i>																					
1. Prematurity	1	3	4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—
2. Debility	7	12	19	—	—	—	—	1	2	—	1	—	—	1	—	1	—	2	1	1	3
3. Convulsions	3	7	10	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
4. Diarrhoea	—	—	—	—	—	—	—	—	—	—	—	—	1	—	2	—	—	—	—	—	1
5. Enteritis	4	2	6	—	—	—	—	1	—	—	—	1	—	1	—	—	—	—	—	—	2
6. Tetanus	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
7. Bronchitis	1	2	3	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	1
8. Pneumonia	5	4	9	—	—	—	—	1	—	—	—	1	1	1	2	—	—	—	—	1	—
9. Syphilis	1	—	1	—	—	—	—	—	—	—	—	—	—	2	—	—	—	1	—	—	—
10. Other Causes	4*	7†	11	—	—	—	—	2	1	—	1	—	—	—	1	1	—	3	—	—	—
II.—General Mortality (1 Year and Over)	240	212	452	1	—	1	—	17	16	6	6	12	12	15	19	17	17	111	83	10	19
1. Plague	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—
2. Smallpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
3. Chickenpox	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
4. Measles	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
5. Influenza	7	7	14	—	—	—	—	1	1	1	—	—	—	—	2	2	2	—	—	1	2
6. Enteric Fever	9	6	15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	7	5	1	—
7. Malaria and Malarial Cachexia	10	4	14	—	—	—	—	3	1	—	1	—	—	1	—	1	—	3	2	2	—
8. Cholera	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
9. Diarrhoea	1	2	3	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—
10. Enteritis	17	19	36	—	—	—	—	3	1	2	1	1	1	2	1	1	—	7	10	—	3
11. Dysentery	6	4	10	—	—	—	—	—	—	—	—	1	—	1	—	—	—	3	3	—	—
12. Anchylostomiasis or Dochmius Duo- denalis	1	5	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5	—	—
13. Diseases due to other Intestinal Parasites	4	6	10	—	—	—	—	—	—	—	—	—	—	—	—	—	2	2	2	—	1
14. Cancer	3	6	9	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	4	—	—
15. Phthisis	22	18	40	—	—	—	—	2	2	—	1	—	—	1	4	1	12	7	4	1	2
16. Other Tuberculous Diseases	2	3	5	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	2	—	—
17. Anæmia	—	1	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	2	—	—	—
18. Diabetes Mellitus	4	2	6	—	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	—	—
19. Paralysis	6	4	10	—	—	—	—	—	1	—	—	1	2	—	—	1	—	1	1	—	—
20. Convulsions	3	3	6	—	—	—	—	—	—	—	—	—	—	1	—	—	—	4	1	—	—
21. Tetanus	4	1	5	—	—	—	—	—	—	—	—	1	—	1	—	—	—	3	3	—	—
22. Heart Disease	15	6	21	—	—	1	—	1	1	—	—	—	—	—	2	1	1	5	3	1	1
23. Bronchitis	5	8	13	—	—	—	—	—	—	—	—	—	1	—	2	1	1	2	3	4	—
24. Pneumonia	34	15	49	—	—	—	—	1	1	—	—	2	2	1	1	1	2	15	4	2	1
25. Other Diseases of the Respiratory System	3	2	5	—	—	—	—	—	—	1	—	—	—	—	1	—	—	1	1	—	—
26. Bright's Disease and Nephritis	17	9	26	—	—	—	—	2	2	—	1	1	1	2	—	—	—	10	2	1	—
27. Puerperal Eclampsia	—	3	3	—	—	—	—	—	—	—	1	1	1	—	1	—	—	—	1	—	—
28. Puerperal Septicæmia	—	11	11	—	—	—	—	—	1	—	—	—	—	—	—	1	—	—	6	—	—
29. Accidents of Child- birth	—	11	11	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	5	—	—
30. Accidents and Negli- gence.	10	4	14	—	—	—	—	1	—	—	—	1	—	—	—	—	—	6	4	—	—
31. Homicide	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—
32. Suicide	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
33. Execution	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
34. All Other Causes	55‡	51§	106	1	—	—	—	3	3	1	1	3	5	5	4	4	5	24	11	1	9

* Three deaths from influenza, and 1 from constipation.

† Three deaths from influenza, 2 from improper feeding, and 1 each from hydrocephalus and diphtheria.

‡ Here are included 16 deaths from senility.

§ Here are included 24 deaths from senility.

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of September, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1929, in each Sanitary Ward of the City of Colombo.

Wards.	Population (exclusive of the Military and Shipping) as the Census of March 18, 1921	Population estimated to the middle of 1930 by Inter-censal Increase.	Births.			Stillbirths.			Deaths including Deaths in Hospitals and Jails.			Per Mile per Annum.			Mortality of Children under One Year of Age.						
			Males.		Females.		Persons.		Males.		Females.		Persons.		Deaths of Residents.	Birth Rate.	Death Rate of Residents.	Standardized Death Rate September, 1930.*	Number registered during Sept., 1930	Its proportion to 1,000 births registered during the Year ended September, 1930	Its proportion to 1,000 births registered during the Year ended September, 1930.
			Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.	Males.	Females.							
			4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22
City of Colombo..	244,163	270,700	356	367	723	40	20	60	282	276	558	112	448	32.5†	28.5	19.9†	23.1	22.9	106	147	146
Fort and Galle Face	2,690	2,980	—	—	—	1	—	1	1	—	1	—	1	—	2.1	4.1	5.3	—	—	—	—
Petisah	7,601	8,430	—	—	—	—	—	—	1	—	1	—	1	—	2.2	1.4	6.1	—	—	—	—
St. Paul's	23,395	25,940	21	14	35	2	1	3	22	22	44	—	44	16.4	19.6	20.6	20.5	—	11	314	265
San Sebastian	11,492	12,740	5	11	16	—	1	1	7	8	15	—	15	15.3	25.0	14.3	18.7	—	3	188	150
Kotahena North	18,683	20,710	22	17	39	1	—	1	15	16	31	—	31	22.9	21.6	18.2	19.4	—	7	179	172
Kotahena South	27,488	30,480	37	36	73	3	—	3	17	27	44	—	44	29.1	21.8	17.6	16.9	—	10	137	187
New Bazaar	23,341	25,880	23	20	48	—	1	1	21	20	41	—	41	22.6	21.9	19.3	24.6	—	7	146	146
Maradana Hospitals	—	—	114	137	251	25	12	37	123	101	224	108	116	—	—	—	—	—	30	—	—
Maradana North	30,404	33,700	41	25	66	1	2	3	12	27	39	—	39	23.8	20.3	14.1	17.4	—	10	152	163
Maradana East	8,593	9,530	9	15	24	—	—	—	14	6	20	4	16	30.6	22.6	20.4	22.2	—	4	167	195
Maradana South (exclusive of Hospitals)	18,531	20,550	13	9	22	1	—	1	11	6	17	—	17	13.0	17.2	10.1	16.2	—	3	136	134
Slave Island	21,564	23,900	32	31	63	5	1	6	15	15	30	—	27	32.1	23.7	13.7	19.1	—	6	95	120
Kollupitiya	23,752	26,340	11	22	33	—	2	2	10	10	20	—	20	15.2	12.0	9.2	9.5	—	6	182	193
Wellawatta North	15,816	17,530	13	18	31	—	—	—	7	9	16	—	16	21.5	21.7	11.1	16.5	—	7	226	230
Wellawatta South	10,813	11,990	10	12	22	1	—	1	6	9	15	—	15	22.3	23.1	15.2	15.1	—	2	91	73

* Standardized death rates for the wards of the city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.