



SUPPLEMENT TO THE
CEYLON GOVERNMENT
GAZETTE

No.—7,825 FRIDAY, JANUARY 23, 1931.

VITAL STATISTICS OF TOWNS IN CEYLON FOR THE
MONTH OF NOVEMBER, 1930.

REPORT OF THE REGISTRAR-GENERAL.

THIS report deals with the vital statistics of the 35 principal towns in the Island, proclaimed under sections 31-36 of the Ordinance No. 1 of 1895.

Marriages.

2. The number of marriages of residents in proclaimed towns was 436 (357 General, 7 Kandyan, and 72 Muslim), as against 379 in the preceding month and 589 in the corresponding month of last year.

Births.

3. The births registered numbered 2,194 (1,105 males and 1,089 females), and were equivalent to an annual rate of 40.5 per 1,000 of the population, as against 38.2 in the preceding month, 32.6 in the corresponding month of last year, and 34.8 the average for the corresponding months since 1920. The rate ranged from 12.1 in Rambukkana to 112.5 in Kegalla. There were 1,849 births of children whose mothers were residents of the towns, equivalent to an annual rate of 34.1 as against 33.1 in the preceding month, and 27.9 in the corresponding month of last year.

4. In the city of Colombo the births registered numbered 868 (427 males and 441 females), and were equivalent to an annual rate of 39.0, as against 38.1 in the preceding month, 35.5 in the corresponding month of last year, and 32.6 the average for the corresponding months since 1920. The rate, exclusive of the Fort and the Pettah Wards, ranged from 18.0 in Kollupitiya and Wellawatta North to 35.1 in Kotahena South. There were 700 births of children whose mothers were residents of the city, equivalent to an annual rate of 31.5, as against 32.9 in the preceding month and 28.6 in the corresponding month of last year.

Deaths.

5. The total deaths registered during the month numbered 1,825 (944 males and 881 females), and were equivalent to an annual rate of 33.7 as against 30.3 in the preceding month and 36.4 in the corresponding month of last year. There were 1,362 deaths of residents of the towns, equivalent to an annual standardized rate of 27.2, as against 23.5 in the preceding months, 29.8 in the corresponding month of last year, and 28.2 the average for the corresponding months since 1920. The standardized death rate ranged from 11.8 in Weligama to 54.8 in Trincomalee.

6. In the city of Colombo the deaths registered numbered 618 (314 males and 304 females), and were equivalent to an annual rate of 27.8, as against 24.7 in the preceding month and 32.8 in the corresponding month of last year. There were 471 deaths of residents of the city, which corresponded to an annual standardized rate of 24.4, as against 21.4 in the preceding month, 27.4 in the corresponding month of last year, and 28.0 the average for the corresponding months since 1920. The death rate of residents, exclusive of the Fort and the Pettah Wards, ranged from 23.0 in Maradana East to 6.0 in Kollupitiya.

7. The stillbirths registered during the month numbered 163 (91 males and 72 females), as against 158 in the preceding month and 172 in the corresponding month of last year.

Infant Mortality.

8. The deaths of children under one year of age amounted to 419, and corresponded to a rate of 220 per 1,000 births registered during the twelve months ended November, 1930. Reckoned on the births registered during the month only, the rate was 191, as against 171 in the preceding month, 221 in the corresponding month of last year, and 289 the average for the corresponding months since 1920. There were 369 deaths of children under

one year of age whose mothers were residents of the towns, which corresponded to a rate of 200 as against 170 in the preceding month, and 232 in the corresponding month of last year.

9. In the city of Colombo the deaths of children under one year of age amounted to 157, and corresponded to a rate of 212 per 1,000 births registered during the twelve months ended November, 1930. Reckoned on the births registered during the month only, the rate was 181, as against 135 in the preceding month, 187 in the corresponding month of last year, and 210 the average for the corresponding months since 1920. There were 131 deaths of children under one year of age whose mothers were residents of the city, which corresponded to a rate of 187, as against 134 in the preceding month and 190 in the corresponding month of last year.

Causes of Death.

10. The highest mortality was from *Pneumonia* to which 12 per cent. of the total deaths were due. *Debility* (of children under one year of age) caused 9 per cent.; *Senility* 7 per cent.; *Phthisis* 6 per cent.; *Convulsions* and *Diseases and Accidents of Childhood* each 5 per cent.; *Prematurity*, *Enteritis*, *Malaria* and *Malarial Cachexia*, *Anchylostomiasis*, *Bright's Disease* and *Nephritis* each 4 per cent.; *Intestinal Parasites* other than *Anchylostomiasis*, *Dysentery* and *Heart Disease* each 3 per cent.; *Diarrhoea*, *Bronchitis*, *Enteric Fever*, *Paralysis* and *Influenza* each 2 per cent.; *Cerebral Hemorrhage*, *Cancer* and *Tetanus* each 1 per cent.

11. In Colombo, too, the highest mortality was from *Pneumonia* to which 12 per cent. of the total deaths were due. *Debility* (of children under one year of age) caused 11 per cent.; *Phthisis* 7 per cent.; *Enteritis* 6 per cent.; *Senility*, *Heart Disease*, *Prematurity*, *Diseases and Accidents of Childhood* each 5 per cent.; *Bright's Disease* and *Nephritis* and *Convulsions* each 4 per cent.; *Bronchitis* and *Influenza* each 3 per cent.; *Intestinal Parasites* other than *Anchylostomiasis*, *Paralysis* and *Malaria* and *Malarial Cachexia* each 2 per cent.; *Enteric Fever*, *Cancer*, *Diarrhoea*, *Accidents* and *Negligence*, *Dysentery* and *Anaemia* each 1 per cent.

12. One death from *Plague* was registered (in Colombo) as against 2 in the previous month and 1 in the corresponding month of last year.

13. *Infectious Diseases reported*.—The infectious diseases most prevalent during the month was *Phthisis* of which 134 cases were reported (76 in Colombo, 27 in Kandy); *Enteric Fever* followed with 64 cases (19 in Colombo, 17 in Kandy); *Dysentery* 64 (17 in Colombo, 9 in Mullattivu); *Chickenspox* 66 (87 in Colombo, 7 each in Kalutara, Galle, and Jaffna); *Continued Fever* 24 (8 in Galle, 7 in Kandy); *Mumps* 9 (5 in Jaffna, 3 in Colombo); *Whooping Cough* 3 (2 in Panadura); *Measles* 2 (in Colombo); *Diarrhoea* 1 (in Galle); *Diphtheria* 1 (in Kandy) and *Plague* 1 (in Colombo).

Meteorology.

14. *Rainfall*.—Batticaloa recorded the highest rainfall (20.91 in). In other towns rainfall ranged from 15.50 in. in Kalmunai to 1.68 in. in Mannar. Colombo recorded 9.73 in.

15. *Mean Temperature*.—The mean temperature varied from 81.4° in Mannar to 60.7° in Nuwara Eliya and was 80.0° in Colombo.

Appendix.

16. For detailed statistics see Tables I., II., and III., for all towns, and Tables IV. and V. for the city of Colombo.

Registrar-General's Office,
Colombo, December 22, 1930.

J. C. W. ROCK,
Registrar-General.

Table L.—Number of Marriages, Births, Deaths, and Stillbirths registered during November, 1930, the Proportion of Births and Deaths per 1,000 of the Population, per Annum, the Deaths of Children under One Year of Age and their Proportion per 1,000 registered Births, together with the Average Birth Rates in the corresponding Months since 1920, and the Mean Temperature and Rainfall in the Month in each Town of the Island proclaimed under Sections 31-36 of the Ordinance No. 1 of 1895.

| Principal Towns. | Population (exclusive of the Military and Ship-pugantele Census of March 18, 1921.) | | Population estimated to the middle of 1930 by Increase of March 18, 1921. | | | Marriages. | | | Births. | | | Deaths. | | | Stillbirths. | | | Deaths of Non-residents registered in Towns, Hospitals and Jails. | | | Birth Rate. | | | Mortality of Children under One Year of Age. | | | Mean Temperature.* | Rainfall in Inches. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---|----------|---|--------|--------|------------|----------|--------|----------|----------|--------|----------|----------|--------|--------------|----------|--------|---|----------|--------------------------------------|--|--|------------------------|--|-------|-------|--------------------|---------------------|--------------------------------------|--|--|-------|-------|-------|------|------|------|-------|---|------|------|------|------|------|-------|------|------|-------|------|------|-------|-------|------|-------|------|------|-------|------|-------|------|---|
| | General. | Kandyan. | Muslim. | Total. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Number registered during Nov., 1930. | Its proportion to 1,000 births registered during Nov., 1930. | Its proportion per annum to 1,000 births registered during the last day of Nov., 1930. | Average for 1920-1929. | 1920. | 1929. | 1930. | | | Number registered during Nov., 1930. | Its proportion to 1,000 births registered during Nov., 1930. | Its proportion per annum to 1,000 births registered during the last day of Nov., 1930. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| All 35 Towns | 600,812 | 659,040 | 337 | 72 | 436 | 1105 | 1089 | 2,194 | 944 | 881 | 1,825 | 91 | 72 | 163 | 450 | 40.5 | 34.8 | 33.7 | 419 | 191 | 220 | 212 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Western.</i> | 244,163 | 270,700 | 110 | 2 | 161 | 427 | 441 | 868 | 314 | 304 | 618 | 33 | 30 | 63 | 139 | 39.0 | 32.6 | 27.8 | 181 | 157 | 212 | 181 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Central.</i> | 32,562 | 35,210 | 7 | 2 | 15 | 72 | 58 | 130 | 63 | 50 | 113 | 2 | 3 | 5 | 30 | 44.9 | 37.4 | 39.0 | 169 | 22 | 196 | 169 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Southern.</i> | 39,073 | 39,900 | 24 | 1 | 25 | 81 | 73 | 154 | 56 | 60 | 116 | 8 | 5 | 13 | 25 | 47.0 | 37.6 | 35.4 | 123 | 19 | 142 | 123 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Northern.</i> | 42,436 | 44,200 | 44 | 5 | 49 | 54 | 51 | 105 | 51 | 51 | 102 | 2 | — | 2 | 6 | 28.9 | 36.0 | 28.1 | 276 | 29 | 260 | 276 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Eastern.</i> | 10,564 | 10,940 | 12 | — | 12 | 30 | 26 | 56 | 18 | 12 | 25 | 1 | 1 | 2 | 1 | 62.3 | 34.2 | 27.8 | 125 | 7 | 187 | 125 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>North-Western.</i> | 6,905 | 7,880 | 1 | 4 | 5 | 4 | 5 | 9 | 35 | 22 | 57 | 9 | 4 | 13 | 33 | 48.7 | 31.9 | 57.8 | 146 | 7 | 206 | 146 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>North-Central.</i> | 6,642 | 7,970 | 1 | — | 1 | 15 | 10 | 25 | 16 | 11 | 27 | 3 | — | 3 | 7 | 38.2 | 35.6 | 41.2 | 200 | 5 | 187 | 200 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Uva.</i> | 8,126 | 9,550 | 5 | — | 5 | 18 | 21 | 39 | 9 | 19 | 28 | 2 | 1 | 3 | 10 | 49.7 | 39.6 | 35.7 | 231 | 9 | 309 | 231 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Sabaragamuwa.</i> | 7,014 | 7,980 | 2 | — | 2 | 12 | 12 | 24 | 16 | 11 | 27 | 2 | 1 | 3 | 14 | 36.6 | 41.1 | 41.2 | 167 | 4 | 155 | 167 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |
| <i>Rampikana.</i> | 2,308 | 3,010 | 2 | — | 2 | 20 | 17 | 37 | 12 | 11 | 23 | 1 | — | 1 | 19 | 112.5 | 55.5 | 69.9 | 108 | 4 | 178 | 108 | 80.0 | 9.73 | 11.09 | 11.30 | 12.59 | 11.08 | 75.8 | 10.01 | — | 12.43 | 14.51 | 14.51 | 5.98 | 6.23 | 79.4 | 12.73 | — | 8.90 | 5.58 | 4.67 | 2.66 | 79.0 | 14.40 | 81.4 | 1.68 | 10.69 | 4.73 | 79.8 | 20.91 | 15.25 | 3.66 | 11.41 | 6.70 | 73.2 | 14.28 | 80.7 | 10.92 | 7.71 | — |

* Figures indicate that there are no observatories or rain gauges. † Population of new limits. ‡ Figures not available.

Table II.—Births, Deaths, and Infant Mortality of Residents with their corresponding Rates for November, 1930.

| Principal Towns. | Births.* | | | Birth Rate. November 1930. | Deaths. | | | Death Rate (Standardized). | | Infant Mortality. | |
|-----------------------|----------|----------|----------|----------------------------------|---------|----------|----------|-------------------------------|--------------------------------------|---|--|
| | Males. | Females. | Persons. | | Males. | Females. | Persons. | November, 1930. | Average for November, 1930. | Number registered during November, 1930. † | Rate per 1,000 Births registered during November, 1930. ‡ |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| All 35 Towns | 930 | 919 | 1,849 | 34.1 | 682 | 680 | 1,362 | 27.2 | 28.2 | 369 | 200 |
| <i>Western.</i> | | | | | | | | | | | |
| Colombo | 343 | 357 | 700 | 31.5 | 239 | 232 | 471 | 24.4 | 28.0 | 131 | 187 |
| Negombo | 52 | 52 | 104 | 42.8 | 27 | 27 | 54 | 22.7 | 28.2 | 16 | 154 |
| Moratuwa | 61 | 70 | 131 | 34.8 | 69 | 69 | 138 | 37.3 | 32.7 | 36 | 275 |
| Kalutara | 23 | 19 | 42 | 36.1 | 25 | 24 | 49 | 41.9 | 26.8 | 10 | 238 |
| Panadure | 19 | 17 | 36 | 37.3 | 11 | 11 | 22 | 24.3 | 25.5 | 2 | 56 |
| <i>Central.</i> | | | | | | | | | | | |
| Kandy | 56 | 49 | 105 | 36.3 | 38 | 41 | 79 | 29.9 | 27.4 | 16 | 152 |
| Taldeniya | 2 | — | 2 | 21.3 | 1 | 4 | 5 | —† | —† | 1 | 500 |
| Gampola | 15 | 7 | 22 | 38.7 | 4 | 7 | 11 | 20.0 | 17.6 | 4 | 182 |
| Nawalapitiya | 5 | 2 | 7 | 21.7 | 1 | 8 | 9 | 30.3 | 37.6 | 2 | 286 |
| Hatton-Dikoya | 2 | 7 | 9 | 36.3 | 2 | 5 | 7 | 33.2 | 33.1 | 2 | 222 |
| Matale | 17 | 16 | 33 | 43.8 | 11 | 8 | 19 | 26.9 | 28.2 | 8 | 242 |
| Nuwara Eliya | 7 | 18 | 25 | 35.2 | 5 | 5 | 10 | 15.0 | 23.2 | 6 | 240 |
| <i>Southern.</i> | | | | | | | | | | | |
| Galle | 73 | 65 | 138 | 42.1 | 44 | 47 | 91 | 27.2 | 26.5 | 18 | 130 |
| Ambalangoda | 7 | 10 | 17 | 47.8 | 3 | 6 | 9 | 25.2 | —† | 3 | 176 |
| Matara | 38 | 30 | 68 | 47.9 | 24 | 13 | 37 | 25.6 | 22.6 | 11 | 162 |
| Welligama | 15 | 11 | 26 | 33.2 | 4 | 6 | 10 | 11.8 | 18.8 | 2 | 77 |
| Hambantota | 2 | 4 | 6 | 23.7 | 5 | 4 | 9 | 35.4 | 33.3 | 4 | 667 |
| Tangalla | 6 | 9 | 15 | 36.1 | 3 | 9 | 12 | 28.7 | 17.9 | 5 | 333 |
| <i>Northern.</i> | | | | | | | | | | | |
| Jaffna | 54 | 51 | 105 | 28.9 | 45 | 51 | 96 | 27.4 | 30.5 | 29 | 276 |
| Mannar | 6 | 4 | 10 | 32.3 | 4 | 2 | 6 | 19.7 | 30.4 | — | — |
| Mullaittivu | 1 | 1 | 2 | 14.0 | — | 2 | 2 | 14.6 | 23.4 | 1 | 500 |
| Vavuniya | 1 | 1 | 2 | 22.7 | 1 | — | 1 | 13.3 | 28.3 | — | — |
| <i>Eastern.</i> | | | | | | | | | | | |
| Batticaloa | 30 | 26 | 56 | 62.3 | 12 | 12 | 24 | 27.8 | 27.9 | 7 | 125 |
| Kalmunai | 2 | 3 | 5 | 23.1 | 1 | 7 | 8 | 37.3 | —† | 4 | 800 |
| Trincomalee | 15 | 16 | 31 | 37.8 | 26 | 17 | 43 | 54.8 | 33.0 | 16 | 516 |
| <i>North-Western.</i> | | | | | | | | | | | |
| Kurunegala | 17 | 16 | 33 | 33.5 | 13 | 11 | 24 | 28.3 | 30.3 | 7 | 212 |
| Puttalam | 4 | 5 | 9 | 13.9 | 16 | 9 | 25 | 41.9 | 42.2 | 6 | 667 |
| Kalpitiya | 4 | 2 | 6 | 45.0 | 4 | — | 4 | 34.4 | —† | — | — |
| Chilaw | 11 | 8 | 19 | 29.0 | 10 | 10 | 20 | 35.2 | 33.9 | 5 | 263 |
| <i>North-Central.</i> | | | | | | | | | | | |
| Anuradhapura | 12 | 4 | 16 | 17.7 | 15 | 11 | 26 | 34.4 | 43.4 | 3 | 188 |
| <i>Uva</i> | | | | | | | | | | | |
| Badulla | 17 | 18 | 35 | 44.6 | 4 | 14 | 18 | 23.4 | 38.2 | 9 | 257 |
| Lunugala | 1 | 1 | 2 | 45.4 | 2 | — | 2 | 51.1 | —† | — | — |
| <i>Sabaragamuwa.</i> | | | | | | | | | | | |
| Ratnapura | 10 | 11 | 21 | 32.0 | 9 | 4 | 13 | 21.6 | 21.5 | 4 | 190 |
| Kegalla | 2 | 6 | 8 | 24.3 | 1 | 3 | 4 | 13.6 | 21.6 | — | — |
| Rambukkana | — | 3 | 3 | 12.1 | 3 | 1 | 4 | —† | —† | 1 | 333 |

* Births of infants whose mothers were residents of the towns.

† Deaths of children under one year of age whose mothers were residents of the towns.

‡ Figures not available.

Table III.—Causes of Deaths by Sex registered during November, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

| Causes of Death. | Southern Province. | | | | | | | | | | Northern Province. | | | | | | | | | |
|--|--------------------|----------------|---------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|
| | Galle. | | Ambalangaoda. | | Matara. | | Wellgama. | | Hambantota. | | Tangalla. | | Jaffna. | | Mannar. | | Mullaittivu. | | Vavuniya. | |
| | Males. 29 | Females. 30 | Males. 31 | Females. 32 | Males. 33 | Females. 34 | Males. 35 | Females. 36 | Males. 37 | Females. 38 | Males. 39 | Females. 40 | Males. 41 | Females. 42 | Males. 43 | Females. 44 | Males. 45 | Females. 46 | Males. 47 | Females. 48 |
| All Causes | 56 | 60 | 3 | 6 | 28 | 19 | 4 | 6 | 5 | 4 | 6 | 9 | 51 | 51 | 6 | 8 | 2 | 2 | 2 | — |
| I.—Infantile Mortality | 13 | 6 | — | 3 | 11 | — | — | 2 | 2 | 2 | 2 | 3 | 12 | 17 | — | 2 | — | 1 | — | — |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity | 2 | — | — | — | 2 | — | — | 1 | — | — | — | — | 3 | 3 | — | 2 | — | — | — | — |
| 2 Debility | 1 | 1 | — | — | 2 | — | — | — | — | — | — | 2 | 4 | — | — | — | — | 1 | — | — |
| 3 Convulsions | — | 2 | — | 2 | — | — | — | 1 | — | 1 | 2 | — | — | — | — | — | — | — | — | — |
| 4 Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Other Causes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>B.—Over One Week and under One Year.</i> | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| 2 Debility | 2 | 1 | — | — | 3 | — | — | — | — | — | — | — | 6 | — | — | — | — | — | — | — |
| 3 Convulsions | 2 | — | — | 1 | — | — | — | — | — | — | 1 | — | 3 | 3 | — | — | — | — | — | — |
| 4 Diarrhoea | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| 5 Enteritis | 1 | — | — | — | 3 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — |
| 6 Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 7 Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — |
| 8 Pneumonia | 3 | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Other Causes | 1 | 1 | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — |
| II.—General Mortality (1 Year and Over) | 48 | 54 | 3 | 3 | 17 | 19 | 4 | 4 | 3 | 2 | 4 | 6 | 39 | 34 | 6 | 6 | 2 | 1 | 2 | — |
| 1 Plague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Smallpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Influenza | 1 | 2 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 6 Enteric Fever | 1 | 5 | — | — | 1 | 2 | — | 1 | — | — | — | 1 | 2 | — | — | — | — | — | — | — |
| 7 Malaria and Malarial Cachexia | — | 2 | 1 | — | — | — | — | — | 1 | — | — | — | 6 | 4 | 1 | 1 | — | — | — | — |
| 8 Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Diarrhoea | 2 | 2 | — | — | — | — | — | — | — | — | — | 1 | — | 4 | — | 1 | — | — | — | — |
| 10 Enteritis | 2 | 1 | — | — | — | — | — | — | — | — | — | — | 3 | 1 | — | 2 | — | — | — | — |
| 11 Dysentery | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — |
| 12 Anchylostomiasis or Dochmius Duodenalis | 1 | 2 | — | — | 2 | 4 | 2 | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — |
| 13 Diseases due to other Intestinal Parasites | — | 4 | — | — | 3 | — | — | — | — | — | 1 | — | 1 | 1 | — | — | — | — | — | — |
| 14 Cancer | — | 2 | — | — | — | 1 | — | — | — | — | — | — | 4 | 4 | 1 | — | — | — | — | — |
| 15 Phthisis | 1 | 4 | — | — | 1 | 3 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 16 Other Tuberculous Diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 17 Anaemia | — | 1 | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — |
| 18 Diabetes Mellitus | 2 | — | — | — | 1 | — | — | — | — | — | — | — | 2 | 2 | — | — | — | — | — | — |
| 19 Paralysis | — | 1 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 20 Convulsions | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — |
| 21 Tetanus | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — |
| 22 Heart Disease | 2 | 1 | — | — | 2 | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — |
| 23 Bronchitis | 2 | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 24 Pneumonia | 10 | 4 | — | — | 1 | 1 | 1 | — | 1 | — | 1 | — | 3 | 2 | 3 | — | 1 | — | 1 | — |
| 25 Other Diseases of the Respiratory System | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 26 Bright's Disease and Nephritis | 3 | 2 | — | — | 3 | 1 | — | 2 | — | — | — | 1 | 1 | 3 | — | 1 | — | — | — | — |
| 27 Puerperal Eclampsia | — | 2 | — | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — |
| 28 Puerperal Septicæmia | — | 6 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — |
| 29 Accidents of Childbirth | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 30 Accidents and Negligence | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — | — | — | — | — |
| 31 Homicide | — | — | — | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32 Suicide | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 33 Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34 All Other Causes | 15 | 7 | — | 2 | 1 | 2 | — | — | — | — | 1 | 2 | 9 | 5 | 1 | — | 1 | — | — | — |

Table III.—Causes of Deaths by Sex registered during November, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

| Causes of Death. | Eastern Province. | | | | | | North-Western Province. | | | | | | North Central Province. | | Province of Uva. | | | | | |
|--|-------------------|----------|-----------|----------|--------------|----------|-------------------------|----------|-----------|----------|-----------|----------|-------------------------|----------|------------------|----------|----------|----------|-----------|----------|
| | Batticaloa. | | Kalmunai. | | Trincomalee. | | Kurunegala. | | Puttalam. | | Kalptiya. | | Chilaw. | | Anuradhapura. | | Badulla. | | Lunugala. | |
| | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. | Males. | Females. |
| | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 |
| All Causes | 13 | 12 | 6 | 8 | 29 | 18 | 35 | 22 | 24 | 12 | 4 | — | 16 | 11 | 16 | 11 | 9 | 19 | 7 | 2 |
| I.—Infantile Mortality | 4 | 3 | 1 | 3 | 8 | 8 | 6 | 1 | 3 | 4 | — | — | 2 | 3 | 3 | — | 2 | 7 | — | — |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity | 2 | — | — | — | — | — | 4 | 1 | 1 | — | — | — | 1 | 1 | — | — | 1 | — | — | — |
| 2 Debility | — | — | — | — | 3 | 4 | 1 | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — |
| 3 Convulsions | — | 1 | — | 1 | 1 | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — |
| 4 Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Other Causes | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| <i>B.—Over One Week and under One Year.</i> | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 2 Debility | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 3 | — |
| 3 Convulsions | 2 | 1 | — | 1 | 1 | 1 | — | — | — | 1 | — | — | 1 | — | 1 | — | — | — | — | — |
| 4 Diarrhoea | — | — | — | — | — | — | — | — | — | 2 | — | — | — | 1 | — | — | — | — | — | — |
| 5 Enteritis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 8 Pneumonia | — | — | — | — | 3 | 3 | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — |
| 9 Syphilis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 10 Other Causes | — | — | — | 1 | — | — | — | — | 1 | 1 | — | — | — | — | — | — | 1 | 2 | — | — |
| II.—General Mortality (1 Year and Over) | 9 | 9 | 5 | 5 | 21 | 10 | 29 | 21 | 21 | 8 | 4 | — | 14 | 8 | 13 | 11 | 7 | 12 | 7 | 2 |
| 1 Plague | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2 Smallpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5 Influenza | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Enteric Fever | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Malaria and Malarial Cachexia | — | 2 | — | — | 1 | — | 4 | 2 | 3 | 2 | 4 | — | — | — | 3 | 2 | 1 | 1 | 1 | 1 |
| 8 Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9 Diarrhoea | 1 | — | — | — | 1 | — | 2 | — | 1 | — | — | — | — | — | — | — | — | — | — | — |
| 10 Enteritis | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | — | — | — | — | — | — |
| 11 Dysentery | — | 1 | 2 | — | 1 | 1 | 2 | — | 2 | — | — | — | — | — | 2 | 3 | — | — | 2 | — |
| 12 Anchylostomiasis or Doohmius Duodenalis | — | 3 | — | — | — | — | 2 | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — |
| 13 Diseases due to other Intestinal Parasites | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | 1 | — | — | — | — | — | — |
| 14 Cancer | — | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15 Phthisis | 1 | — | — | — | 2 | 1 | — | 3 | 1 | — | — | — | 2 | — | 1 | — | — | 1 | — | — |
| 16 Other Tuberculous Diseases | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 17 Anamia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 18 Diabetes Mellitus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 19 Paralysis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 20 Convulsions | 1 | 1 | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 2 | — |
| 21 Tetanus | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22 Heart Disease | — | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — |
| 23 Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 24 Pneumonia | 3 | — | 1 | 2 | 9 | 1 | 4 | 1 | 3 | 2 | — | — | 3 | 1 | 2 | 1 | 1 | 1 | 1 | 1 |
| 25 Other Diseases of the Respiratory System | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 1 | — | — | — | — | — |
| 26 Bright's Disease and Nephritis | 1 | — | — | 1 | — | — | 2 | 4 | — | — | — | — | — | 3 | — | — | — | — | 1 | — |
| 27 Puerperal Eclampsia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 28 Puerperal Septicæmia | — | 1 | — | 1 | — | 2 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 29 Accidents of Childbirth | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | 1 | — | — | 1 | — |
| 30 Accidents and Negligence | — | — | — | — | — | — | 2 | — | — | — | — | — | 1 | — | — | — | 1 | — | — | — |
| 31 Homicide | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 32 Suicide | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 33 Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34 All Other Causes | 2 | — | — | 1 | 4 | 3 | 7 | 5 | 8 | — | — | — | 6 | 2 | 2 | 4 | 3 | 3 | 2 | — |

Table III.—Causes of Deaths by Sex registered during November, 1930, in each Town of the Island proclaimed under sections 31-36 of the Ordinance No. 1 of 1895—*continued.*

| Causes of Death. | Province of Sabaragamuwa. | | | | | | Deaths among all Races. | | | | | | | | | | | | | |
|---|---------------------------|----------------|--------------|----------------|----------------|----------------|-------------------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|--------------|----------------|
| | Ratnapura. | | Kegalla. | | Ra k- kana. | | Europeans. | | Burghers. | | Sinhalese. | | Tamil. | | Moors. | | Malays. | | Others. | |
| | Males. 69 | Females. 70 | Males. 71 | Females. 72 | Males. 73 | Females. 74 | Males. 75 | Females. 76 | Males. 77 | Females. 78 | Males. 79 | Females. 80 | Males. 81 | Females. 82 | Males. 83 | Females. 84 | Males. 85 | Females. 86 | Males. 87 | Females. 88 |
| All Causes .. | 16 | 11 | 12 | 11 | 3 | 1 | 4 | 1 | 15 | 24 | 538 | 534 | 220 | 220 | 131 | 82 | 18 | 12 | 18 | 8 |
| I.—Infantile Mortality .. | 3 | 1 | 1 | 3 | — | 1 | — | — | 3 | 3 | 131 | 104 | 42 | 61 | 37 | 24 | 6 | 2 | 3 | 3 |
| A.—One Week and under. | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity .. | — | — | — | — | — | — | — | — | — | — | 27 | 15 | 8 | 13 | 7 | 1 | — | — | 1 | — |
| 2 Debility .. | 1 | — | 1 | 3 | — | 1 | — | — | 1 | 1 | 27 | 29 | 13 | 8 | 3 | — | 1 | 2 | — | 1 |
| 3 Convulsions .. | 1 | 1 | — | — | — | — | — | — | — | 1 | 6 | 4 | 1 | 2 | — | 3 | — | — | — | — |
| 4 Tetanus .. | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | — | — | — |
| 5 Bronchitis .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Pneumonia .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7 Other Causes .. | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — | — | — | — |
| B.—Over One Week and under One Year. | | | | | | | | | | | | | | | | | | | | |
| 1 Prematurity .. | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | 1 | — | — | — | — | — | — |
| 2 Debility .. | 1 | — | — | — | — | — | — | — | — | — | 23 | 16 | 5 | 14 | 6 | 7 | 3 | — | 2 | — |
| 3 Convulsions .. | — | — | — | — | — | — | — | — | — | — | 11 | 8 | 6 | 7 | 6 | 2 | — | — | — | 1 |
| 4 Diarrhoea .. | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | 1 | 1 | 2 | 1 | — | — | — |
| 5 Enteritis .. | — | — | — | — | — | — | — | — | 1 | — | 5 | 6 | 1 | 1 | 3 | 1 | — | — | — | — |
| 6 Tetanus .. | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 7 Bronchitis .. | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — |
| 8 Pneumonia .. | — | — | — | — | — | — | — | — | — | — | 18 | 9 | 4 | 7 | 3 | 1 | 1 | — | — | — |
| 9 Syphilis .. | — | — | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — |
| 10 Other Causes .. | — | — | — | — | — | — | — | — | 1 | — | 4 | 11 | 2 | 4 | 6 | 4 | — | — | — | 1 |
| II.—General Mortality (1 Year and Over) .. | 13 | 10 | 11 | 8 | 3 | — | 4 | 1 | 12 | 21 | 407 | 430 | 178 | 159 | 94 | 58 | 12 | 10 | 15 | 5 |
| 1 Plague .. | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| 2 Smallpox .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3 Chickenpox .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4 Measles .. | — | — | — | — | — | — | — | — | — | — | 4 | 6 | — | 5 | 1 | 2 | — | 1 | 2 | — |
| 5 Influenza .. | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6 Enteric Fever .. | — | — | — | 2 | — | — | — | — | 1 | — | 13 | 13 | 4 | 1 | — | 2 | — | — | — | — |
| 7 Malaria and Malarial Cachexia .. | — | — | 1 | 1 | 1 | — | — | — | — | — | 18 | 11 | 14 | 14 | 8 | 3 | 1 | — | 1 | — |
| 8 Cholera .. | — | — | — | 1 | — | — | — | — | — | — | 11 | 8 | 5 | 8 | 2 | 1 | — | — | — | — |
| 9 Diarrhoea .. | 1 | — | — | — | — | — | — | — | — | — | 18 | 17 | 8 | 4 | 5 | 3 | — | — | 2 | — |
| 10 Enteritis .. | 1 | — | — | — | — | — | — | — | — | — | 17 | 9 | 10 | 9 | 2 | 1 | — | — | — | — |
| 11 Dysentery .. | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 12 Anchylostomiasis or Doehmius Duodenalis .. | 2 | 2 | — | 1 | — | — | — | — | — | 1 | 20 | 20 | 7 | 14 | 2 | 5 | — | — | — | — |
| 13 Diseases due to other Intestinal Parasites .. | — | — | 1 | — | — | — | — | — | — | — | 21 | 22 | 2 | 5 | 2 | 2 | — | — | — | — |
| 14 Cancer .. | — | — | — | — | — | — | — | — | — | — | 2 | 6 | — | 2 | — | — | — | — | — | — |
| 15 Phthisis .. | 2 | — | — | 1 | — | — | — | — | — | 2 | 23 | 27 | 15 | 12 | 11 | 13 | 3 | — | 1 | 1 |
| 16 Other Tuberculous Diseases .. | — | — | — | — | — | — | — | — | — | — | 2 | 2 | — | — | — | 1 | 1 | — | — | — |
| 17 Anæmia .. | — | — | — | — | — | — | — | — | — | — | 1 | 2 | — | 3 | — | 1 | — | — | — | — |
| 18 Diabetes Mellitus .. | — | — | — | — | — | — | — | — | — | — | 4 | — | 2 | — | 2 | — | — | — | — | — |
| 19 Paralysis .. | — | — | — | — | — | — | — | — | — | 2 | 10 | 6 | 4 | 3 | 2 | 1 | — | — | — | — |
| 20 Convulsions .. | — | 2 | — | — | — | — | — | — | — | — | 9 | 12 | 4 | 2 | 4 | 1 | — | — | — | — |
| 21 Tetanus .. | — | — | — | — | — | — | — | — | — | — | 4 | 2 | 1 | 1 | — | — | — | — | — | — |
| 22 Heart Disease .. | — | — | — | — | — | — | — | — | 5 | — | 17 | 12 | 4 | 3 | 6 | 1 | — | — | — | 1 |
| 23 Bronchitis .. | 1 | — | — | — | 2 | — | — | — | — | — | 9 | 11 | 2 | 1 | 2 | 1 | — | — | — | — |
| 24 Pneumonia .. | 2 | — | 2 | — | — | — | 1 | — | 1 | 3 | 56 | 48 | 32 | 14 | 14 | 4 | 2 | 2 | 6 | 1 |
| 25 Other Diseases of the Respiratory System .. | — | — | — | — | — | — | 1 | — | — | — | 6 | 6 | 3 | 1 | — | — | — | — | — | 1 |
| 26 Bright's Disease and Nephritis .. | — | 1 | — | — | — | — | — | — | 1 | 1 | 24 | 23 | 4 | 11 | 5 | 2 | 1 | — | 1 | 1 |
| 27 Puerperal Eclampsia .. | — | — | — | — | — | — | — | — | — | — | — | 10 | — | 1 | — | — | — | — | — | — |
| 28 Puerperal Septicæmia .. | — | — | — | 1 | — | — | — | — | — | — | — | 23 | — | 14 | — | 1 | — | — | 1 | 1 |
| 29 Accidents of Childbirth .. | — | 3 | — | — | — | — | — | — | — | 2 | — | — | — | 6 | — | — | — | — | 2 | — |
| 30 Accidents and Negligence .. | — | — | 1 | — | — | — | — | — | — | — | 11 | 4 | 9 | 2 | 1 | — | — | — | — | — |
| 31 Homicide .. | — | — | — | — | — | — | — | — | — | — | 2 | 4 | — | 1 | — | 1 | — | — | — | — |
| 32 Suicide .. | — | — | — | — | — | — | — | — | — | — | 6 | — | — | — | — | — | — | — | — | — |
| 33 Execution .. | — | — | — | — | — | — | — | — | — | — | 4 | — | — | — | — | — | — | — | — | — |
| 34 All Other Causes .. | 3 | 2 | 5 | 1 | — | — | 3 | — | 3 | 7 | 95 | 105 | 44 | 22 | 23 | 11 | 4 | 2 | 1 | — |

[For Table IV., see page 10.]

Table V.—Causes of Deaths by Sex registered during the Month of November, 1930,

| Causes of Death. | City of Colombo. | | DEATHS AMONG | | | | | | | | | | | | | | | | | | |
|--|------------------|------------|----------------------|----------|----------|----------|------------|-----------|----------------|----------|-----------------|-----------|-----------------|-----------|-------------|-----------|---------------------|------------|-----------------|-----------|-----------|
| | | | Fort and Galle Face. | | Pettah. | | St. Pauls. | | San Sebastian. | | Kotahena North. | | Kotahena South. | | New Bazaar. | | Maredana Hospitals. | | Maredana North. | | |
| | M | F | Total | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | | |
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 |
| All Causes | 314 | 304 | 618 | 1 | — | 2 | 1 | 12 | 17 | 9 | 8 | 13 | 17 | 23 | 28 | 23 | 20 | 120 | 122 | 35 | 26 |
| I.—Infantile Mortality | 83 | 74 | 157 | — | — | 1 | — | 3 | 3 | 5 | 2 | 1 | 4 | 9 | 8 | 8 | 4 | 31 | 23 | 9 | 10 |
| <i>A.—One Week and under.</i> | | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity | 16 | 13 | 29 | — | — | — | — | — | — | 1 | — | — | 1 | 2 | — | 1 | — | 12 | 11 | — | — |
| 2. Debility | 18 | 16 | 34 | — | — | — | — | — | 2 | — | — | — | 1 | 1 | — | 1 | — | 11 | 3 | — | — |
| 3. Convulsions | 2 | 1 | 3 | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | — |
| 4. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Bronchitis | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 6. Pneumonia | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Other Causes | 1* | 1† | 2 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | — | — |
| <i>B.—Over 1 Week and under 1 Year.</i> | | | | | | | | | | | | | | | | | | | | | |
| 1. Prematurity | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Debility | 17 | 14 | 31 | — | — | — | — | 1 | — | 1 | — | — | 1 | 1 | 1 | 1 | — | 1 | 1 | — | — |
| 3. Convulsions | 6 | 7 | 13 | — | — | — | — | — | — | — | — | — | — | 1 | 2 | 1 | — | 1 | — | — | — |
| 4. Diarrhoea | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Enteritis | 3 | 5 | 8 | — | — | — | — | — | — | 1 | 2 | — | — | 1 | — | — | — | 1 | 2 | — | — |
| 6. Tetanus | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 7. Bronchitis | 5 | 2 | 7 | — | — | 1 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — |
| 8. Pneumonia | 7 | 7 | 14 | — | — | — | — | 2 | — | — | — | — | — | 1 | 1 | 1 | 1 | 2 | 3 | — | — |
| 9. Syphilis | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — |
| 10. Other Causes | 6‡ | 7§ | 13 | — | — | — | — | 1 | 2 | — | — | 1 | — | — | 1 | 2 | — | 1 | 4 | — | — |
| II.—General Mortality (1 Year and Over) | 231 | 230 | 461 | 1 | — | 1 | 1 | 9 | 14 | 4 | 6 | 12 | 13 | 14 | 20 | 15 | 16 | 89 | 99 | 26 | 16 |
| 1. Plague | 1 | — | 1 | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 2. Smallpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 3. Chickenpox | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 4. Measles | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 5. Influenza | 5 | 10 | 15 | — | — | — | — | 1 | 3 | — | — | — | — | 1 | 1 | 1 | 1 | — | — | 1 | 2 |
| 6. Enteric Fever | 5 | 3 | 8 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 4 | 1 | — | — |
| 7. Malaria and Malarial Cachexia | 5 | 4 | 9 | — | — | — | — | — | — | — | — | 1 | — | — | 1 | — | 1 | 2 | 2 | 1 | — |
| 8. Cholera | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 9. Diarrhoea | 4 | 2 | 6 | — | — | — | — | — | — | — | — | — | — | 3 | 2 | — | — | 1 | 7 | 7 | — |
| 10. Enteritis | 14 | 17 | 31 | — | — | — | — | 1 | — | — | — | 1 | 1 | — | — | — | — | 7 | 7 | 2 | 5 |
| 11. Dysentery | 5 | 1 | 6 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | 1 | — | — |
| 12. Anchylostomiasis or Dochmius Duodenalis | 4 | 4 | 8 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | 4 | 3 | — | — |
| 13. Diseases due to other Intestinal Parasites | 6 | 8 | 14 | — | — | — | — | 1 | — | 1 | — | 1 | 1 | — | 1 | — | 2 | 1 | 4 | 3 | — |
| 14. Cancer | 4 | 4 | 8 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 15. Phthisis | 20 | 22 | 42 | — | — | — | 1 | 3 | 2 | — | 3 | 1 | 1 | — | 3 | 1 | 3 | 5 | 7 | 6 | — |
| 16. Other Tuberculous Diseases | 3 | 1 | 4 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| 17. Anæmia | 1 | 3 | 4 | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — |
| 18. Diabetes Mellitus | 3 | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 19. Paralysis | 8 | 3 | 11 | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | 1 | 1 | — | — |
| 20. Convulsions | 4 | 4 | 8 | — | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 1 | — |
| 21. Tetanus | 2 | — | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 22. Heart Disease | 20 | 11 | 31 | — | — | — | — | 1 | 1 | 1 | 1 | 2 | — | — | — | 5 | — | 7 | 6 | 2 | 3 |
| 23. Bronchitis | 6 | 6 | 12 | — | — | — | — | — | 1 | 1 | — | — | — | 1 | — | — | — | 1 | 1 | — | — |
| 24. Pneumonia | 33 | 30 | 63 | — | — | — | — | — | 1 | 1 | — | 1 | 3 | 3 | 1 | 4 | — | 19 | 19 | — | — |
| 25. Other Diseases of the Respiratory System | 6 | 6 | 12 | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | 4 | 4 | — | — |
| 26. Bright's Disease and Nephritis | 11 | 12 | 23 | — | — | — | — | — | 1 | — | — | 1 | 1 | 2 | — | 1 | 1 | 4 | 6 | 2 | 1 |
| 27. Puerperal Eclampsia | — | 4 | 4 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 4 | 4 | — |
| 28. Puerperal Septicæmia | — | 14 | 14 | — | — | — | — | — | 1 | — | — | 1 | 1 | — | 1 | — | 3 | — | 5 | — | — |
| 29. Accidents of Child-birth | — | 10 | 10 | — | — | — | — | — | — | — | — | — | 1 | — | 2 | — | 1 | — | 4 | — | — |
| 30. Accidents and Negligence | 5 | 2 | 7 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | 2 | 2 | — | — |
| 31. Homicide | 1 | 2 | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 1 | — |
| 32. Suicide | 1 | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 33. Execution | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| 34. All Other Causes | 54 | 47¶ | 101 | — | — | — | — | 2 | 3 | 1 | — | 1 | 1 | 4 | 4 | 2 | 2 | 16 | 19 | 6 | 2 |

* One death from asphyxia neonatorum.

† One death from spina bifida with meningo myelocoele.

‡ Two deaths each from nephritis and influenza, and 1 each from gastritis and thrush.

§ Two deaths from improper feeding and one each from pyelitis, influenza, malaria, acute asthma and septic umbilicus.

|| Here are included 15 deaths from senility.

¶ Here are included 17 deaths from senility.

in each Ward and of each Race in the City of Colombo.

ALL RACES.

| Maradana East. | | Maradana South (exclusive of Hospitals). | | Slave Island. | | Kollupitiya. | | Wellawatta North. | | Wellawatta South. | | Europeans. | | Burghers. | | Sinhalese. | | Tamils. | | Moors. | | Malays. | | Others. | | |
|----------------|----|--|----|---------------|----|--------------|----|-------------------|----|-------------------|----|------------|----|-----------|----|------------|-----|---------|----|--------|----|---------|----|---------|----|---|
| M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | M | F | |
| 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | |
| 13 | 8 | 18 | 11 | 24 | 19 | 7 | 6 | 7 | 13 | 7 | 8 | 3 | 1 | 12 | 17 | 163 | 191 | 46 | 51 | 65 | 29 | 8 | 8 | 17 | 7 | |
| 2 | 4 | 3 | 5 | 9 | 4 | 2 | 2 | - | 5 | - | - | - | - | 8 | 2 | 48 | 41 | 7 | 17 | 19 | 10 | 3 | 1 | 3 | 3 | |
| 1 | 1 | - | 2 | 2 | 1 | 1 | - | - | 1 | - | - | - | - | 1 | 1 | 12 | 8 | 1 | 4 | 2 | 1 | 2 | 1 | - | 1 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | 1 | - | - | - | - | - | - | |
| 1 | 1 | - | 2 | 5 | 2 | - | 1 | - | - | - | - | - | - | - | - | 6 | 6 | 3 | 5 | 5 | 3 | 1 | - | 2 | 1 | |
| - | 1 | 1 | 1 | - | 1 | - | - | - | 2 | - | - | - | - | 1 | - | 4 | 3 | - | 1 | 2 | 2 | - | - | - | - | |
| - | - | 2 | - | - | - | 1 | - | - | 1 | - | - | - | - | 1 | - | 1 | 4 | - | - | 1 | 1 | - | - | - | - | |
| 1 | - | - | - | 2 | - | - | 1 | - | - | - | - | - | - | 1 | - | 2 | 5 | - | 1 | 1 | 1 | - | - | - | 1 | |
| - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | 4 | - | 2 | 4 | - | - | - | - | - | |
| 11 | 4 | 15 | 6 | 15 | 15 | 5 | 4 | 7 | 8 | 7 | 8 | 3 | 1 | 9 | 15 | 115 | 150 | 39 | 34 | 46 | 19 | 5 | 7 | 14 | 4 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 1 | - | - | - | - | - | - | - | - |
| - | - | - | - | 1 | 1 | 1 | - | - | - | - | 1 | - | - | - | - | 3 | 4 | - | 4 | - | 1 | - | - | 1 | 2 | |
| - | - | - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 3 | 1 | 1 | 2 | - | 1 | - | - | - | 1 | |
| 1 | - | 1 | 1 | - | - | - | - | - | 1 | - | - | - | - | 1 | - | 1 | 7 | 2 | 2 | 2 | 1 | - | - | - | - | |
| 2 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 3 | 3 | 1 | 1 | 1 | 5 | 3 | - | - | - | |
| 1 | 2 | - | - | - | - | - | - | - | 1 | - | 1 | - | - | - | - | 4 | 3 | - | 1 | - | - | - | - | - | - | |
| - | - | 1 | - | 1 | 1 | - | - | - | 1 | - | 1 | - | - | 2 | - | 4 | 6 | 1 | 1 | 1 | 1 | 1 | - | - | 1 | |
| - | - | 1 | - | 1 | - | - | - | - | - | - | 1 | - | - | - | - | 2 | 8 | 9 | 4 | 3 | 6 | 7 | - | - | 1 | |
| - | - | 1 | - | - | - | - | - | - | - | - | - | - | - | - | - | 2 | 1 | - | 2 | - | - | - | - | - | - | |
| 1 | - | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | - | - | 2 | - | 1 | 3 | 1 | 1 | 2 | 2 | 1 | - | - | 1 | |
| 1 | - | - | 1 | 1 | 1 | - | - | 1 | - | - | 1 | - | - | 4 | - | 8 | 8 | 3 | 2 | 2 | 4 | 1 | - | - | 1 | |
| 1 | - | 2 | 1 | 1 | 1 | - | - | 2 | 2 | 1 | 1 | - | - | 1 | 2 | 17 | 24 | 1 | 2 | 2 | 6 | 1 | 1 | 6 | 1 | |
| 1 | - | - | - | 1 | - | - | - | 1 | - | - | - | - | - | - | - | 3 | 3 | 2 | 1 | - | - | - | - | - | 1 | |
| - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | 1 | - | 5 | 8 | 1 | 3 | 3 | 1 | - | - | 1 | 1 | |
| - | - | - | - | - | 1 | - | - | 1 | 1 | - | - | - | - | - | 2 | 10 | 4 | - | 2 | - | - | - | 1 | - | 1 | |
| - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | 5 | - | 2 | - | - | - | - | - | - | |
| - | - | 1 | - | 1 | - | - | - | - | - | - | - | - | - | - | - | 3 | 2 | 1 | 1 | 1 | - | - | - | - | - | |
| 4 | 2 | 5 | 2 | 7 | 6 | 2 | 2 | 3 | 1 | 1 | 3 | 2 | - | 3 | 6 | 21 | 32 | 14 | 5 | 11 | 3 | 2 | 1 | 1 | 1 | |

Table IV.—Number of Births, Deaths, and Stillbirths registered during the Month of November, 1930, and the Deaths of Children under One Year, and their Proportion per 1,000 of the registered Births, together with the Average Birth and Death Rates for the corresponding Months of 1922-1929, in each Sanitary Ward of the City of Colombo.

| Wards. | Population (exclusive of the Military and Shipping) at the Census of March 18, 1921. | Population estimated to the middle of 1930, by Inter-censal Increase. | Births. | | | Stillbirths. | | | Deaths including Deaths in Hospitals and Jails. | | | Deaths of Non-residents in Town Hospitals and Jails. | | | Per Mille per Annum. | | | Mortality of Children under One Year of Age. | | |
|--|--|---|---------|----------|----------|--------------|----------|----------|---|----------|----------|--|-----------------|----------------------------|----------------------|--|--------------------------------------|--|---|-----|
| | | | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Average for Nov., 1922-29. | November, 1930. | Average for Nov., 1922-29. | November, 1930. | Standardized Death Rate for Nov., 1930.* | Number registered during Nov., 1930. | Its proportion to 1,000 births registered during Nov., 1930. | Its proportion to amount registered during the year ended the last day of Nov., 1930. | |
| | | | | | | | | | | | | | | | | | | | | 4 |
| | | | 2 | 3 | 427 | 441 | 868 | 33 | 30 | 63 | 314 | 304 | 618 | 139 | 471 | 32.2 | 21.2† | 24.0 | 24.4 | 157 |
| City of Colombo.. | 244,163 | 270,700 | 427 | 441 | 868 | 33 | 30 | 63 | 314 | 304 | 618 | 139 | 471 | 32.2 | 21.2† | 24.0 | 24.4 | 157 | 181 | 212 |
| Fort and Galle Face | 2,680 | 2,980 | 1 | — | 1 | — | — | — | 1 | — | 1 | — | 1 | 4.1 | 4.1 | 5.4 | — | — | — | — |
| Pettah .. | 7,601 | 8,430 | 2 | — | 2 | — | — | — | 2 | 1 | 3 | — | 3 | 2.9 | 4.3 | 5.9 | — | 1 | 500 | 608 |
| St. Paul's .. | 23,395 | 25,940 | 19 | 23 | 42 | 3 | 3 | 6 | 12 | 17 | 29 | — | 29 | 19.7 | 13.6 | 22.5 | — | 6 | 143 | 147 |
| San Sebastian .. | 11,492 | 12,740 | 16 | 8 | 24 | — | 1 | 1 | 9 | 8 | 17 | — | 17 | 22.9 | 16.2 | 16.9 | — | 7 | 292 | 350 |
| Kotahena North .. | 18,683 | 20,710 | 25 | 22 | 47 | 1 | — | 1 | 13 | 17 | 30 | — | 30 | 27.6 | 17.6 | 19.3 | — | 5 | 106 | 118 |
| Kotahena South .. | 27,488 | 30,480 | 39 | 49 | 88 | — | 1 | 1 | 23 | 28 | 51 | — | 50 | 35.1 | 20.0 | 21.6 | — | 17 | 192 | 308 |
| New Bazaar .. | 23,341 | 25,860 | 32 | 36 | 68 | 2 | 2 | 4 | 23 | 20 | 43 | — | 43 | 32.0 | 20.2 | 25.3 | — | 12 | 176 | 236 |
| Maradana Hospitals .. | — | — | 157 | 179 | 336 | 20 | 17 | 37 | 120 | 122 | 242 | 137 | 105 | — | — | — | — | 54 | — | — |
| Maradana North .. | 30,404 | 33,700 | 31 | 30 | 61 | 1 | — | 1 | 35 | 26 | 61 | — | 61 | 22.0 | 22.0 | 19.6 | — | 19 | 311 | 305 |
| Maradana East .. | 8,593 | 9,530 | 9 | 8 | 17 | — | — | — | 13 | 8 | 21 | 2 | 18 | 21.7 | 23.0 | 24.4 | — | 6 | 353 | 300 |
| Maradana South (exclusive of Hospitals) .. | 18,531 | 20,550 | 13 | 21 | 34 | 1 | 1 | 2 | 18 | 11 | 29 | — | 28 | 20.1 | 16.6 | 14.8 | — | 8 | 235 | 329 |
| Silve Island .. | 21,564 | 23,900 | 31 | 27 | 58 | 3 | 1 | 4 | 24 | 19 | 43 | — | 38 | 29.5 | 19.3 | 20.7 | — | 13 | 224 | 254 |
| Kollupitiya .. | 23,752 | 26,340 | 22 | 17 | 39 | — | 2 | 2 | 7 | 6 | 13 | — | 13 | 18.0 | 6.0 | 9.6 | — | 4 | 103 | 125 |
| Wellawatta North .. | 15,816 | 17,530 | 14 | 12 | 26 | 1 | 2 | 3 | 7 | 13 | 20 | — | 20 | 18.0 | 13.9 | 15.4 | — | 5 | 192 | 163 |
| Wellawatta South .. | 10,813 | 11,990 | 16 | 9 | 25 | 1 | — | 1 | 7 | 8 | 15 | — | 15 | 25.4 | 15.2 | 11.8 | — | — | — | — |

* Standardized death rates for the wards of the city are not available.

† The city rate is worked differently from the ward rates, and takes into account events in hospitals, &c., not assigned to wards.