

SUPPLEMENT
TO
The Ceylon Government Gazette.
PART I.

No. 5,331—FRIDAY, JANUARY 11, 1895.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE THIRD QUARTER OF 1894.

I.—Population.

THE estimated population of the Island on the last day of the quarter was 3,165,460, an increase of nearly 13,500 on the previous quarter, due to an excess of 3,222 of births over deaths, but chiefly to an excess of arrivals over departures of Indian coolies, which amounted in the quarter to 10,241.

Table I. in the appendix gives the area and estimated population of each Province and district of the Island in the quarter.

Arrivals and Departures of Indian Coolies.—The total number of Indian coolies who arrived in the Island this quarter (28,451) was 903 in excess of the average number for the third quarter of the last three years (27,548), while the departures (18,210) were 2,433 above the average (15,777). The arrivals of the year up to the end of the third quarter were 64,793 and the departures 51,943, as against 71,780 and 58,269 respectively in the corresponding period of 1893.

II.—Marriages.

Marriages.—The number of general marriages—*i.e.*, marriages other than Kandyan or Mohammedan—registered in this quarter was 3,079, and of Kandyan marriages 1,315.

Table VII. in the appendix shows the marriages solemnized among the general community in every Province and district of the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c.

Table VIII. gives similar information in respect of Kandyans.

First Marriages; Re-marriages.—Of the 3,079 general marriages, 2,707 (equal to 88 per cent.) were between bachelors and spinsters, 64 between bachelors and widows, 265 between widowers and spinsters, 36 between widowers and widows, 3 between divorced men and spinsters, 3 between divorced women and bachelors, and 1 between a divorced woman and a widower. Of the 1,315 Kandyan marriages, 1,034 (equal to 79 per cent.) were between bachelors and spinsters, 59 between bachelors and widows, 127 between widowers and spinsters, 45 between widowers and widows, 18 between divorced men and spinsters, 1 between a divorced man and a widow, 26 between divorced women and bachelors, 4 between divorced women and widowers, and 1 between a divorced man and a divorced woman.

Age at Marriage.—The mean age at marriage for the general community was 26·5 for males and 19·5 for females; and for Kandyans 26·5 for males and 20·3 for females.

Minors.—In the general community 8 per cent. of the bridegrooms and 7·3 per cent. of the brides were under 21, and amongst the Kandyans 13 per cent. of the bridegrooms and 56 per cent. of the brides were under 21.

Mixed Marriages.—There were 27 mixed marriages in the quarter: 4 between Europeans and Burghers, 3 between Europeans and Singhalese, 3 between Burghers and Singhalese, 1 between a Burgher and a Tamil, 15 between Singhalese and Tamils, 1 other mixed marriage.

Signature in Marriage Register.—Of the 6,158 persons married among the general community this quarter, 702 men and 2,369 women signed the register with marks; that is to say, 77 per cent. of the men and 23 per cent. of the women were able to write their names. Of the 2,630 persons married among the Kandyans, 474 men and 1,262 women signed the register with marks, *i.e.*, 64 per cent. of the men and 4 per cent. of the women were able to write their names.

III.—Births and Deaths.

Births.—The births registered in the quarter numbered 25,434, and were in the proportion of 33·2 to 1,000 persons living, as against 28·8, the average of the corresponding period for the ten years 1884–93.

Deaths.—The deaths registered in the quarter amounted to 22,232, including 21 Europeans, 112 Burghers, 15,301 Singhalese, 5,243 Tamils, 1,476 Moors, 40 Malays, and 39 others, and corresponded to an annual rate of 29·0 per 1,000.

The Births and Deaths and their Rates in this quarter are compared in the following statement with their results obtained in the previous quarters, the third quarter of the past year, and the corresponding quarter in the ten years 1884-93 :—

TABLE A.

| Average of ten previous third quarters in 1884-93 | Births. | Deaths. | Per Mille per Annum. | |
|--|---------|---------|----------------------|-------------|
| | | | Birth-rate. | Death-rate. |
| 1884-93 | 21,395 | 18,481 | 28·8 | 24·9 |
| Third quarter of 1893 | 23,150 | 22,443 | 30·4 | 29·5 |
| First quarter of 1894 | 23,567 | 21,373 | 31·5 | 28·6 |
| Second quarter of 1894 | 25,864 | 22,502 | 34·2 | 29·8 |
| Third quarter of 1894 | 25,434 | 22,232 | 33·2 | 29·0 |

It will be seen from the above table that both the birth and death-rates recorded in the present quarter, though lower than in the last quarter, were considerably in excess of the average, due probably to more accurate registration in the Western Province and to the unhealthiness of the wet zone districts.

Table II. in the appendix gives similar information to Table A in respect of each Province and district in the Island. Table I. gives the births and deaths according to sex, and births according to legitimacy. Table IX. the births according to nationality and sex. Table X. illegitimate births according to nationality and sex. Table XI. the deaths for each month of the quarter according to nationality for every Province and district. The causes of death for every Province and district are shown in Table XII., and for the estates in the Central, Uva, Sabaragamuwa, and the Kalutara District of the Western Province in Table XIII. Table XIV. shows the period of life at which the deaths of the various races occurred in every district.

Age at Death.—The deaths of infants under one year of age numbered 3,971, and were in the proportion of 156 deaths to 1,000 births. The rate of infant mortality varied in different districts from 215 (for Sinhalese) in Kurunégala, 202 (for Sinhalese) in Ratnapura, 194 (for Tamils) in Mannár, 187 (for Sinhalese) in Kéggalla to 68 in Chilaw, 72 in Kalutara, 102 in Colombo, and 118 in Negombo. Forty-five deaths were reported to be of centenarians (16 males and 29 females).

Sex.—Of the total number of births (25,434) 13,159 were males and 12,275 were females, *i.e.*, 107 males to 100 females; of the total number of deaths (22,232), 11,501 were males and 10,731 were females. Out of equal numbers living of each there died 946 males to 1,000 females.

IV.—State of Public Health.

The general health of the population during this quarter (29·0) has been bad, and the mortality has exceeded the average. The death-rates of almost all the Provinces of the Island (except the Eastern, North-Central, and Uva) were in excess of the average rates for the corresponding period of the last three years.

Tables III., IV., and V., in the appendix show the births and deaths and the death-rates for all ages and for infants in the several districts of the Island, and in the subdivisions of those districts for this quarter, for the immediately preceding two quarters, for the third quarter of last year, and the average for the corresponding period of the last three years 1891-93. The rates shown are for the Sinhalese only in the Sinhalese districts, and for the Tamils only in the Tamil districts. These separate rates furnish more trustworthy data for comparing the relative sanitary condition of those districts and divisions of the Island than if the rates included other nationalities temporarily resident in them. In the Puttalam District, where the Sinhalese and Mohammedans are found in almost equal numbers, and in the Batticaloa District, where the Tamils and Mohammedans are almost in equal numbers, the rates of the different sections of the population as well as of all races are given.

Western Province.—As usual the Western Province maintains the first place as the healthiest Province of the Island. The death-rate of the Sinhalese (who form the bulk of the population, and whose rate is a better standard than the rate for all races of the health of the Province) declined from 22 per 1,000 in the last quarter to 20 this quarter, which, though the same proportion as in the third quarter of 1893, was about 4 per 1,000 higher than the mean rate for third quarter of 1891-92 (16 per 1,000).

The death-rate of Colombo District, exclusive of the Municipality, was the same as in the third quarter of 1891-93 (16 per 1,000). In Héwágam and Salpiti kóralés (20·4 and 14·1 respectively) the death-rates were 2 per 1,000 below the average, while in Alutkuru kóralé south the death-rate (15·9) was 5 per 1,000 above the mean rate of the corresponding period in 1891-93 (11·0).

The death-rate of Negombo District increased from 21 per 1,000 (the average rate for the third quarter of 1891 and 1893, the third quarter of 1892, a period of unusually low mortality being excluded) to 25 per 1,000, the increase here being in Alutkuru kóralé north, which shows a rate (21·8) 4 per 1,000 in excess of the average (17·5).

The Kalutara District was healthier (17·2) than in the third quarter of 1891 (17·8), 1892 (18·0), or 1893 (19·2).

Southern Province.—The Southern Province, which usually comes next to the Western in point of health, is this quarter worse than the northern (20·4) and the Eastern Province (25·4), with a death-rate of 28·5 per 1,000. The unhealthiness of the Province during this quarter was mainly attributable to the Galle District, the mortality of which was over 50 per cent. in excess of the average, the death-rate recorded being 32·5 this quarter, while the mean rate of the corresponding period in 1891-92 was only 21·2. This increase was due to a heavy mortality from diarrhoeal diseases, the deaths from which increased from an average number of 238 for the third quarter of 1891-92 to 991 this quarter. The most marked increase in the mortality was in the Wellaboda pattuwa division of this district. The death-rate here was almost double the average, and increased from 20·9 (the average rate for third quarter of 1891-92) to 40·3 this quarter; it increased in Talpe pattu from 23·3 to 34·4, in Walallawiti from 21·5 to 30·8, and in Gangaboda from 20·2 to 26·2. Only in the division of Hinidum pattu was the death-rate below the average.

North-Western Province.—The mortality among the Sinhalese in the North-Western Province was in the quarter at the annual rate of 36 per 1,000, a decline of 4 per 1,000 on the mean rate of the immediately preceding two quarters (40 per 1,000). This reduction is due mainly to the improved health of the Kurunégala District, the death-rate of which fell from an average for the past two quarters of 45 per 1,000 (which is also the average rate for third quarter of 1891 and 1893) to 40 this quarter. The third quarter of 1892 was a period of very low mortality in this district, and should therefore be excluded from comparison. Confining the comparison to the third quarter of 1891 and 1893, the mortality in Hiriyala hatpattu fell from an average annual rate for those two quarters of 49 per 1,000 to 36 this quarter, in Dewameda from 50 to 40, in Katugampola from 36 to 28, and in Dambadeniya from 49 to 45. The death-rates in the Wannu and Weudawili hatpattu divisions were about the average.

The Chilaw District was in the quarter twice as healthy as the Kurunégala District, and shows a death-rate of 20·3, almost the same rate as the average for the corresponding period of 1891-93 (19·4).

Central Province.—The death-rate this quarter among the Sinhalese living in the Central Province (37·2) has been nearly double the rate for the Western Province (19·6), and 6 per 1,000 higher than the mean rate for the corresponding quarter of the last three years (31·0). This increase affected every district and division comprised in the Province, the only exception being Mátalé north, but this division had in the last two preceding quarters

experienced very high death-rates (71·6 in the first quarter and 50·1 in the second quarter), and the rate this quarter (39·2), though a great improvement on them, is not much lower than the average (41·9).

The most notable increase was in the Kandy District, which shows this quarter a death-rate (37·3) 10 per 1,000 in excess of the average rate for the third quarter of 1891-93 (27·4). The increase was due to the prevalence of fever, the deaths from which very nearly doubled, being 216 in the third quarters of 1891-93 and 408 this quarter. The next greatest increase was in the Mátalé District from 40·1 to 44·1, and then in the Nuwara Eliya District, the death-rate of which increased from 24·9 to 27·9 per 1,000.

Province of Sabaragamuwa.—The Ratnapura District maintained its usual health in the quarter, the death-rate recorded being 30 per 1,000, which is the average for the corresponding period of the last three years. In Kégalla, the other district included, in the Province of Sabaragamuwa, the mortality has been heavy, and the population suffered to a very serious extent from an outbreak of malarial fever, which broke, as in last year, towards the end of the first quarter. During the second quarter the epidemic attained the height of its virulence, and then continued to this quarter with a death-rate of 47·4, which is more than double the average of the corresponding period of 1891-92 (23·6) and higher than the rate for third quarter of last year (34·9), the unhealthiest third quarter on record.

Province of Uva.—The Province of Uva has been somewhat unhealthier this quarter (36·5) than in the last (34·1), and than in the corresponding quarter of 1893 (31·7) and 1892 (33·8), but not so unhealthy as in the third quarter of 1891, when the death-rate was as high as 47·1 per 1,000. The divisions of Bintenna, Buttala, and Wellassa in particular were unhealthy during this period, and their death-rates show great increase on the rates for the immediately preceding quarter. Thus in Bintenna the death-rate rose from 26·5 in the last to 45·1 this quarter, in Buttala from 40·1 in the last to 47·7 this quarter, and in Wellassa from 27·8 in the last to 42·5 this quarter.

North-Central Province.—The health of the Sinhalese population in the North-Central Province, which in the past two quarters (first quarter 48·7, second quarter 32·4) had been healthier than usual, shows a further improvement this quarter, the death-rate recorded being 30·8, or 3·5 lower than the mean rate for the corresponding period of 1891-93 (34·3). The improvement was general, and shared by every division of the Province.

Northern Province.—The mortality among the Tamils in the Northern Province, which next to the Western is the healthiest Province of the Island, has been this quarter almost in the same proportion (20·4) as the corresponding period of the last three years (19·8). The rate in the Jaffna District (19·4) exceeded the average rate for the same period in 1891-93 (17·9) by 1·5 per 1,000, and this increase was shared principally by the Jaffna division and by the Islands division of this district. In the former division the death-rate rose from 18·1 (the mean rate for third quarter of 1891-93) to 22·7 this quarter, and in the latter from 15·4 (the mean-rate for third quarter of 1891-93) to 19·6 this quarter. The Valikamam east division, however, forms an exception, and shows a death-rate (13·7) 4·4 lower than the average (18·1). The deaths in the Mannár District corresponded this quarter to an annual rate of 27·5 per 1,000. This rate, though lower than in the corresponding periods of 1891 and 1892 (both unhealthy periods), was above the rate for the third quarter of last year, an unusually healthy period in the district. The death-rate of Vavuniya District this quarter (44·0) was lower than in the third quarter of 1892 (59·0), but exceeded the rate for the third quarter of 1891 (36·5) and 1893 (26·7). The Mullaittivu District shows a comparatively low death-rate this quarter (26·1), and was healthier than in the third quarters of 1891 (66·6), 1892 (32·4), and 1893 (56·6).

Eastern Province.—The health of the Tamil population living in the Eastern Province has been very satisfactory during this quarter, the death-rate recorded being 25·4 per 1,000, which, with the exception of the rate for the fourth quarter of 1893 (25·0), is lower than for any previous quarter since 1891. The death-rate among the Tamils in the Batticaloa District (23·8) was 4·7 lower than the mean-rate for the corresponding period of 1891-93 (28·5), and among the Mohammedans the rate (22·3) was 6·4 lower than in the corresponding period of 1891-93 (29·7).

In the Trincomalee District the death-rate (32·1) was about 2 per 1,000 above the mean rate for the third quarter of 1891-93 (30·2), the increase being in the town division (which comprises more than half the population of the district), where the rate (38·5) was 7·4 in excess of the average (31·1), and in Koddiyar pattu, where the rate (44·0) was two and a half times the average (17·9).

V.—Causes of Death.

The causes of death registered in the Island during the quarter are given in Table XII. in the appendix. They may be summarized as follows:—

TABLE B.

| District. | Cholera. | Small-pox. | Fever. | Dysentery and Diarrhoea | Violence. | | | | All other Causes. | Total. |
|------------------|----------|------------|--------|-------------------------|-----------|----------|----------|------------|-------------------|--------|
| | | | | | Accidents | Homicide | Suicide. | Execution. | | |
| CEYLON ... | 134 | — | 6,216 | 6,320 | 350 | 26 | 25 | 6 | 9,155 | 22,232 |
| Colombo ... | 11 | — | 647 | 571 | 63 | 3 | 2 | 2 | 1,153 | 2,452 |
| Negombo ... | 9 | — | 401 | 186 | 9 | 3 | — | — | 360 | 968 |
| Kalutara ... | 5 | — | 213 | 230 | 25 | 2 | — | — | 422 | 897 |
| Kandy ... | 5 | — | 408 | 1,038 | 32 | 1 | 3 | 3 | 1,010 | 2,500 |
| Mátalé ... | 6 | — | 235 | 269 | 7 | 2 | 2 | — | 276 | 797 |
| Nuwara Eliya ... | 2 | — | 75 | 314 | 12 | 1 | — | — | 428 | 832 |
| Jaffna ... | — | — | 612 | 125 | 28 | — | 1 | — | 725 | 1,491 |
| Mannár ... | — | — | 39 | 21 | — | — | 2 | 1 | 85 | 148 |
| Mullaittivu ... | — | — | 19 | 5 | 1 | — | — | — | 22 | 47 |
| Vavuniya ... | 2 | — | 35 | 6 | 1 | — | — | — | 39 | 83 |
| Galle ... | 2 | — | 256 | 989 | 23 | 2 | 1 | — | 665 | 1,938 |
| Mátara ... | 4 | — | 283 | 374 | 21 | 2 | 2 | — | 415 | 1,101 |
| Hambantota ... | — | — | 294 | 136 | 10 | — | 1 | — | 157 | 598 |
| Batticaloa ... | — | — | 335 | 84 | 5 | — | 2 | — | 331 | 757 |
| Trincomalee ... | — | — | 67 | 26 | — | 1 | — | — | 80 | 174 |
| Kurunégala ... | 52 | — | 756 | 456 | 37 | 4 | 1 | — | 928 | 2,234 |
| Puttalam ... | 1 | — | 115 | 23 | 2 | — | — | — | 118 | 259 |
| Chilaw ... | 4 | — | 130 | 50 | 11 | 1 | 2 | — | 150 | 348 |
| Anurádhapura ... | 2 | — | 236 | 110 | 3 | — | — | — | 233 | 584 |
| Badulla ... | 1 | — | 306 | 546 | 15 | 1 | 2 | — | 501 | 1,372 |
| Ratnapura ... | 4 | — | 136 | 293 | 23 | — | — | — | 379 | 835 |
| Kégalla ... | 24 | — | 618 | 468 | 22 | 3 | 4 | — | 678 | 1,817 |

Fever and Diarrhoeal Diseases.—Of the 22,232 deaths registered in the quarter, 6,216 were reported as due to various forms of fever and 6,454 to diarrhoeal diseases, *i.e.*, fever contributed 28 per cent. and diarrhoeal diseases 29 per cent. of the total deaths from all causes. Under the head "Diarrhoeal Diseases", is included cholera, which accounted for 134 deaths, and to which cause probably many deaths really due to acute diarrhoea have been attributed.

There were no deaths registered this quarter from smallpox. Measles accounted for 51 deaths, of which 17 were in Mátara, 10 in Colombo, 6 in Jaffna, and 5 in Kandy.

The other chief natural causes of death were infantile convulsions 1,408, general dropsy 520, anæmia 424, debility 605, phthisis 637, pneumonia 175, bronchitis 73, pleurisy 117, worms 580, thrush 167, *dochmids duodenalis* 104 (of which 20 in Kandy, 54 in Kégalla, 11 in Badulla, 3 in Colombo, 10 in Kalutara, 5 in Ratnapura, and 1 in Galle), puerperal convulsions 388, childbirth 135, old age 328, premature birth 85 (of which 58 in Badulla), parangi 45 (of which 22 in Kurunégala), scrofula 114 (of which 37 in Kurunégala), want of breast milk 84 (of which 33 in Kandy, 21 in Badulla, 4 in Nuwara Eliya, and 7 in Mátalé), malarial cachexia 77, hydrophobia 20 (Mátara and Kurunégala 4 in each, Colombo 3, Negombo and Galle 2 in each, Kalutara, Hambantota, Jaffna, Chilaw, and Anurádhapura 1 in each).

Deaths by Violence.—Of the 407 attributed to these causes, 102 are attributed to fall from trees, 51 to drowning, 31 to snake-bites, 29 to injury at birth, 21 to burns and scalds, 19 to gunshot wounds, 16 to fall of heavy substances, 7 to fall from height other than from trees, 3 to wasp stings, 1 to being run over by train, 3 to being run over by cart, 1 to lightning, 1 to sunstroke.

Twenty-five deaths were attributed to suicide, of which the majority (13) were by hanging, 3 by drowning, 4 by poison, and 5 otherwise.

Twenty-six deaths were attributed to murder and other forms of homicide (19 Sinhalese, 4 Tamils, and 3 Moors).

Six men were judicially executed this quarter: 3 in Kandy, 2 in Colombo, and 1 in Mannár.

VI.—Health of the Estate Population.

The total number of births reported for registration this quarter from the estates in the Central, Uva, and the Sabaragamuwa Provinces, and in the Kalutara District of the Western Province was 1,597 (of which 2 were Europeans, 1 Burgher, 14 Sinhalese, 1,574 Tamils, 5 Moors, and 1 Malay), and the total number of deaths was 1,915 (21 Sinhalese, 1,889 Tamils, and 5 Moors), corresponding respectively to an annual rate of 27.3 and 32.8 per 1,000. The causes of death are given in detail in Table XIII., and may be summarized as follows:—

| | | | | | |
|----------------------|-----|-----|-------------------------|-----|-----|
| Fever | ... | 130 | Anchylostomiasis | ... | 72 |
| Diarrhoea | ... | 352 | Bronchitis | ... | 33 |
| Dysentery | ... | 402 | Pneumonia | ... | 92 |
| Want of Breast Milk | ... | 38 | Diseases of Parturition | ... | 30 |
| Old Age | ... | 49 | Debility | ... | 268 |
| Infantile Convulsion | ... | 77 | Other Causes | ... | 372 |

TABLE C.

| Districts. | Estimated Population in 1894. | Birth-rate during the Third Quarter of | | | | Death-rate during the Third Quarter of | | | |
|------------------|-------------------------------|--|-------|-------|-------|--|-------|-------|-------|
| | | 1891. | 1892. | 1893. | 1894. | 1891. | 1892. | 1893. | 1894. |
| Kandy ... | 91,775 | 29.1 | 29.8 | 23.4 | 28.4 | 26.2 | 29.4 | 38.5 | 31.2 |
| Mátalé ... | 14,342 | 19.1 | 28.8 | 24.3 | 22.4 | 28.2 | 33.6 | 42.6 | 37.1 |
| Nuwara Eliya ... | 61,836 | 17.2 | 27.3 | 27.8 | 30.7 | 14.8 | 31.5 | 38.3 | 33.6 |
| Badulla ... | 29,967 | 26.6 | 27.3 | 27.3 | 29.5 | 22.8 | 33.7 | 33.2 | 24.2 |
| Ratnapura ... | 5,279 | 26.3 | 34.6 | 36.1 | 35.3 | 15.8 | 18.1 | 33.1 | 36.1 |
| Kégalla ... | 21,261 | 13.5 | 16.4 | 12.2 | 15.5 | 13.7 | 21.4 | 35.7 | 44.8 |
| Kalutara ... | 4,304 | — | 25.2 | 37.8 | 3.7 | 25.8 | 13.9 | 30.3 | 36.1 |

Kandy District.—The total number of births reported for registration from the estates in the Kandy District was 667, of which 657 were Tamils, 5 Sinhalese, and 5 Moors; and the deaths numbered 733, of which 721 were Tamils, 8 Sinhalese, 4 Moors. The Tamil birth-rate in the quarter was equal to 28.4, as against a mean rate of 27.4 in the corresponding period of 1891-93, and the Tamil death-rate was equal to 31.2, as against a mean rate of 31.4 in the third quarter of 1891-93. As usual, the most fatal cause was diarrhoeal diseases, which caused 286 deaths (1 from cholera, 135 from diarrhoea, and 150 from dysentery), or nearly 39 per cent. of the total number of deaths (733). The other chief causes of death were debility 107 (including mostly deaths of infants from inability to suck milk), pneumonia 43, infantile convulsion 31, general dropsy 18, anchylostomiasis 11, starvation and want of breast milk 24, childbirth 7, old age 19, fever 52, bronchitis 13, malarial cachexia 9, anæmia 11, and phthisis 6.

Mátalé District.—The total number of births reported for registration from the estates in the Mátalé District was 83 (81 were Tamils, 1 a Sinhalese, and 1 a Malay), and the deaths numbered 134 (all Tamils), and corresponded to an annual birth-rate of 22.4 (against a mean rate of 24.1 in the corresponding period of 1891-93) and a death-rate of 37.1 (against a mean rate of 34.8 in the third quarter of 1891-93) respectively. Dysentery and diarrhoea caused 56 deaths, *i.e.*, 42 per cent. of the total number of deaths (134), debility caused 2, pneumonia 6, fever 19, malarial cachexia 1, general dropsy 9, childbirth 2, and old age 3, anæmia 3, and debility 2.

Nuwara Eliya District.—The total number of births reported for registration from the estates in the Nuwara Eliya District was 482 (1 European, 2 Sinhalese, and 479 Tamils), and the deaths numbered 526 (524 Tamils and 2 Sinhalese) and corresponded to an annual birth-rate of 30.7 (against a mean rate of 24.1 in the third quarter of 1891-93), and a death-rate of 33.6 (against a mean death-rate of 28.2 in the third quarter of 1891-93), respectively. Dysentery and diarrhoea were fatal in 199 cases, or nearly 38 per cent. of the total deaths (526). 108 deaths are

attributed to debility (mostly of infants from inability to suck), 25 to fever, 25 to pneumonia, 25 to general dropsy, 21 to old age, 18 to infantile convulsion, 2 to premature birth, 1 to phthisis, 17 to bronchitis, 4 to starvation and want of breast milk.

Badulla District.—The total number of births reported for registration from the estates in the Badulla District was 225 (1 European, 1 Burgher, and 223 Tamils), and the deaths numbered 183 (all Tamils) and corresponded to an annual birth-rate of 29·5 (against a mean rate of 27·1 in the corresponding period of 1891-93), and a death-rate of 24·2 (against a mean rate of 29·9 in the third quarter of 1891-93) respectively. Dysentery and diarrhoea were fatal in 77 cases, or nearly 42 per cent. of the total deaths (183), debility in 21 (mostly of infants from inability to suck), fever in 10, infantile convulsion in 12, pneumonia in 8, anchylostomiasis in 7, starvation and want of breast milk in 2.

Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura District was 50 (47 Tamils and 3 Sinhalese), and the deaths numbered 48 (all Tamils), and corresponded respectively to an annual birth-rate among the Tamils of 35·3 and a death-rate of 36·1 per 1,000.

As usual the most fatal cause was diarrhoeal diseases, which caused 22 deaths (13 from dysentery and 9 from diarrhoea), or 46 per cent. of the total number of deaths (48). The other most fatal causes of deaths were debility 7, starvation and want of breast milk 1, infantile convulsion and *dochmius duodenalis* 3 each.

Kégalla District.—The total number of births reported for registration from the estates in the Kégalla District was 86 (83 Tamils and 3 Sinhalese), and the deaths numbered 250 (240 Tamils, 9 Sinhalese, and 1 Moor), and corresponded respectively to an annual birth-rate among the Tamils of 15·5 and a death-rate of 44·8 per 1,000. Kégalla thus maintains its reputation as the district containing the unhealthiest estates.

The most fatal cause was diarrhoeal diseases, which caused 100 deaths (73 from diarrhoea and 27 from dysentery), or 40 per cent. of the total number of deaths (250). The other most fatal causes of deaths were anchylostomiasis 44, debility 20 (mostly of infants from inability to suck milk), fever 15, general dropsy 12, malarial cachexia 9, pneumonia 9, infantile convulsion 7, and old age 6.

Kalutara District.—The total number of births reported for registration from the estates in the Kalutara District was 4 (all Tamils), and the deaths numbered 41 (39 Tamils and 2 Sinhalese), and corresponded respectively to an annual birth-rate among the Tamils of 3·7 and a death-rate of 36·1 per 1,000.

The most fatal cause was diarrhoeal diseases, which caused 15 deaths (10 from dysentery and 5 from diarrhoea), or 36 per cent. of the total number of deaths (41). The other most fatal causes of deaths were *dochmius duodenalis* 7, debility 3, fever 8, anæmia 2, and pneumonia 1.

VII.—Health of the Principal Towns.

The total number of births registered in the principal towns of the Island during the third quarter of 1894 numbered 2,476, representing an annual rate of 31·2 per 1,000, being 2·4 lower than the mean rate for the corresponding period of the last three years (28·8).

The deaths in the principal towns during the quarter numbered 2,738, and corresponded to an annual rate of 34·6 per 1,000, being 1·2 per 1,000 lower than in the third quarter of last year (35·8). In the third quarter of 1891 the death-rate was equal to 26·6 and in 1892 it was 26·4. The higher mortality shown in 1893 and 1894 is due to improved registration of deaths in the town of Colombo.

The following table shows the birth and death-rates in each of the principal towns for the third quarter of 1894, and for its corresponding period in 1891, 1892, and 1893:—

| Town. | Birth-rate per Mille per Annum. | | | | Death-rate per Mille per Annum. | | | |
|--------------|---------------------------------|-------|-------|-------|---------------------------------|-------|-------|-------|
| | Third Quarter. | | | | Third Quarter. | | | |
| | 1891. | 1892. | 1893. | 1894. | 1891. | 1892. | 1893. | 1894. |
| Colombo... | 22·3 | 17·1 | 20·8 | 22·0 | 24·2 | 20·9 | 32·9 | 34·9 |
| Negombo | 69·8 | 80·0 | 91·2 | 83·4 | 39·8 | 34·8 | 52·4 | 61·2 |
| Kalutara... | 24·8 | 22·6 | 26·3 | 22·6 | 26·3 | 34·3 | 23·7 | 23·7 |
| Ratnapura | 24·7 | 33·7 | 25·9 | 49·5 | 16·9 | 19·1 | 61·9 | 41·6 |
| Kurunégala | 16·7 | 15·9 | 15·9 | 15·9 | 59·4 | 33·4 | 88·6 | 58·5 |
| Puttalam | 30·7 | 32·3 | 23·6 | 40·2 | 41·8 | 32·3 | 46·5 | 40·2 |
| Chilaw ... | 22·3 | 28·7 | 20·2 | 15·9 | 26·5 | 15·9 | 22·3 | 10·6 |
| Kandy ... | 11·0 | 11·0 | 12·5 | 12·2 | 23·0 | 28·6 | 28·6 | 26·6 |
| Mátalé ... | 19·9 | 12·3 | 12·3 | 11·3 | 63·3 | 34·0 | 96·4 | 35·9 |
| Nuwara Eliya | 16·0 | 8·7 | 24·7 | 17·5 | 26·2 | 65·5 | 48·0 | 17·5 |
| Badulla ... | 21·3 | 31·6 | 29·2 | 37·1 | 108·2 | 49·0 | 56·9 | 51·3 |
| Jaffna ... | 41·1 | 37·6 | 36·4 | 44·1 | 25·3 | 22·0 | 25·5 | 30·2 |
| Batticaloa | 19·1 | 19·7 | 36·6 | 21·3 | 16·4 | 17·5 | 24·1 | 12·0 |
| Trincomalee | 32·5 | 29·6 | 38·5 | 25·9 | 27·6 | 34·9 | 21·6 | 34·5 |
| Galle ... | 34·1 | 49·4 | 34·6 | 46·4 | 20·3 | 41·3 | 48·7 | 41·0 |
| Mátara ... | 27·2 | 25·4 | 30·0 | 24·4 | 28·6 | 24·4 | 42·4 | 21·7 |
| Hambantota | 38·3 | 27·6 | 30·7 | 44·5 | 62·9 | 24·5 | 27·6 | 29·1 |

The birth-rates ranged from 11·3 per mille of population per annum in Mátalé to 83·4 in Negombo. In six towns the rates were above 40 per mille, in five they were between 20 and 30, and in five they were below 20.

The highest death-rate (61·2) was in Negombo, which has also the highest birth-rate (83·4). Next to Negombo the highest death-rate is in Kurunégala (58·5), but the rate for Kurunégala, as also the rates for Chilaw, Ratnapura, Mátalé, Nuwara Eliya, and Hambantota, are untrustworthy, and liable to constant fluctuation owing to the population of these towns being too small for purposes of rate calculation. Omitting these towns, Badulla has next to Negombo the highest death-rate (51·3), and is followed by Galle (41·0), Puttalam (40·2), Colombo (34·9), Trincomalee (34·5), Jaffna (30·2), Kalutara (23·7), and Mátara (21·7).

For detailed particulars of the health of the town of Colombo in this quarter reference is requested to my report published in the *Gazette* of November 30, 1894.

Registrar-General's Office,
Colombo, December 17, 1894.

P. ARUNÁCHALAM,
Acting Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, Marriages, Births, and Deaths registered in the Third Quarter of 1894.

| Province and District. | Area in Square Miles. | Population, July 1, 1894. | MARRIAGES. | | | BIRTHS. | | | | DEATHS. | | | |
|------------------------|-----------------------|---------------------------|------------|----------|----------|---------|-------------|----------|---------------|----------|--------|--------|----------|
| | | | Total. | General. | Kandyan. | Total. | Legitimate. | | Illegitimate. | | Total. | Males. | Females. |
| | | | | | | | Males. | Females. | Males. | Females. | | | |
| CEYLON ... | 25,333 | 3,035,554 | 4,394 | 3,079 | 1,315 | 25,434 | 9,170 | 8,582 | 3,989 | 3,693 | 22,232 | 11,501 | 10,731 |
| Western ... | 1,432 | 784,019 | 1,317 | 1,317 | — | 5,616 | 2,564 | 2,423 | 332 | 297 | 4,317 | 2,281 | 2,036 |
| Central ... | 2,300 | 471,635 | 341 | 102 | 239 | 3,895 | 1,277 | 1,254 | 717 | 647 | 4,129 | 2,142 | 1,987 |
| Northern ... | 3,363 | 328,735 | 561 | 560 | 1 | 2,724 | 859 | 823 | 527 | 515 | 1,769 | 955 | 814 |
| Southern ... | 2,146 | 495,512 | 695 | 694 | 1 | 4,313 | 1,624 | 1,487 | 635 | 567 | 3,637 | 1,806 | 1,831 |
| Eastern ... | 4,037 | 153,142 | 149 | 139 | 10 | 1,689 | 490 | 477 | 368 | 354 | 931 | 492 | 439 |
| North-Western ... | 2,997 | 311,491 | 603 | 211 | 392 | 2,662 | 993 | 854 | 415 | 400 | 2,841 | 1,469 | 1,372 |
| North-Central ... | 4,002 | 74,103 | 59 | 11 | 48 | 941 | 175 | 204 | 292 | 270 | 584 | 305 | 279 |
| Uva ... | 3,155 | 161,247 | 383 | 13 | 370 | 1,683 | 554 | 494 | 334 | 301 | 1,372 | 742 | 630 |
| Sabaragamuwa ... | 1,901 | 255,670 | 286 | 32 | 254 | 1,911 | 634 | 566 | 369 | 342 | 2,652 | 1,309 | 1,343 |
| Western. | | | | | | | | | | | | | |
| Colombo ... | 561 | 455,838 | 748 | 748 | — | 2,931 | 1,329 | 1,257 | 189 | 156 | 2,452 | 1,324 | 1,128 |
| Negombo ... | 247 | 138,499 | 260 | 260 | — | 1,318 | 572 | 545 | 96 | 105 | 968 | 494 | 474 |
| Kalutara ... | 624 | 189,682 | 309 | 309 | — | 1,367 | 663 | 621 | 47 | 36 | 897 | 463 | 434 |
| Central. | | | | | | | | | | | | | |
| Kandy ... | 978 | 286,354 | 209 | 76 | 133 | 2,333 | 702 | 701 | 486 | 444 | 2,500 | 1,265 | 1,235 |
| Mátalé ... | 926 | 75,074 | 83 | 13 | 70 | 662 | 213 | 216 | 123 | 110 | 797 | 419 | 378 |
| Nuwara Eliya ... | 396 | 110,207 | 49 | 13 | 36 | 900 | 362 | 337 | 108 | 93 | 832 | 458 | 374 |
| Northern. | | | | | | | | | | | | | |
| Jaffna ... | 819 | 289,868 | 489 | 489 | — | 2,378 | 708 | 714 | 484 | 472 | 1,491 | 798 | 693 |
| Mannár ... | 546 | 23,861 | 49 | 49 | — | 169 | 103 | 60 | 2 | 4 | 148 | 86 | 62 |
| Mullaittivu ... | 936 | 7,097 | 10 | 10 | — | 93 | 19 | 23 | 23 | 28 | 47 | 27 | 20 |
| Vavuniya ... | 1,062 | 7,909 | 13 | 12 | 1 | 84 | 29 | 26 | 18 | 11 | 83 | 44 | 39 |
| Southern. | | | | | | | | | | | | | |
| Galle ... | 652 | 227,898 | 260 | 259 | 1 | 1,932 | 894 | 757 | 156 | 125 | 1,938 | 950 | 988 |
| Mátara ... | 481 | 179,855 | 273 | 273 | — | 1,568 | 538 | 522 | 271 | 237 | 1,101 | 544 | 557 |
| Hambantota ... | 1,013 | 87,759 | 162 | 162 | — | 813 | 192 | 208 | 208 | 205 | 598 | 312 | 286 |
| Eastern. | | | | | | | | | | | | | |
| Batticaloa ... | 2,872 | 127,360 | 120 | 110 | 10 | 1,487 | 420 | 419 | 335 | 313 | 757 | 399 | 358 |
| Trincomalee ... | 1,165 | 25,782 | 29 | 29 | — | 202 | 70 | 58 | 33 | 41 | 174 | 93 | 81 |
| North-Western. | | | | | | | | | | | | | |
| Kurunégala ... | 1,845 | 221,729 | 432 | 63 | 369 | 1,958 | 665 | 586 | 359 | 348 | 2,234 | 1,134 | 1,100 |
| Puttalam ... | 890 | 25,746 | 37 | 14 | 23 | 245 | 115 | 86 | 27 | 17 | 259 | 154 | 105 |
| Chilaw ... | 262 | 64,016 | 134 | 134 | — | 459 | 213 | 182 | 29 | 35 | 348 | 181 | 167 |
| North-Central. | | | | | | | | | | | | | |
| Anurádhapura ... | 4,002 | 74,103 | 59 | 11 | 48 | 941 | 175 | 204 | 292 | 270 | 584 | 305 | 279 |
| Uva. | | | | | | | | | | | | | |
| Badulla ... | 3,155 | 161,247 | 383 | 13 | 370 | 1,683 | 554 | 494 | 334 | 301 | 1,372 | 742 | 630 |
| Sabaragamuwa. | | | | | | | | | | | | | |
| Ratnapura ... | 1,259 | 107,609 | 154 | 11 | 143 | 958 | 333 | 326 | 149 | 150 | 835 | 432 | 403 |
| Kégalla ... | 642 | 148,061 | 132 | 21 | 111 | 953 | 301 | 240 | 220 | 192 | 1,817 | 877 | 940 |

Table II.—Birth and Death Rates in the Second and Third Quarters of this year, the Third Quarter of 1893, and the Mean Rate for the Third Quarter in the years 1884-93.

| Province and District. | Birth-rate per Mille per Annum. | | | | Death-rate per Mille per Annum. | | | |
|------------------------|---|------------------------|-------------------------|------------------------|---|------------------------|-------------------------|------------------------|
| | Average of Ten Third Quarters of 1884-93. | Third Quarter of 1893. | Second Quarter of 1894. | Third Quarter of 1894. | Average of Ten Third Quarters of 1884-93. | Third Quarter of 1893. | Second Quarter of 1894. | Third Quarter of 1894. |
| CEYLON | 28.3 | 30.4 | 34.2 | 33.2 | 24.9 | 29.5 | 29.8 | 29.0 |
| Western | 25.6 | 27.9 | 32.5 | 28.4 | 18.8 | 22.2 | 25.9 | 21.8 |
| Central | 27.7 | 28.1 | 33.4 | 32.8 | 27.5 | 34.2 | 33.3 | 34.7 |
| Northern | 30.5 | 31.9 | 37.2 | 32.9 | 20.4 | 19.8 | 22.8 | 21.3 |
| Southern | 27.4 | 32.9 | 33.0 | 34.5 | 23.7 | 31.3 | 25.1 | 29.1 |
| Eastern | 39.7 | 41.9 | 47.2 | 43.8 | 25.9 | 31.1 | 29.7 | 24.1 |
| North-Western | 32.9 | 28.6 | 31.9 | 33.9 | 33.7 | 38.7 | 39.1 | 36.2 |
| North-Central | 36.0 | 34.5 | 44.6 | 50.4 | 31.3 | 32.0 | 32.1 | 31.3 |
| Uva | 33.0 | 37.5 | 45.0 | 41.4 | 32.9 | 31.8 | 32.1 | 33.7 |
| Sabaragamuwa | 24.7 | 25.3 | 32.2 | 29.6 | 27.6 | 37.1 | 45.4 | 41.2 |
| Western. | | | | | | | | |
| Colombo | 23.4 | 25.2 | 27.3 | 25.5 | 17.5 | 21.7 | 24.6 | 21.3 |
| Negombo | 34.4 | 38.2 | 36.9 | 37.7 | 20.9 | 26.1 | 29.5 | 27.7 |
| Kalutara | 24.5 | 26.9 | 31.5 | 28.6 | 20.1 | 20.4 | 18.1 | 18.9 |
| Central. | | | | | | | | |
| Kandy | 26.8 | 25.6 | 31.5 | 32.3 | 26.9 | 31.6 | 31.3 | 34.6 |
| Matalé | 31.9 | 35.3 | 41.1 | 35.0 | 35.5 | 47.2 | 39.6 | 42.1 |
| Nuwara Eliya | 27.2 | 29.5 | 33.3 | 32.4 | 23.5 | 31.9 | 34.3 | 29.9 |
| Northern. | | | | | | | | |
| Jaffna | 30.3 | 31.4 | 37.4 | 32.5 | 18.7 | 18.9 | 21.9 | 20.4 |
| Mannár | 33.0 | 34.8 | 32.3 | 28.1 | 29.6 | 18.6 | 30.1 | 24.6 |
| Mullaittivu | 32.6 | 33.8 | 37.3 | 52.0 | 41.1 | 55.4 | 32.2 | 26.3 |
| Vavuniya | 31.0 | 38.5 | 44.3 | 42.1 | 36.0 | 26.3 | 25.0 | 41.6 |
| Southern. | | | | | | | | |
| Galle | 26.2 | 30.8 | 34.3 | 33.6 | 24.7 | 33.1 | 27.1 | 33.7 |
| Mátara | 27.0 | 32.4 | 31.0 | 34.7 | 22.5 | 30.7 | 20.3 | 24.3 |
| Hambantota | 31.5 | 39.7 | 33.8 | 36.7 | 23.5 | 27.7 | 29.9 | 27.0 |
| Eastern. | | | | | | | | |
| Batticaloa | 41.4 | 43.5 | 48.7 | 46.3 | 26.0 | 32.6 | 27.3 | 23.6 |
| Trincómalee | 31.3 | 34.3 | 40.3 | 31.1 | 25.2 | 23.9 | 41.7 | 26.7 |
| North-Western. | | | | | | | | |
| Kurunégala | 35.1 | 29.2 | 34.5 | 35.0 | 38.0 | 43.0 | 44.9 | 40.0 |
| Puttalam | 31.0 | 28.5 | 30.8 | 37.7 | 35.7 | 35.7 | 39.8 | 39.9 |
| Chilaw | 25.7 | 26.6 | 23.5 | 28.4 | 18.4 | 24.8 | 18.9 | 21.6 |
| North-Central. | | | | | | | | |
| Anurádhapura | 36.0 | 34.5 | 44.6 | 50.4 | 31.3 | 32.0 | 32.1 | 31.3 |
| Uva. | | | | | | | | |
| Badulla | 33.0 | 37.5 | 45.0 | 41.4 | 32.9 | 31.8 | 32.1 | 33.7 |
| Sabaragamuwa. | | | | | | | | |
| Ratnapura | 28.5 | 31.2 | 38.6 | 35.3 | 29.4 | 35.4 | 32.7 | 30.8 |
| Kégalla | 21.9 | 21.0 | 27.6 | 25.5 | 26.3 | 33.3 | 54.5 | 48.7 |

Table III.—Sinhalese Births and Deaths, with the Birth-rate and Death-rate for all Ages, and for Infants in Sinhalese Districts.

| Province, District, and Division. | Area in Square Miles. | Population at the Census of 1891. | Births. | Deaths. | Birth-rate. | | | | | Death-rate. | | | | | Deaths of Children under 1 year to 1,000 Births in the Third Quarter of 1894. |
|---|-----------------------|-----------------------------------|---------|---------|---|------------------------|------------------------|-------------------------|------------------------|---|------------------------|------------------------|-------------------------|------------------------|---|
| | | | | | Average of Three Third Quarters, 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | Average of Three Third Quarters, 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | |
| CEYLON ... | — | 2,042,387 | 17,330 | 15,301 | 30.7 | 30.6 | 31.9 | 33.7 | 33.3 | 26.2 | 29.0 | 28.3 | 29.7 | 29.4 | 145 |
| WESTERN ... | — | 647,614 | 4,643 | 3,312 | 29.6 | 27.2 | 28.9 | 29.0 | 27.5 | 17.8 | 20.0 | 19.1 | 22.1 | 19.6 | 97 |
| <i>Colombo</i> ... | — | 365,735 | 2,408 | 1,798 | 30.4 | 25.4 | 27.1 | 27.3 | 25.3 | 17.1 | 19.3 | 19.2 | 22.5 | 18.9 | 102 |
| Colombo Municipality ... | 10 | 59,962 | 237 | 516 | 14.4 | 15.5 | 16.5 | 17.9 | 16.1 | 21.3 | 31.3 | 33.9 | 32.9 | 35.0 | 519 |
| Alutkuru Koralé South... 72 | | 56,762 | 376 | 236 | 22.9 | 21.7 | 24.1 | 29.4 | 25.3 | 11.0 | 11.8 | 13.6 | 18.4 | 15.9 | 93 |
| Héwágam Koralé ... 170 | | 52,505 | 450 | 284 | 42.3 | 37.2 | 38.6 | 36.5 | 32.3 | 22.8 | 23.8 | 20.9 | 28.1 | 20.4 | 35 |
| Salpiti Koralé ... 75 | | 79,007 | 560 | 292 | 30.0 | 27.7 | 29.6 | 29.3 | 27.0 | 16.4 | 14.5 | 14.6 | 15.3 | 14.1 | 71 |
| Siyané Koralé ... 233.3 | | 117,499 | 785 | 470 | 37.2 | 25.6 | 26.8 | 25.2 | 25.5 | 15.9 | 18.3 | 16.6 | 20.9 | 15.3 | 41 |
| <i>Negombo</i> ... | — | 116,310 | 1,025 | 771 | 31.3 | 33.3 | 30.5 | 32.2 | 33.8 | 18.9 | 23.0 | 20.5 | 29.1 | 25.4 | 118 |
| Negombo Local Board ... 7.4 | | 10,927 | 168 | 156 | 55.7 | 61.2 | 52.7 | 60.4 | 58.2 | 37.0 | 41.8 | 43.5 | 44.6 | 54.0 | 190 |
| Alutkuru Koralé North... 159 | | 78,891 | 636 | 451 | 27.6 | 28.4 | 28.3 | 29.2 | 30.8 | 15.4 | 18.3 | 17.9 | 22.7 | 21.8 | 104 |
| Háptigam Koralé ... 81.4 | | 26,492 | 221 | 164 | 32.2 | 36.4 | 28.0 | 29.3 | 32.4 | 21.9 | 29.3 | 18.9 | 41.3 | 24.1 | 104 |
| <i>Kalutara</i> ... | — | 165,569 | 1,210 | 743 | 26.3 | 26.5 | 31.6 | 30.8 | 27.9 | 18.3 | 19.2 | 19.3 | 16.4 | 17.2 | 72 |
| Kalutara Local Board ... 1.2 | | 8,445 | 58 | 47 | 24.6 | 30.7 | 35.0 | 32.7 | 26.8 | 22.9 | 24.2 | 29.3 | 24.7 | 21.7 | 121 |
| Kalutara Totamuna ... 46.3 | | 63,156 | 495 | 282 | 26.6 | 27.7 | 36.5 | 33.7 | 29.9 | 18.4 | 17.8 | 20.6 | 16.3 | 17.0 | 60 |
| Pasdun Koralé ... 40.3 | | 36,658 | 253 | 157 | 26.0 | 21.9 | 25.0 | 25.7 | 26.6 | 20.2 | 21.0 | 16.9 | 13.8 | 16.6 | 79 |
| Rayigam Koralé ... 172 | | 57,310 | 404 | 257 | 26.4 | 27.5 | 30.1 | 30.4 | 26.9 | 16.5 | 19.0 | 17.9 | 16.7 | 17.1 | 74 |
| CENTRAL ... | — | 248,381 | 2,412 | 2,352 | 31.5 | 32.9 | 33.3 | 39.7 | 38.2 | 31.0 | 32.4 | 32.6 | 35.1 | 37.2 | 177 |
| <i>Kandy</i> ... | — | 157,056 | 1,475 | 1,488 | 29.6 | 29.8 | 29.8 | 36.9 | 37.0 | 27.4 | 29.6 | 27.5 | 33.9 | 37.3 | 174 |
| Kandy Municipality ... 6.7 | | 9,704 | 38 | 55 | 13.4 | 14.7 | 14.2 | 21.3 | 16.0 | 24.5 | 25.1 | 25.8 | 23.4 | 23.2 | 237 |
| Hárispattu ... 50.0 | | 25,201 | 248 | 263 | 31.5 | 30.0 | 31.8 | 37.2 | 38.8 | 26.8 | 35.0 | 31.2 | 33.4 | 41.3 | 197 |
| Páta Dumbara ... 107.3 | | 25,433 | 295 | 281 | 29.8 | 31.5 | 28.5 | 30.6 | 39.1 | 23.5 | 24.3 | 24.7 | 28.7 | 37.3 | 112 |
| Páta Héwáheta ... 57.1 | | 11,764 | 135 | 92 | 36.8 | 36.6 | 40.5 | 51.8 | 43.8 | 25.5 | 29.0 | 29.8 | 28.1 | 29.9 | 118 |
| Tumpané ... 46.4 | | 10,975 | 101 | 123 | 31.0 | 25.9 | 32.6 | 32.9 | 37.5 | 36.3 | 40.4 | 24.7 | 47.2 | 45.7 | 337 |
| Uda Bulatgama ... 296.4 | | 10,521 | 62 | 59 | 17.9 | 17.0 | 18.9 | 23.7 | 23.4 | 17.0 | 18.5 | 15.4 | 18.7 | 22.2 | 226 |
| Uda Dumbara ... 238.8 | | 18,432 | 270 | 183 | 36.2 | 40.6 | 31.8 | 62.2 | 58.5 | 29.8 | 29.5 | 41.8 | 50.4 | 38.8 | 127 |
| Udu Nuwara ... 34.6 | | 10,928 | 106 | 131 | 39.1 | 42.4 | 32.3 | 41.9 | 37.4 | 29.9 | 32.1 | 27.9 | 26.5 | 46.3 | 245 |
| Uda Paláta ... 106 | | 16,640 | 93 | 153 | 23.7 | 23.7 | 18.1 | 25.7 | 22.3 | 24.2 | 29.9 | 17.6 | 30.8 | 36.7 | 118 |
| Yafinuwara ... 33.3 | | 13,458 | 121 | 148 | 29.1 | 25.8 | 45.6 | 36.3 | 35.7 | 34.0 | 32.9 | 29.0 | 47.9 | 43.8 | 248 |
| <i>Mátalé</i> ... | — | 52,734 | 537 | 582 | 40.3 | 40.0 | 43.5 | 46.9 | 40.7 | 40.1 | 47.8 | 54.3 | 43.3 | 44.1 | 177 |
| Mátalé Local Board ... 1.2 | | 1,753 | 9 | 13 | 21.6 | 21.1 | 29.0 | 21.6 | 21.6 | 50.7 | 56.2 | 33.9 | 67.1 | 31.2 | — |
| Mátalé South ... 163.3 | | 22,858 | 227 | 265 | 38.7 | 37.4 | 38.4 | 39.0 | 39.6 | 38.1 | 49.8 | 47.5 | 39.9 | 46.2 | 154 |
| Mátalé East ... 373.3 | | 13,090 | 155 | 158 | 39.1 | 40.7 | 53.3 | 46.3 | 46.6 | 40.7 | 44.6 | 49.3 | 38.6 | 47.5 | 187 |
| Mátalé North ... 388.8 | | 15,033 | 146 | 146 | 46.1 | 45.6 | 44.6 | 62.6 | 39.2 | 41.9 | 46.7 | 71.6 | 50.1 | 39.2 | 212 |
| <i>Nuwara Eliya</i> ... | — | 38,591 | 400 | 282 | 35.5 | 35.8 | 33.7 | 41.1 | 39.6 | 24.9 | 23.0 | 24.1 | 28.8 | 27.9 | 187 |
| Nuwara Eliya Local Board and outside ... 4 | | 1,317 | 4 | 8 | 20.0 | 32.9 | 24.2 | 14.9 | 11.8 | 15.0 | 18.0 | 6.1 | 29.8 | 23.7 | 1,000 |
| Kotmalé ... 169.3 | | 12,854 | 106 | 82 | 28.8 | 27.1 | 27.3 | 29.4 | 32.1 | 21.6 | 22.9 | 19.8 | 34.6 | 24.9 | 274 |
| Uda Héwáheta ... 108.3 | | 14,745 | 148 | 97 | 38.1 | 40.4 | 34.4 | 42.9 | 38.3 | 26.0 | 21.5 | 24.8 | 23.6 | 25.1 | 128 |
| Walapané ... 113.3 | | 9,675 | 142 | 95 | 42.6 | 40.6 | 42.3 | 56.9 | 54.4 | 27.4 | 26.2 | 30.8 | 28.9 | 36.4 | 162 |
| SOUTHERN. ... | — | 464,414 | 4,002 | 3,378 | 29.1 | 31.6 | 33.8 | 31.7 | 33.7 | 26.0 | 29.9 | 27.2 | 23.5 | 28.5 | 125 |
| <i>Galle</i> ... | — | 208,764 | 1,712 | 1,755 | 29.0 | 29.6 | 36.6 | 31.5 | 31.7 | 24.3 | 30.4 | 26.0 | 23.8 | 32.5 | 123 |
| Galle Municipality ... 6 | | 23,914 | 208 | 199 | 30.2 | 23.2 | 48.0 | 39.1 | 33.3 | 23.4 | 28.2 | 20.8 | 33.5 | 31.8 | 183 |
| Four Gravets beyond Municipal limits and ... 25.1 | | 17,288 | 130 | 98 | 24.2 | 23.1 | 30.9 | 24.1 | 28.9 | 18.3 | 22.7 | 16.0 | 13.9 | 21.8 | 100 |
| Akmimána ... 128.3 | | 26,055 | 187 | 178 | 31.2 | 32.1 | 33.7 | 38.1 | 27.5 | 24.7 | 33.8 | 24.1 | 20.4 | 26.2 | 128 |
| Gangaboda Pattuwa ... 83.4 | | 54,676 | 460 | 566 | 27.2 | 30.0 | 33.9 | 27.0 | 32.7 | 23.9 | 29.7 | 27.6 | 25.8 | 40.3 | 115 |
| Wellaboda Pattuwa ... 97 | | 45,189 | 364 | 402 | 31.0 | 31.8 | 38.0 | 31.5 | 31.1 | 26.0 | 31.4 | 29.5 | 23.9 | 34.4 | 124 |
| Talpé Pattuwa ... 146 | | 36,034 | 301 | 285 | 28.1 | 30.9 | 36.3 | 32.5 | 32.5 | 24.6 | 30.7 | 28.4 | 20.9 | 30.8 | 123 |
| Walallawiti Koralé ... 166 | | 5,608 | 62 | 27 | 34.7 | 34.9 | 34.2 | 27.5 | 43.2 | 32.5 | 43.3 | 28.5 | 25.4 | 18.8 | 16 |
| <i>Mátara</i> ... | — | 169,688 | 1,512 | 1,049 | 28.4 | 32.6 | 30.9 | 30.9 | 34.8 | 27.6 | 30.2 | 22.3 | 20.1 | 24.2 | 118 |
| Mátara Local Board ... 1.4 | | 6,909 | 50 | 43 | 29.3 | 30.6 | 33.1 | 24.6 | 28.3 | 33.0 | 41.4 | 19.2 | 28.6 | 24.4 | 120 |
| Four Gravets beyond Local Board limits ... 7.4 | | 14,944 | 103 | 71 | 28.3 | 35.2 | 29.0 | 35.5 | 26.7 | 25.2 | 35.5 | 25.3 | 19.4 | 18.4 | 116 |
| Wellaboda Pattuwa ... 51.2 | | 37,122 | 335 | 252 | 32.6 | 33.9 | 38.2 | 29.2 | 34.8 | 27.4 | 31.2 | 20.0 | 19.3 | 26.1 | 119 |
| Welligam Koralé ... 111 | | 43,962 | 395 | 228 | 29.7 | 32.7 | 31.3 | 30.6 | 34.5 | 25.1 | 29.1 | 18.6 | 15.1 | 19.9 | 104 |
| Morawak Koralé ... 160 | | 13,831 | 112 | 99 | 26.4 | 25.6 | 28.9 | 31.3 | 32.7 | 31.1 | 29.1 | 36.4 | 27.7 | 28.9 | 134 |
| Kandaboda Pattuwa ... 70 | | 21,990 | 293 | 189 | 23.1 | 30.9 | 28.2 | 26.2 | 54.0 | 32.1 | 26.1 | 24.9 | 28.8 | 34.8 | 96 |
| Gangaboda Pattuwa ... 79.3 | | 30,930 | 224 | 167 | 25.9 | 34.4 | 24.4 | 35.7 | 28.6 | 26.4 | 28.7 | 21.6 | 16.9 | 21.3 | 161 |

Table III.—continued.

| Province, District, and Division. | Area in Square Miles. | Population at the Census of 1891. | Births. | Deaths. | Birth-rate. | | | | | Death-rate. | | | | | Deaths of children under 1 year to 1,000 Births in the Third Quarter of 1894. |
|--|-----------------------|-----------------------------------|---------|---------|---|------------------------|------------------------|-------------------------|------------------------|---|------------------------|------------------------|-------------------------|------------------------|---|
| | | | | | Average of Three Birth Quarters, 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | Average of Three Birth Quarters, 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | |
| | | | | | | | | | | | | | | | |
| Hambantota | — | 85,962 | 778 | 574 | 31.0 | 40.3 | 33.9 | 34.1 | 36.5 | 27.2 | 28.0 | 40.2 | 30.1 | 26.9 | 136 |
| Hambantota Four Gravets ... | — | — | 9 | 9 | 28.6 | 39.2 | 35.7 | 51.1 | 34.9 | 42.5 | 23.5 | 35.7 | 43.1 | 34.9 | 111 |
| Mágam Pattuwa (exclusive of Four Gravets)... | — | — | 52 | 54 | 34.4 | 38.8 | 44.9 | 50.8 | 44.2 | 36.5 | 39.6 | 76.8 | 48.2 | 45.9 | 211 |
| Giruwá Pattu East ... | 112 $\frac{1}{2}$ | 10,678 | 78 | 75 | 34.3 | 38.2 | 30.4 | 26.1 | 29.6 | 25.2 | 27.6 | 59.4 | 27.6 | 28.5 | 128 |
| Giruwá Pattu West ... | 247 $\frac{3}{4}$ | 69,345 | 639 | 436 | 30.3 | 40.7 | 32.5 | 33.9 | 37.1 | 26.7 | 27.3 | 34.7 | 29.1 | 25.3 | 131 |
| NORTH-WESTERN | — | 376,390 | 2,317 | 2,447 | 30.7 | 29.9 | 30.5 | 32.9 | 34.1 | 35.4 | 39.6 | 40.2 | 40.4 | 36.1 | 191 |
| Kurunégala | — | 212,760 | 1,833 | 2,072 | 31.6 | 30.3 | 31.6 | 35.4 | 35.4 | 39.4 | 43.4 | 43.9 | 45.7 | 40.0 | 216 |
| Kurunégala Local Board | 1 $\frac{1}{2}$ | 2,683 | 16 | 46 | 24.1 | 25.7 | 24.1 | 30.0 | 30.2 | 79.3 | 116.5 | 120.3 | 101.0 | 86.9 | 437 |
| Dambadeniya Hatpattu... | 387 $\frac{1}{2}$ | 37,274 | 317 | 405 | 37.4 | 30.8 | 23.8 | 29.6 | 35.0 | 43.2 | 50.2 | 32.3 | 49.9 | 44.7 | 328 |
| Déwamedhi do. ... | 177 | 30,931 | 270 | 299 | 34.9 | 35.4 | 33.3 | 33.8 | 35.7 | 42.8 | 50.0 | 41.4 | 37.9 | 39.6 | 222 |
| Hiriyala do. ... | 164 $\frac{1}{2}$ | 27,466 | 258 | 243 | 35.5 | 29.7 | 39.1 | 46.7 | 38.7 | 43.8 | 44.8 | 57.3 | 53.8 | 36.4 | 217 |
| Kaṭṅgampola do. ... | 186 $\frac{3}{4}$ | 44,577 | 244 | 312 | 20.8 | 19.7 | 16.9 | 22.3 | 22.3 | 30.1 | 35.9 | 25.9 | 27.7 | 28.5 | 74 |
| Wanni do. ... | 358 $\frac{3}{4}$ | 34,755 | 359 | 357 | 34.2 | 38.5 | 48.2 | 48.8 | 42.2 | 37.3 | 36.0 | 65.5 | 55.4 | 42.0 | 148 |
| Wéudawili do. ... | 596 | 35,074 | 369 | 410 | 31.4 | 31.2 | 35.1 | 37.9 | 43.4 | 40.5 | 41.5 | 44.8 | 52.1 | 48.2 | 263 |
| Chilaw | — | 53,508 | 395 | 279 | 26.4 | 27.5 | 24.4 | 24.3 | 28.7 | 19.4 | 24.7 | 21.2 | 17.9 | 20.3 | 68 |
| Chilaw Town ... | — | 2,170 | 13 | 5 | 23.7 | 27.2 | 25.8 | 25.7 | 33.6 | 15.8 | 16.3 | 40.7 | 20.2 | 9.1 | 154 |
| Piṭigal Kóralé North ... | 132 $\frac{3}{4}$ | 6,068 | 38 | 50 | 28.2 | 29.1 | 33.2 | 23.5 | 25.3 | 33.9 | 38.4 | 46.1 | 31.0 | 33.3 | 131 |
| Piṭigal Kóralé South ... | 128 $\frac{3}{4}$ | 45,270 | 344 | 224 | 26.3 | 27.3 | 23.2 | 24.3 | 29.4 | 17.9 | 23.3 | 17.1 | 16.1 | 19.1 | 61 |
| NORTH-CENTRAL | — | 59,875 | 798 | 462 | 40.5 | 38.1 | 45.6 | 48.9 | 53.3 | 34.3 | 33.5 | 48.7 | 32.4 | 30.8 | 121 |
| Anurádhapura | — | 59,875 | 798 | 462 | 40.5 | 38.1 | 45.6 | 48.9 | 53.3 | 34.3 | 33.5 | 48.7 | 32.4 | 30.8 | 121 |
| Anurádhapura Town ... | 5 $\frac{3}{4}$ | 921 | 6 | 14 | 25.2 | 18.2 | 28.2 | 9.3 | 28.2 | 47.7 | 59.0 | 70.5 | 51.6 | 65.7 | 333 |
| Nuwaragam Paláta ... | 1,490 $\frac{1}{2}$ | 24,810 | 328 | 196 | 44.0 | 42.5 | 51.9 | 52.1 | 52.4 | 35.3 | 36.6 | 62.0 | 34.9 | 31.3 | 104 |
| Hurulu Paláta ... | 1,040 | 19,030 | 293 | 145 | 42.3 | 42.1 | 51.9 | 60.9 | 60.8 | 32.8 | 28.5 | 36.7 | 26.0 | 30.1 | 133 |
| Keḷégam Paláta ... | 311 | 13,484 | 145 | 93 | 31.0 | 23.8 | 26.2 | 43.3 | 44.5 | 33.0 | 30.5 | 40.5 | 36.8 | 28.4 | 131 |
| Tamankaduwa Paláta ... | 1,155 | 1,630 | 26 | 14 | 51.8 | 51.2 | 39.6 | 44.1 | 62.6 | 40.5 | 53.6 | 39.6 | 24.4 | 33.7 | 115 |
| UVA | — | 114,414 | 1,376 | 1,076 | 43.1 | 42.3 | 41.8 | 50.5 | 46.7 | 37.5 | 31.7 | 36.6 | 34.1 | 36.5 | 174 |
| Badulla | — | 114,414 | 1,376 | 1,076 | 43.1 | 42.3 | 41.8 | 50.5 | 46.7 | 37.5 | 31.7 | 36.6 | 34.1 | 36.5 | 174 |
| Badulla Local Board | 1 $\frac{3}{4}$ | 3,035 | 36 | 28 | 35.5 | 31.7 | 43.8 | 48.8 | 48.1 | 64.1 | 40.1 | 46.6 | 35.3 | 37.4 | 167 |
| Yatikinda Division ... | 183 $\frac{1}{2}$ | 18,817 | 246 | 185 | 48.4 | 53.3 | 39.9 | 49.0 | 49.9 | 36.5 | 30.3 | 38.9 | 37.4 | 37.5 | 158 |
| Bintenna do. ... | 359 | 8,657 | 104 | 98 | 41.0 | 37.9 | 40.5 | 40.1 | 47.8 | 49.1 | 44.4 | 40.1 | 26.5 | 45.1 | 173 |
| Buttala do. ... | 567 $\frac{1}{2}$ | 14,662 | 176 | 173 | 38.9 | 38.2 | 39.8 | 57.1 | 48.5 | 43.7 | 35.4 | 42.2 | 40.1 | 47.7 | 210 |
| Wellawaya do. ... | 1,019 $\frac{1}{2}$ | 7,772 | 71 | 73 | 35.0 | 27.9 | 50.3 | 39.6 | 38.7 | 41.0 | 37.6 | 70.2 | 53.3 | 39.8 | 310 |
| Udukinda do. ... | 188 $\frac{1}{2}$ | 26,361 | 282 | 179 | 43.2 | 42.3 | 39.2 | 51.4 | 40.1 | 27.9 | 22.9 | 24.8 | 32.3 | 25.4 | 128 |
| Wellasa do. ... | 645 $\frac{1}{2}$ | 19,882 | 272 | 219 | 44.5 | 50.0 | 48.6 | 58.2 | 52.8 | 41.2 | 36.3 | 31.7 | 27.8 | 42.5 | 184 |
| Wiyaluwa do. ... | 189 | 15,228 | 189 | 121 | 44.9 | 33.2 | 38.3 | 46.2 | 47.3 | 31.7 | 28.1 | 36.5 | 30.2 | 30.3 | 164 |
| SABARAGAMUWA | — | 221,010 | 1,728 | 2,211 | 26.4 | 26.7 | 28.3 | 34.1 | 31.1 | 28.5 | 34.7 | 28.2 | 44.2 | 39.8 | 193 |
| Ratnapura | — | 98,934 | 897 | 754 | 30.0 | 31.5 | 35.2 | 39.2 | 36.0 | 30.0 | 34.2 | 37.1 | 32.8 | 30.3 | 202 |
| Ratnapura Local Board... | 2 $\frac{1}{4}$ | 2,865 | 40 | 26 | 27.6 | 20.7 | 38.5 | 43.3 | 55.9 | 28.5 | 53.9 | 37.1 | 47.9 | 36.3 | 75 |
| Kuruwiti Kóralé ... | 211 $\frac{3}{4}$ | 22,677 | 219 | 186 | 27.1 | 27.8 | 30.3 | 41.5 | 37.9 | 27.2 | 33.8 | 28.6 | 35.4 | 32.2 | 187 |
| Nawadun do. ... | 193 $\frac{3}{4}$ | 21,823 | 163 | 144 | 27.1 | 24.6 | 35.2 | 43.3 | 29.5 | 31.4 | 38.7 | 31.6 | 27.9 | 26.0 | 208 |
| Atakalan do. ... | 171 $\frac{1}{2}$ | 15,607 | 143 | 134 | 28.3 | 26.9 | 39.4 | 33.8 | 37.1 | 34.0 | 37.5 | 46.1 | 34.3 | 34.8 | 252 |
| Kadawata do. ... | 130 $\frac{1}{2}$ | 8,648 | 87 | 62 | 37.4 | 45.4 | 40.5 | 42.4 | 39.1 | 23.8 | 26.8 | 42.8 | 30.1 | 27.9 | 195 |
| Kolonna do. ... | 169 | 9,616 | 37 | 48 | 27.8 | 32.1 | 27.6 | 29.9 | 15.7 | 25.8 | 25.4 | 35.8 | 34.6 | 20.3 | 54 |
| Kukulu do. ... | 224 $\frac{1}{4}$ | 6,370 | 66 | 63 | 33.0 | 37.3 | 30.4 | 40.1 | 40.9 | 34.0 | 41.6 | 31.4 | 32.6 | 39.0 | 227 |
| Meda do. ... | 156 $\frac{1}{2}$ | 11,328 | 142 | 91 | 39.6 | 47.2 | 36.1 | 38.0 | 50.3 | 34.8 | 37.6 | 53.1 | 31.5 | 32.2 | 232 |
| Kégalla | — | 122,076 | 831 | 1,457 | 23.4 | 22.8 | 23.0 | 29.9 | 27.1 | 27.4 | 34.9 | 20.8 | 53.5 | 47.4 | 187 |
| Beligal Kóralé ... | 162 $\frac{1}{2}$ | 33,396 | 192 | 301 | 23.1 | 20.2 | 22.2 | 23.2 | 22.7 | 23.6 | 32.2 | 19.5 | 50.1 | 35.7 | 99 |
| Galboḍa do. ... | 56 $\frac{3}{4}$ | 17,939 | 106 | 350 | 25.1 | 25.8 | 26.5 | 33.8 | 23.6 | 30.8 | 36.2 | 18.4 | 48.8 | 77.9 | 406 |
| Kinigoḍa do. ... | 42 | 14,606 | 145 | 249 | 27.4 | 31.0 | 27.4 | 23.1 | 40.1 | 35.3 | 43.1 | 27.2 | 62.3 | 68.8 | 303 |
| Paranakúru do. ... | 57 | 22,878 | 161 | 302 | 24.3 | 21.4 | 21.5 | 34.9 | 28.2 | 27.8 | 39.7 | 22.6 | 56.7 | 52.9 | 112 |
| Atulugam do. ... | 125 $\frac{1}{2}$ | 8,889 | 55 | 84 | 18.1 | 14.5 | 19.7 | 34.0 | 25.1 | 30.7 | 36.2 | 23.4 | 43.2 | 38.3 | 109 |
| Dehigampal do. ... | 74 $\frac{3}{4}$ | 12,114 | 76 | 62 | 21.0 | 22.1 | 21.4 | 31.9 | 25.0 | 21.6 | 29.3 | 17.8 | 72.3 | 20.4 | 79 |
| Panawal do. ... | 40 | 5,167 | 48 | 47 | 29.6 | 31.4 | 27.7 | 30.7 | 36.5 | 21.9 | 22.2 | 20.0 | 38.4 | 35.8 | 250 |
| Lower Bulatgama ... | 84 $\frac{1}{4}$ | 7,087 | 48 | 62 | 18.9 | 20.5 | 16.8 | 28.6 | 26.7 | 17.6 | 29.9 | 16.3 | 44.3 | 34.5 | 83 |

Table IV.—Tamil Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in Tamil Districts.

| Province, District, and Division. | Area in Square Miles. | Population at the Census of 1891. | Births. | Deaths. | Birth-rate. | | | | | Death-rate. | | | | | Deaths of Children under 1 year to 1,000 births in the Third Quarter of 1894. |
|-----------------------------------|-----------------------|-----------------------------------|---------|---------|---|------------------------|------------------------|-------------------------|------------------------|---|------------------------|------------------------|-------------------------|------------------------|---|
| | | | | | Average of three Third Quarters of 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | Average of three Third Quarters of 1891-93. | Third Quarter of 1893. | First Quarter of 1894. | Second Quarter of 1894. | Third Quarter of 1894. | |
| | | | | | | | | | | | | | | | |
| NORTHERN | — | 304,355 | 2,509 | 1,613 | 30.1 | 30.4 | 31.4 | 35.6 | 31.7 | 19.8 | 18.7 | 26.5 | 21.6 | 20.4 | 137 |
| <i>Jaffna</i> | — | 275,227 | 2,264 | 1,397 | 30.1 | 30.1 | 31.0 | 36.1 | 31.4 | 17.9 | 17.7 | 24.4 | 20.7 | 19.4 | 136 |
| <i>Jaffna Division</i> | 18½ | 39,480 | 366 | 235 | 31.8 | 26.3 | 27.8 | 34.6 | 35.4 | 18.1 | 16.6 | 25.6 | 17.6 | 22.7 | 161 |
| <i>Valikámam East</i> | 40 | 21,184 | 184 | 78 | 35.0 | 33.4 | 32.6 | 37.3 | 32.4 | 18.1 | 17.9 | 18.9 | 10.1 | 13.7 | 109 |
| <i>Valikámam North</i> | 36½ | 40,407 | 366 | 180 | 31.7 | 31.8 | 27.1 | 45.3 | 33.9 | 13.8 | 16.0 | 16.7 | 21.0 | 16.7 | 153 |
| <i>Valikámam West</i> | 38½ | 42,658 | 389 | 188 | 32.0 | 31.5 | 35.3 | 37.3 | 34.1 | 14.9 | 13.8 | 23.4 | 15.4 | 16.5 | 134 |
| <i>Vadamaradchi East</i> | 34½ | 49,853 | 16 | 12 | 27.0 | 74.2 | 54.0 | 11.8 | 15.6 | 19.2 | 31.7 | 30.0 | 33.4 | 11.7 | 62 |
| <i>Vadamaradchi West</i> | 55 | 49,853 | 404 | 187 | 38.7 | 32.4 | 30.4 | 33.9 | 33.9 | 22.4 | 19.5 | 18.9 | 15.7 | 104 | 104 |
| <i>Tenamaradchi</i> | 80 | 37,857 | 176 | 220 | 21.4 | 22.4 | 19.2 | 31.2 | 18.8 | 23.5 | 19.8 | 33.0 | 25.3 | 23.5 | 102 |
| <i>Pachchilaippalli</i> | 87 | 5,746 | 39 | 49 | 29.7 | 17.7 | 24.3 | 37.6 | 27.4 | 30.9 | 20.5 | 36.4 | 39.0 | 34.4 | 179 |
| <i>Karaichchi</i> | 123¾ | 1,782 | — | 6 | — | 4.5 | — | — | — | — | 6.8 | — | 18.4 | 13.7 | — |
| <i>Punakari</i> | 226¾ | 4,714 | 63 | 77 | 29.7 | 37.7 | 34.3 | 61.0 | 53.3 | 23.8 | 40.2 | 30.9 | 97.4 | 65.1 | 270 |
| <i>Islands</i> | 78 | 31,546 | 261 | 165 | 36.7 | 44.0 | 43.6 | 37.9 | 30.9 | 15.4 | 17.9 | 32.6 | 20.8 | 19.6 | 146 |
| <i>Mannár</i> | — | 16,098 | 98 | 107 | 30.1 | 31.2 | 31.9 | 25.7 | 25.2 | 32.2 | 19.3 | 46.3 | 30.9 | 27.5 | 194 |
| <i>Mannár Islands Div.</i> | 47¾ | 6,127 | 43 | 48 | 34.1 | 42.7 | 36.1 | 28.9 | 29.3 | 34.9 | 27.5 | 47.1 | 31.0 | 32.7 | 209 |
| <i>Mantai Division</i> | 247 | 4,369 | 31 | 33 | 27.1 | 30.4 | 22.2 | 20.2 | 29.5 | 34.7 | 18.0 | 41.5 | 35.5 | 31.5 | 194 |
| <i>Nanaddan Division</i> | 251 | 5,602 | 24 | 26 | 28.2 | 19.7 | 35.0 | 26.6 | 17.5 | 27.5 | 11.7 | 49.2 | 27.3 | 19.0 | 166 |
| <i>Mullaittivu</i> | — | 6,791 | 87 | 43 | 30.7 | 33.7 | 39.6 | 35.1 | 52.9 | 51.9 | 56.6 | 53.8 | 34.4 | 26.1 | 92 |
| <i>Karikkaddumulai</i> | 350 | 4,481 | 58 | 28 | 27.4 | 33.7 | 30.9 | 35.6 | 53.7 | 49.6 | 63.7 | 61.5 | 35.6 | 25.9 | 138 |
| <i>Mulliyawalai</i> | 139½ | 1,637 | 27 | 12 | 37.4 | 34.8 | 60.1 | 37.6 | 66.6 | 55.3 | 39.8 | 45.7 | 22.5 | 29.6 | — |
| <i>Tunukkai</i> | 446½ | 673 | 2 | 3 | 36.7 | 31.0 | 44.7 | 25.2 | 12.5 | 58.8 | 49.6 | 25.5 | 56.6 | 28.6 | — |
| <i>Vavuniya</i> | — | 6,239 | 60 | 66 | 30.7 | 38.3 | 41.0 | 41.3 | 40.0 | 40.7 | 26.7 | 48.5 | 23.1 | 44.0 | 183 |
| <i>Kilakkumulai</i> | 286½ | 2,940 | 22 | 24 | 27.7 | 37.7 | 22.7 | 22.5 | 30.5 | 31.7 | 20.9 | 29.8 | 12.6 | 33.3 | 227 |
| <i>Chinnacheddikulam</i> | 158½ | 984 | 6 | 14 | 41.0 | 55.4 | 75.3 | 103.3 | 27.6 | 54.3 | 13.9 | 122.3 | 61.2 | 64.5 | 167 |
| <i>Melpattu</i> | 220 | 1,633 | 24 | 13 | 33.7 | 41.2 | 47.4 | 44.2 | 61.3 | 59.6 | 51.5 | 34.2 | 18.2 | 33.2 | 83 |
| <i>Panankamam</i> | 397½ | 682 | 8 | 15 | 17.6 | 11.9 | 60.5 | 36.0 | 47.4 | 15.7 | 11.9 | 66.6 | 30.0 | 88.8 | 375 |
| EASTERN | — | 86,701 | 984 | 568 | 37.7 | 40.5 | 42.4 | 50.1 | 44.0 | 28.8 | 29.7 | 26.1 | 32.9 | 25.4 | 158 |
| <i>Trincomalee</i> | — | 17,117 | 179 | 136 | 33.1 | 35.3 | 33.9 | 38.8 | 42.3 | 30.2 | 29.4 | 32.2 | 51.2 | 32.1 | 168 |
| <i>Trincomalee Town...</i> | 1 | 9,536 | 70 | 88 | 36.2 | 40.9 | 35.4 | 34.2 | 30.6 | 31.1 | 27.0 | 42.0 | 72.7 | 38.5 | 214 |
| <i>Kaddukkulam Pattu</i> | 490½ | 2,563 | 50 | 35 | 26.7 | 28.6 | 21.1 | 61.0 | 78.8 | 46.6 | 52.3 | 17.8 | 32.1 | 55.2 | 220 |
| <i>Koddiyar Pattu</i> | 223 | 3,420 | 37 | 4 | 33.9 | 29.2 | 48.8 | 36.9 | 40.7 | 17.9 | 21.3 | 28.4 | 13.4 | 44.0 | 54 |
| <i>Tampalakamam Pattu</i> | 450½ | 1,598 | 22 | 9 | 24.0 | 27.3 | 12.6 | 34.8 | 54.2 | 25.7 | 24.8 | 7.5 | 42.3 | 22.2 | 91 |

Table V.—Births and Deaths among the different Nationalities, the Birth-rate and the Death-rate for all Ages, and for Infants in the Puttalam District.

| | North-Western Province. | | | | |
|---|-------------------------|-----------------------|------------------|---------------------|--------------------|
| | Puttalam. | Puttalam Local Board. | Demala Hatpattu. | Kalpitiya Division. | Puttalam Division. |
| Area in square miles ... | — | ‡ | 441½ | 315 | 133 |
| Population at the Census of 1891 :— | | | | | |
| All races ... | 26,652 | 5,034 | 7,127 | 6,931 | 7,560 |
| Sinhalese ... | 10,122 | 879 | 6,351 | 400 | 2,492 |
| Mohammedans ... | 9,596 | 2,497 | 469 | 4,521 | 2,109 |
| Births :— | | | | | |
| All races ... | 245 | 51 | 81 | 61 | 52 |
| Sinhalese ... | 89 | 2 | 76 | — | 11 |
| Mohammedans ... | 111 | 33 | 5 | 42 | 31 |
| Deaths :— | | | | | |
| All races ... | 259 | 51 | 71 | 74 | 63 |
| Sinhalese ... | 96 | 11 | 67 | 2 | 16 |
| Mohammedans ... | 64 | 14 | 2 | 38 | 10 |
| <i>Birth-rate.</i> | | | | | |
| Average of three third quarters of 1891-93 :— | | | | | |
| All races ... | 29·8 | 29·4 | 42·0 | 31·1 | 17·7 |
| Sinhalese ... | 34·1 | — | 45·7 | — | 16·0 |
| Mohammedans ... | 28·7 | 42·4 | — | 33·7 | 5·0 |
| Third quarter of 1893 :— | | | | | |
| All races ... | 28·5 | 24·4 | 42·7 | 31·3 | 15·8 |
| Sinhalese ... | 35·5 | 19·5 | 47·0 | — | 17·6 |
| Mohammedans ... | 27·4 | 32·9 | — | 35·5 | 9·4 |
| First quarter of 1894 :— | | | | | |
| All races ... | 42·3 | 25·2 | 55·0 | 47·0 | 37·7 |
| Sinhalese ... | 42·6 | — | 59·3 | — | 18·0 |
| Mohammedans ... | 36·4 | 32·1 | — | 48·8 | 17·3 |
| Second quarter of 1894 :— | | | | | |
| All races ... | 30·8 | 33·6 | 40·5 | 26·9 | 23·5 |
| Sinhalese ... | 29·7 | 15·3 | 40·0 | 10·4 | 11·4 |
| Mohammedans ... | 32·4 | 49·7 | 62·2 | 26·8 | 17·1 |
| Third quarter of 1894 :— | | | | | |
| All races ... | 37·7 | 42·4 | 47·3 | 36·2 | 27·5 |
| Sinhalese ... | 36·4 | 10·1 | 49·5 | 10·3 | 17·9 |
| Mohammedans ... | 46·1 | 52·0 | 44·5 | 37·1 | 58·4 |
| <i>Death-rate.</i> | | | | | |
| Average of three third quarters of 1891-93 :— | | | | | |
| All races ... | 34·5 | 41·0 | 41·7 | 34·7 | 23·7 |
| Sinhalese ... | 36·6 | — | 41·9 | — | 20·8 |
| Mohammedans ... | 22·6 | 29·8 | — | 25·1 | 8·8 |
| Third quarter of 1893 :— | | | | | |
| All races ... | 35·7 | 48·0 | 45·0 | 34·9 | 20·0 |
| Sinhalese ... | 41·2 | 77·9 | 46·4 | — | 17·6 |
| Mohammedans ... | 21·6 | 29·7 | — | 24·9 | 9·4 |
| First quarter of 1894 :— | | | | | |
| All races ... | 61·3 | 74·0 | 78·8 | 54·4 | 43·6 |
| Sinhalese ... | 67·0 | — | 79·1 | — | 44·3 |
| Mohammedans ... | 50·0 | 76·9 | — | 48·8 | 17·3 |
| Second quarter of 1894 :— | | | | | |
| All races ... | 39·8 | 32·0 | 65·2 | 33·5 | 27·2 |
| Sinhalese ... | 51·8 | 40·8 | 62·9 | 10·4 | 34·3 |
| Mohammedans ... | 25·6 | 24·1 | 107·0 | 25·1 | 11·4 |
| Third quarter of 1894 :— | | | | | |
| All races ... | 39·9 | 42·4 | 41·5 | 43·9 | 33·3 |
| Sinhalese ... | 39·3 | 55·9 | 43·7 | 20·7 | 26·0 |
| Mohammedans ... | 26·6 | 22·0 | 17·8 | 33·6 | 18·8 |
| Deaths of children under 1 year to 1,000 births in the 2nd quarter of 1894 :— | | | | | |
| All races ... | 216 | 196 | 222 | 262 | 172 |
| Sinhalese ... | 236 | 500 | 224 | — | 273 |
| Mohammedans ... | 144 | 181 | 200 | 142 | 65 |

Table VI.—Births and Deaths among the different Nationalities, the Birth-rate and the Death-rate for all Ages, and for Infants in the Batticaloa District.

| | Eastern Province. | | | | | | | | |
|---|-------------------|-------------------------|---|-----------|----------------------------|-----------------------------|---------------------------------|-----------------------------|---------------|
| | Batticaloa. | Batticaloa Local Board. | Mammnai Pattu (exclusive of Local Board). | Bintenna. | Chammanturai and Nadukadu. | Eravur, Rukam, and Koralai. | Eruvil, Poradivu, and Karawaku. | Nintavur and Akkarai Pattu. | Panawa Pattu. |
| Area in square miles ... | — | 1¼ | 222 | 677½ | 420½ | 662½ | 277 | 124½ | 486½ |
| Population of the Census of 1891 : | | | | | | | | | |
| All races ... | 122,699 | 7,257 | 30,689 | 3,633 | 9,847 | 19,828 | 32,676 | 15,934 | 2,135 |
| Tamils ... | 69,584 | 5,891 | 20,891 | 477 | 3,741 | 11,731 | 21,312 | 5,038 | 503 |
| Mohammedans ... | 44,780 | 328 | 9,599 | 254 | 4,935 | 7,473 | 11,092 | 9,741 | 1,358 |
| Births :— | | | | | | | | | |
| All races ... | 1,487 | 39 | 396 | 30 | 116 | 222 | 400 | 252 | 32 |
| Tamils ... | 805 | 37 | 265 | 21 | 33 | 129 | 236 | 76 | 8 |
| Mohammedans ... | 645 | — | 131 | — | 73 | 90 | 161 | 170 | 20 |
| Deaths :— | | | | | | | | | |
| All races ... | 757 | 22 | 240 | 18 | 61 | 85 | 220 | 98 | 13 |
| Tamils ... | 432 | 17 | 170 | — | 12 | 57 | 136 | 37 | 3 |
| Mohammedans ... | 277 | — | 70 | — | 37 | 27 | 78 | 56 | 9 |
| <i>Birth-rate.</i> | | | | | | | | | |
| Average of three third quarters of 1891-93 :— | | | | | | | | | |
| All races ... | 40.4 | 25.4 | 43.5 | 21.6 | 38.8 | 37.1 | 43.0 | 45.4 | 40.4 |
| Tamils ... | 38.8 | 29.8 | 40.0 | — | 28.4 | 37.8 | 40.4 | 51.4 | — |
| Mohammedans ... | 46.1 | — | 51.7 | — | 45.9 | 38.6 | 47.0 | 46.0 | 59.4 |
| Third quarter of 1893 :— | | | | | | | | | |
| All races ... | 50.9 | 35.9 | 51.8 | 40.6 | 47.4 | 52.3 | 55.7 | 49.1 | 47.3 |
| Tamils ... | 49.8 | 40.8 | 51.2 | — | 27.7 | 52.3 | 58.1 | 36.6 | — |
| Mohammedans ... | 54.8 | — | 54.2 | — | 59.5 | 56.0 | 48.6 | 58.2 | 80.8 |
| First quarter of 1894 :— | | | | | | | | | |
| All races ... | 42.1 | 26.4 | 42.6 | 24.5 | 38.1 | 48.5 | 44.8 | 39.3 | 48.2 |
| Tamils ... | 44.4 | 29.6 | 46.1 | — | 41.2 | 52.7 | 43.9 | 43.6 | — |
| Mohammedans ... | 41.1 | — | 35.9 | — | 34.8 | 45.9 | 41.6 | 41.5 | 79.4 |
| Second quarter of 1894 :— | | | | | | | | | |
| All races ... | 48.7 | 27.1 | 52.5 | 17.6 | 43.8 | 43.0 | 55.6 | 55.2 | 39.2 |
| Tamils ... | 52.7 | 27.2 | 56.9 | 8.5 | 42.6 | 46.2 | 58.7 | 70.3 | 15.9 |
| Mohammedans ... | 47.1 | — | 43.6 | — | 45.3 | 41.6 | 49.2 | 53.0 | 69.4 |
| Third quarter of 1894 :— | | | | | | | | | |
| All races ... | 46.3 | 21.3 | 49.9 | 32.8 | 45.5 | 42.0 | 46.3 | 59.8 | 44.1 |
| Tamils ... | 44.4 | 27.8 | 49.7 | 17.8 | 34.6 | 41.6 | 42.0 | 57.9 | 62.7 |
| Mohammedans ... | 54.3 | — | 52.6 | — | 56.0 | 44.3 | 54.5 | 65.1 | 56.7 |
| <i>Death-rate.</i> | | | | | | | | | |
| Average of three third quarters of 1891-93 :— | | | | | | | | | |
| All races ... | 29.1 | 19.5 | 34.8 | 30.0 | 32.4 | 18.0 | 29.1 | 33.6 | 31.7 |
| Tamils ... | 28.5 | 20.5 | 31.5 | — | 23.7 | 20.8 | 29.0 | 45.9 | — |
| Mohammedans ... | 29.7 | — | 42.2 | — | 32.8 | 14.8 | 26.8 | 29.2 | 45.8 |
| Third quarter of 1893 :— | | | | | | | | | |
| All races ... | 24.9 | 15.5 | 29.0 | 15.4 | 23.9 | 20.7 | 27.8 | 21.0 | 37.5 |
| Tamils ... | 26.1 | 15.0 | 29.4 | — | 19.2 | 25.7 | 30.4 | 16.3 | — |
| Mohammedans ... | 23.4 | — | 23.9 | — | 24.3 | 14.1 | 18.9 | 24.6 | 69.3 |
| First quarter of 1894 :— | | | | | | | | | |
| All races ... | 22.9 | 12.3 | 23.4 | 20.1 | 15.1 | 17.0 | 28.8 | 24.5 | 41.1 |
| Tamils ... | 24.6 | 12.4 | 25.7 | — | 7.1 | 17.0 | 31.4 | 35.6 | — |
| Mohammedans ... | 20.2 | — | 18.2 | — | 16.6 | 17.8 | 16.9 | 20.2 | 55.9 |
| Second quarter of 1894 :— | | | | | | | | | |
| All races ... | 27.3 | 13.3 | 30.2 | 30.8 | 24.7 | 26.7 | 31.2 | 22.1 | 22.4 |
| Tamils ... | 23.7 | 13.6 | 30.0 | 25.6 | 29.3 | 32.4 | 32.4 | 17.2 | 7.9 |
| Mohammedans ... | 25.5 | — | 29.7 | — | 19.3 | 20.1 | 27.5 | 26.5 | 34.7 |
| Third quarter of 1894 :— | | | | | | | | | |
| All races ... | 23.6 | 12.0 | 30.2 | 19.7 | 23.4 | 16.1 | 25.5 | 23.2 | 17.9 |
| Tamils ... | 23.8 | 12.8 | 31.5 | — | 12.6 | 18.4 | 24.2 | 28.2 | 23.5 |
| Mohammedans ... | 23.3 | — | 28.1 | — | 28.4 | 13.3 | 26.4 | 21.5 | 25.5 |
| Deaths of children under 1 year to 1,000 births in the 3rd quarter of 1894 :— | | | | | | | | | |
| All races ... | 167 | — | 162 | 100 | 172 | 112 | 202 | 202 | 125 |
| Tamils ... | 148 | — | 170 | — | 151 | 117 | 178 | 157 | — |
| Mohammedans ... | 163 | — | 199 | — | 178 | 111 | 137 | 182 | 150 |

Table VIII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the Third Quarter of 1894.

| PROVINCE AND DISTRICT. | Total Marriages. | Contracted between | | | | | | | | | | Persons not 21 Years of Age. | | Highest Male Age. | Mean Male Age. | Lowest Male Age. | Highest Female Age. | Mean Female Age. | Lowest Female Age. | Signed the Register with Marks. | |
|---------------------------------|------------------|--------------------------|-----------------------|-------------------------|----------------------|-----------------------------|--------------------------|-------------------------------|----------------------------|----------------------------------|-----------------|------------------------------|----------|-------------------|----------------|------------------|---------------------|------------------|--------------------|---------------------------------|----------|
| | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Divorced Men and Spinsters. | Divorced Men and Widows. | Divorced Women and Bachelors. | Divorced Women and Widows. | Divorced Men and Divorced Women. | Divorced Women. | Males. | Females. | | | | | | | Males. | Females. |
| CEYLON ... | 1815 | 1034 | 59 | 127 | 45 | 18 | 1 | 26 | 4 | 1 | 175 | 736 | 60 | 26.5 | 16 | 62 | 20.3 | 13 | 474 | 1262 | |
| Central ... | 239 | 198 | 7 | 15 | 5 | 6 | 1 | 6 | — | 1 | 62 | 141 | 56 | 25 | 18 | 42 | 20 | 14 | 71 | 218 | |
| Northern ... | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Southern ... | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | |
| Eastern ... | 10 | 9 | 1 | — | — | — | — | — | — | — | — | 8 | 31 | 26.5 | 22 | 28 | 22 | 16 | 6 | 10 | |
| North-Western ... | 392 | 293 | 16 | 54 | 15 | 3 | — | 10 | 1 | — | 31 | 146 | 59 | 25.5 | 18 | 62 | 20 | 14 | 100 | 374 | |
| North-Central ... | 48 | 34 | 5 | 4 | 3 | 2 | — | — | — | — | — | 15 | 53 | 30.9 | 22 | 40 | 22.9 | 16 | 6 | 47 | |
| Uva ... | 370 | 290 | 23 | 34 | 21 | — | — | 1 | 1 | — | 31 | 210 | 60 | 29 | 18 | 45 | 22 | 13 | 187 | 366 | |
| Sabaragamuwa ... | 254 | 208 | 7 | 20 | 1 | 7 | — | 9 | 2 | — | 51 | 216 | 55 | 24.5 | 16 | 32 | 18 | 14 | 103 | 246 | |
| Central. Kandy ... | 133 | 111 | 4 | 7 | 3 | 5 | — | 2 | — | 1 | 50 | 72 | 48 | 25 | 18 | 40 | 19 | 14 | 36 | 117 | |
| Matalé ... | 70 | 55 | 3 | 6 | 2 | 1 | 1 | 2 | — | — | 8 | 39 | 56 | 27 | 18 | 42 | 22 | 16 | 22 | 68 | |
| Nuwara Eliya ... | 36 | 32 | — | 2 | — | — | — | 2 | — | — | 4 | 30 | 45 | 25 | 18 | 35 | 19 | 14 | 13 | 33 | |
| Northern. Vavuniya ... | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 38 | 38 | 38 | 35 | 35 | 35 | — | — | |
| Southern. Galle ... | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 26 | 26 | 26 | 26 | 26 | 26 | 1 | 1 | |
| Eastern. Batticaloa ... | 10 | 9 | 1 | — | — | — | — | — | — | — | — | 8 | 31 | 26.5 | 22 | 28 | 22 | 16 | 6 | 10 | |
| North-Western. Kurunégala ... | 369 | 277 | 14 | 50 | 14 | 3 | — | 10 | 1 | — | 24 | 124 | 59 | 27 | 18 | 62 | 21 | 14 | 93 | 351 | |
| Puttalam ... | 23 | 16 | 2 | 4 | 1 | — | — | — | — | — | 7 | 22 | 40 | 24 | 20 | 30 | 19 | 16 | 7 | 23 | |
| North-Central. Anurádhapura ... | 48 | 34 | 5 | 4 | 3 | 2 | — | — | — | — | — | 15 | 53 | 30.9 | 22 | 40 | 22.9 | 16 | 6 | 47 | |
| Uva. Badulla ... | 370 | 290 | 23 | 34 | 21 | — | — | 1 | 1 | — | 31 | 210 | 60 | 29 | 18 | 45 | 22 | 13 | 187 | 366 | |
| Sabaragamuwa. Ratnapura ... | 143 | 111 | 5 | 16 | 1 | 1 | — | 8 | 1 | — | 27 | 126 | 55 | 25 | 16 | 32 | 18 | 14 | 71 | 137 | |
| Kégalla ... | 111 | 97 | 2 | 4 | — | 6 | — | 1 | 1 | — | 24 | 90 | 54 | 24 | 17 | 31 | 18 | 14 | 32 | 109 | |

Table IX.—Return of Births of each Nationality, in each Province and District in the Island, registered during the Third Quarter of 1894.

| Province and District. | All Races. | | | Europeans. | | | Burghers. | | | Sinhalese. | | | Tamils. | | | Immigrants. | | | Moors. | | | Malays. | | | Others. | | | |
|------------------------|------------|--------|----------|------------|--------|----------|-----------|--------|----------|------------|--------|----------|----------|--------|----------|-------------|--------|----------|----------|--------|----------|----------|--------|----------|----------|--------|----------|---|
| | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | |
| CEYLON ... | 25,434 | 13,159 | 12,275 | 22 | 11 | 11 | 88 | 47 | 41 | 17,330 | 9,004 | 8,326 | 5,688 | 2,887 | 2,801 | — | — | — | 2,246 | 1,172 | 1,074 | 45 | 28 | 17 | 15 | 9 | 6 | |
| Western ... | 5,616 | 2,896 | 2,720 | 11 | 5 | 6 | 53 | 26 | 27 | 4,643 | 2,396 | 2,247 | 333 | 160 | 173 | — | — | — | 550 | 290 | 260 | 20 | 13 | 7 | 6 | 6 | — | |
| Central ... | 3,895 | 1,994 | 1,901 | 8 | 5 | 3 | 9 | 4 | 5 | 2,412 | 1,250 | 1,162 | 1,264 | 635 | 629 | — | — | — | 198 | 96 | 102 | 3 | 3 | — | 1 | 1 | — | |
| Northern ... | 2,724 | 1,386 | 1,338 | 1 | 1 | — | 1 | 1 | — | 18 | 9 | 9 | 2,509 | 1,257 | 1,252 | — | — | — | 195 | 118 | 77 | — | — | — | — | — | — | |
| Southern ... | 4,313 | 2,259 | 2,054 | — | — | — | 12 | 6 | 6 | 4,002 | 2,098 | 1,904 | 48 | 25 | 23 | — | — | — | 235 | 122 | 113 | 14 | 6 | 8 | 2 | 2 | — | |
| Eastern ... | 1,689 | 858 | 831 | 1 | — | 1 | 5 | 5 | — | 36 | 23 | 13 | 984 | 510 | 474 | — | — | — | 661 | 319 | 342 | 2 | 1 | 1 | — | — | — | |
| North-Western ... | 2,662 | 1,408 | 1,254 | — | — | — | 4 | 3 | 1 | 2,317 | 1,212 | 1,105 | 107 | 61 | 46 | — | — | — | 226 | 128 | 98 | 5 | 4 | 1 | 3 | — | 3 | |
| North-Central ... | 941 | 467 | 474 | — | — | — | 1 | — | 1 | 798 | 392 | 406 | 59 | 35 | 24 | — | — | — | 82 | 40 | 42 | — | — | — | 1 | — | 1 | |
| Uva ... | 1,683 | 888 | 795 | 1 | — | 1 | 3 | 2 | 1 | 1,376 | 718 | 658 | 244 | 132 | 112 | — | — | — | 58 | 35 | 23 | — | — | — | 1 | — | 1 | |
| Sabaragamuwa ... | 1,911 | 1,003 | 908 | — | — | — | — | — | — | 1,728 | 906 | 822 | 140 | 72 | 68 | — | — | — | 41 | 24 | 17 | 1 | 1 | — | 1 | — | 1 | |
| Western. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Colombo ... | 2,931 | 1,518 | 1,413 | 11 | 5 | 6 | 50 | 24 | 26 | 2,408 | 1,239 | 1,169 | 55 | 26 | 29 | — | — | — | 381 | 205 | 176 | 20 | 13 | 7 | 6 | 6 | — | |
| Negombo ... | 1,318 | 668 | 650 | — | — | — | — | — | — | 1,025 | 521 | 504 | 270 | 130 | 140 | — | — | — | 23 | 17 | 6 | — | — | — | — | — | — | — |
| Kalutara ... | 1,367 | 710 | 657 | — | — | — | 3 | 2 | 1 | 1,210 | 636 | 574 | 8 | 4 | 4 | — | — | — | 146 | 68 | 78 | — | — | — | — | — | — | — |
| Central. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kandy ... | 2,333 | 1,188 | 1,145 | 7 | 4 | 3 | 8 | 4 | 4 | 1,475 | 763 | 712 | 657 | 339 | 348 | — | — | — | 154 | 76 | 78 | 1 | 1 | — | 1 | 1 | — | |
| Mátalé ... | 662 | 336 | 326 | — | — | — | — | — | — | 537 | 266 | 271 | 87 | 51 | 36 | — | — | — | 37 | 18 | 19 | 1 | 1 | — | — | — | — | — |
| Nuwara Eliya ... | 900 | 470 | 430 | 1 | 1 | — | 1 | — | 1 | 400 | 221 | 179 | 490 | 245 | 245 | — | — | — | 7 | 2 | 5 | 1 | 1 | — | — | — | — | — |
| Northern. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Jaffna ... | 2,378 | 1,192 | 1,186 | 1 | 1 | — | — | — | — | — | — | — | 2,264 | 1,127 | 1,137 | — | — | — | 113 | 64 | 49 | — | — | — | — | — | — | — |
| Mannár ... | 169 | 105 | 64 | — | — | — | — | — | — | — | — | — | 98 | 59 | 39 | — | — | — | 71 | 46 | 25 | — | — | — | — | — | — | — |
| Mullaittivu ... | 93 | 42 | 51 | — | — | — | 1 | 1 | — | 2 | — | 2 | 87 | 38 | 49 | — | — | — | 3 | 3 | — | — | — | — | — | — | — | — |
| Vavuniya ... | 84 | 47 | 37 | — | — | — | — | — | — | 16 | 9 | 7 | 60 | 33 | 27 | — | — | — | 8 | 5 | 3 | — | — | — | — | — | — | — |
| Southern. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Galle ... | 1,932 | 1,050 | 882 | — | — | — | 8 | 4 | 4 | 1,712 | 934 | 778 | 19 | 11 | 8 | — | — | — | 190 | 98 | 92 | 3 | 3 | — | — | — | — | — |
| Mátara ... | 1,568 | 809 | 759 | — | — | — | 3 | 1 | 2 | 1,512 | 783 | 729 | 22 | 9 | 13 | — | — | — | 31 | 16 | 15 | — | — | — | — | — | — | — |
| Hambantota ... | 813 | 40 | 413 | — | — | — | 1 | 1 | — | 778 | 381 | 397 | 7 | 5 | 2 | — | — | — | 14 | 8 | 6 | 11 | 3 | 8 | 2 | 2 | — | — |
| Eastern. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Batticaloa ... | 1,487 | 755 | 732 | 1 | — | 1 | 3 | 3 | — | 33 | 21 | 12 | 805 | 423 | 382 | — | — | — | 645 | 308 | 337 | — | — | — | — | — | — | — |
| Trincomalee ... | 202 | 103 | 99 | — | — | — | 2 | 2 | — | 3 | 2 | 1 | 179 | 87 | 92 | — | — | — | 16 | 11 | 5 | 2 | 1 | 1 | — | — | — | — |
| North-Western. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kurunégala ... | 1,958 | 1,024 | 934 | — | — | — | 3 | 2 | 1 | 1,833 | 955 | 878 | 20 | 13 | 7 | — | — | — | 101 | 53 | 48 | 1 | 1 | — | — | — | — | — |
| Puttalam ... | 245 | 142 | 103 | — | — | — | 1 | 1 | — | 89 | 53 | 36 | 39 | 18 | 21 | — | — | — | 111 | 68 | 43 | 3 | 2 | 1 | 2 | — | — | 2 |
| Chilaw ... | 459 | 242 | 217 | — | — | — | — | — | — | 395 | 204 | 191 | 48 | 30 | 18 | — | — | — | 14 | 7 | 7 | 1 | 1 | — | 1 | — | — | 1 |
| North-Central. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Anuradhapura ... | 941 | 467 | 474 | — | — | — | 1 | — | 1 | 798 | 392 | 406 | 59 | 35 | 24 | — | — | — | 82 | 40 | 42 | — | — | — | 1 | — | — | 1 |
| Uva. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Badulla ... | 1,683 | 888 | 795 | 1 | — | 1 | 3 | 2 | 1 | 1,376 | 718 | 658 | 244 | 132 | 112 | — | — | — | 58 | 35 | 23 | — | — | — | 1 | — | — | 1 |
| Sabaragamuwa. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ratnapura ... | 958 | 482 | 476 | — | — | — | — | — | — | 897 | 451 | 446 | 53 | 26 | 27 | — | — | — | 8 | 5 | 3 | — | — | — | — | — | — | — |
| Kegalla ... | 953 | 521 | 432 | — | — | — | — | — | — | 831 | 455 | 376 | 87 | 46 | 41 | — | — | — | 33 | 19 | 14 | 1 | 1 | — | 1 | — | — | 1 |

Table X.—Return of Illegitimate Births of each Nationality, in each Province and District in the Island, registered during the Third Quarter of 1894.

| Province and District. | All Races. | | | Europeans. | | | Burghers. | | | Siphaliese. | | | Tamils. | | | Immigrants. | | | Moors. | | | Malays. | | | Others. | | |
|------------------------|------------|--------|----------|------------|--------|----------|-----------|--------|----------|-------------|--------|----------|----------|--------|----------|-------------|---|---|----------|--------|----------|----------|--------|----------|----------|--------|----------|
| | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. | | | | Persons. | Males. | Females. | Persons. | Males. | Females. | Persons. | Males. | Females. |
| CEYLON ... | 7,682 | 3,989 | 3,693 | — | — | — | 5 | 2 | 3 | 5,376 | 2,816 | 2,560 | 2,233 | 1,138 | 1,095 | — | — | — | 65 | 31 | 34 | 2 | 2 | — | 1 | — | 1 |
| Western ... | 629 | 332 | 297 | — | — | — | 2 | 1 | 1 | 560 | 301 | 259 | 64 | 28 | 36 | — | — | — | 2 | 1 | 1 | 1 | 1 | — | — | — | — |
| Central ... | 1,364 | 717 | 647 | — | — | — | 2 | — | 2 | 1,069 | 562 | 507 | 284 | 149 | 135 | — | — | — | 9 | 6 | 3 | — | — | — | — | — | — |
| Northern ... | 1,042 | 527 | 515 | — | — | — | — | — | — | 10 | 5 | 5 | 1,032 | 522 | 510 | — | — | — | — | — | — | — | — | — | — | — | — |
| Southern ... | 1,202 | 635 | 567 | — | — | — | — | — | — | 1,186 | 626 | 560 | 13 | 7 | 6 | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — |
| Eastern ... | 722 | 368 | 354 | — | — | — | — | — | — | 22 | 18 | 4 | 657 | 333 | 324 | — | — | — | 43 | 17 | 26 | — | — | — | — | — | — |
| North-Western ... | 815 | 415 | 400 | — | — | — | — | — | — | 780 | 395 | 365 | 29 | 16 | 13 | — | — | — | 5 | 3 | 2 | 1 | 1 | — | — | — | — |
| North-Central ... | 562 | 292 | 270 | — | — | — | — | — | — | 506 | 259 | 247 | 55 | 33 | 22 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Uva ... | 635 | 334 | 301 | — | — | — | 1 | 1 | — | 588 | 312 | 276 | 45 | 20 | 25 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Sabaragamuwa ... | 711 | 369 | 342 | — | — | — | — | — | — | 655 | 338 | 317 | 54 | 30 | 24 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Western | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Colombo ... | 345 | 189 | 156 | — | — | — | 2 | 1 | 1 | 329 | 181 | 148 | 12 | 5 | 7 | — | — | — | 1 | 1 | — | 1 | 1 | — | — | — | — |
| Negombo ... | 201 | 96 | 105 | — | — | — | — | — | — | 152 | 75 | 77 | 49 | 21 | 28 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kalutara ... | 83 | 47 | 36 | — | — | — | — | — | — | 79 | 45 | 34 | 3 | 2 | 1 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Central. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kandy ... | 930 | 486 | 444 | — | — | — | 1 | — | 1 | 736 | 386 | 350 | 188 | 95 | 93 | — | — | — | 5 | 5 | — | — | — | — | — | — | — |
| Mátalé ... | 233 | 123 | 110 | — | — | — | — | — | — | 203 | 104 | 99 | 28 | 18 | 10 | — | — | — | 2 | 1 | 1 | — | — | — | — | — | — |
| Nuwara Eliya ... | 201 | 108 | 93 | — | — | — | 1 | — | 1 | 130 | 72 | 58 | 68 | 36 | 32 | — | — | — | 2 | — | 2 | — | — | — | — | — | — |
| Northern. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Jaffna ... | 956 | 484 | 472 | — | — | — | — | — | — | — | — | — | 956 | 484 | 472 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mannár ... | 6 | 2 | 4 | — | — | — | — | — | — | — | — | — | 6 | 2 | 4 | — | — | — | — | — | — | — | — | — | — | — | — |
| Mullaittivu ... | 51 | 23 | 28 | — | — | — | — | — | — | 1 | — | 1 | 50 | 23 | 27 | — | — | — | — | — | — | — | — | — | — | — | — |
| Vavuniya ... | 29 | 18 | 11 | — | — | — | — | — | — | 9 | 5 | 4 | 20 | 13 | 7 | — | — | — | — | — | — | — | — | — | — | — | — |
| Southern. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Galle ... | 281 | 156 | 125 | — | — | — | — | — | — | 271 | 151 | 120 | 7 | 3 | 4 | — | — | — | 3 | 2 | 1 | — | — | — | — | — | — |
| Mátara ... | 508 | 271 | 237 | — | — | — | — | — | — | 508 | 271 | 237 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Hambantota ... | 413 | 208 | 205 | — | — | — | — | — | — | 407 | 204 | 203 | 6 | 4 | 2 | — | — | — | — | — | — | — | — | — | — | — | — |
| Eastern. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Batticaloa ... | 648 | 335 | 313 | — | — | — | — | — | — | 18 | 16 | 2 | 589 | 302 | 287 | — | — | — | 41 | 17 | 24 | — | — | — | — | — | — |
| Trincomalee ... | 74 | 33 | 41 | — | — | — | — | — | — | 4 | 2 | 2 | 68 | 31 | 37 | — | — | — | 2 | — | 2 | — | — | — | — | — | — |
| North-Western. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Kurunégala ... | 707 | 359 | 348 | — | — | — | — | — | — | 699 | 355 | 344 | 4 | 2 | 2 | — | — | — | 4 | 2 | 2 | — | — | — | — | — | — |
| Puttalam ... | 44 | 27 | 17 | — | — | — | — | — | — | 38 | 22 | 16 | 4 | 3 | 1 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Chilaw ... | 64 | 29 | 35 | — | — | — | — | — | — | 43 | 18 | 25 | 21 | 11 | 10 | — | — | — | — | — | — | — | — | — | — | — | — |
| North-Central. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Anurádhapura ... | 562 | 292 | 270 | — | — | — | — | — | — | 506 | 259 | 247 | 55 | 33 | 22 | — | — | — | 1 | — | 1 | — | — | — | — | — | — |
| Uva. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Badulla ... | 635 | 334 | 301 | — | — | — | 1 | 1 | — | 588 | 312 | 276 | 45 | 20 | 25 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |
| Sabaragamuwa. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ratnapura ... | 299 | 149 | 150 | — | — | — | — | — | — | 273 | 134 | 139 | 26 | 15 | 11 | — | — | — | — | — | — | — | — | — | — | — | — |
| Kégalla ... | 412 | 220 | 192 | — | — | — | — | — | — | 382 | 204 | 178 | 28 | 15 | 13 | — | — | — | 1 | 1 | — | — | — | — | — | — | — |

Table XI.—Deaths according to Race registered in each Month in Ceylon, and in each Province and District, in the Third Quarter of 1894.

| PROVINCE AND DISTRICT. | TOTAL. | JULY. | | | | | | TOTAL. | AUGUST. | | | | | | TOTAL. | SEPTEMBER. | | | | | | | | |
|------------------------|--------|------------|-----------|------------|---------|--------|---------|--------|---------|------------|-----------|------------|---------|--------|--------|------------|---------|------------|-----------|------------|---------|--------|---------|---------|
| | | Europeans. | Burghers. | Sinhalese. | Tamils. | MOORS. | Malays. | | Others. | Europeans. | Burghers. | Sinhalese. | Tamils. | MOORS. | | Malays. | Others. | Europeans. | Burghers. | Sinhalese. | Tamils. | MOORS. | Malays. | Others. |
| CEYLON ... | 7557 | 8 | 39 | 5207 | 1769 | 512 | 10 | 12 | 7632 | 9 | 46 | 5296 | 1779 | 475 | 17 | 10 | 7043 | 4 | 27 | 4798 | 1695 | 489 | 13 | 17 |
| Western | 1541 | 6 | 31 | 1167 | 203 | 122 | 5 | 7 | 1491 | 4 | 34 | 1166 | 173 | 97 | 12 | 5 | 1285 | 3 | 19 | 979 | 159 | 107 | 8 | 10 |
| Central | 1513 | — | 3 | 854 | 588 | 65 | 2 | 1 | 1345 | 1 | 1 | 749 | 530 | 60 | 1 | 3 | 1271 | 1 | — | 749 | 465 | 51 | 3 | 2 |
| Northern | 544 | — | — | 6 | 492 | 46 | — | — | 601 | — | 2 | 3 | 555 | 41 | — | — | 624 | — | 3 | 2 | 566 | 53 | — | — |
| Southern | 1028 | — | 2 | 956 | 12 | 57 | 1 | — | 1283 | 1 | 3 | 1186 | 21 | 71 | 1 | — | 1326 | — | 1 | 1236 | 27 | 60 | 1 | 1 |
| Eastern | 280 | 2 | 1 | 15 | 166 | 96 | — | — | 315 | 1 | 2 | 12 | 209 | 90 | — | 1 | 336 | — | 3 | 25 | 193 | 115 | — | — |
| North-Western | 1072 | — | — | 926 | 73 | 69 | 2 | 2 | 978 | 1 | 1 | 862 | 60 | 51 | 2 | 1 | 791 | — | — | 659 | 72 | 57 | 1 | 2 |
| North-Central | 191 | — | 1 | 145 | 28 | 17 | — | — | 199 | — | 1 | 154 | 21 | 23 | — | — | 194 | — | — | 163 | 10 | 21 | — | — |
| Uva | 435 | — | — | 336 | 80 | 17 | — | 2 | 465 | 1 | 1 | 365 | 83 | 15 | — | — | 472 | — | 1 | 375 | 82 | 14 | — | — |
| Sabaragamuwa | 953 | — | 1 | 802 | 127 | 23 | — | — | 955 | — | 1 | 799 | 127 | 27 | 1 | — | 744 | — | — | 610 | 121 | 11 | — | 2 |
| Western. | | | | | | | | | | | | | | | | | | | | | | | | |
| Colombo | 897 | 6 | 30 | 646 | 125 | 78 | 5 | 7 | 820 | 4 | 31 | 605 | 97 | 66 | 12 | 5 | 735 | 3 | 15 | 547 | 86 | 67 | 7 | 10 |
| Negombo | 354 | — | — | 279 | 64 | 11 | — | — | 370 | — | 2 | 309 | 52 | 7 | — | — | 244 | — | 3 | 183 | 52 | 6 | — | — |
| Kalutara | 290 | — | 1 | 242 | 14 | 33 | — | — | 301 | — | 1 | 252 | 24 | 24 | — | — | 306 | — | 1 | 249 | 21 | 34 | 1 | — |
| Central. | | | | | | | | | | | | | | | | | | | | | | | | |
| Kandy | 919 | — | 3 | 535 | 330 | 48 | 2 | 1 | 819 | 1 | — | 497 | 278 | 39 | 1 | 3 | 762 | 1 | — | 456 | 262 | 40 | 1 | 2 |
| Matalé | 296 | — | — | 214 | 65 | 17 | — | — | 257 | — | — | 185 | 56 | 16 | — | — | 244 | — | — | 183 | 54 | 6 | 1 | — |
| Nuwara Eliya | 298 | — | — | 105 | 193 | — | — | — | 269 | — | 1 | 67 | 196 | 5 | — | — | 265 | — | — | 110 | 149 | 5 | 1 | — |
| Northern. | | | | | | | | | | | | | | | | | | | | | | | | |
| Jaffna | 455 | — | — | 1 | 422 | 32 | — | — | 500 | — | 1 | — | 471 | 28 | — | — | 536 | — | 2 | — | 504 | 30 | — | — |
| Mannar | 52 | — | — | — | 38 | 14 | — | — | 58 | — | — | — | 48 | 10 | — | — | 38 | — | 1 | — | 21 | 16 | — | — |
| Mullaitivu | 18 | — | — | 2 | 16 | — | — | — | 15 | — | 1 | — | 13 | 1 | — | — | 14 | — | — | — | 14 | — | — | — |
| Vavuniya | 19 | — | — | 3 | 16 | — | — | — | 28 | — | — | 3 | 23 | 2 | — | — | 36 | — | — | 2 | 27 | 7 | — | — |
| Southern. | | | | | | | | | | | | | | | | | | | | | | | | |
| Galle | 500 | — | 1 | 453 | 2 | 44 | — | — | 681 | 1 | 2 | 608 | 11 | 58 | 1 | — | 757 | — | 1 | 694 | 12 | 48 | 1 | 1 |
| Mátara | 323 | — | — | 307 | 6 | 10 | — | — | 395 | — | 1 | 379 | 7 | 8 | — | — | 383 | — | — | 363 | 10 | 10 | — | — |
| Hambantota | 205 | — | 1 | 196 | 4 | 3 | 1 | — | 207 | — | — | 199 | 3 | 6 | — | — | 186 | — | — | 179 | 5 | 2 | — | — |
| Eastern. | | | | | | | | | | | | | | | | | | | | | | | | |
| Batticaloa | 225 | — | 1 | 12 | 124 | 88 | — | — | 258 | — | — | 10 | 163 | 85 | — | — | 274 | — | 2 | 23 | 145 | 104 | — | — |
| Trincomalee | 55 | 2 | — | 3 | 42 | 8 | — | — | 57 | 1 | 2 | 2 | 46 | 5 | 1 | — | 62 | — | 1 | 2 | 48 | 11 | — | — |
| North-Western. | | | | | | | | | | | | | | | | | | | | | | | | |
| Kurunégala | 854 | — | — | 794 | 24 | 35 | 1 | — | 786 | 1 | 1 | 734 | 22 | 27 | 1 | — | 594 | — | — | 544 | 23 | 26 | 1 | — |
| Puttalam | 87 | — | — | 31 | 29 | 26 | — | — | 86 | — | — | 34 | 33 | 17 | 1 | 1 | 86 | — | — | 31 | 32 | 21 | — | 2 |
| Chilaw | 131 | — | — | 101 | 20 | 8 | 1 | 1 | 106 | — | — | 94 | 5 | 7 | — | — | 111 | — | — | 84 | 17 | 10 | — | — |
| North-Central. | | | | | | | | | | | | | | | | | | | | | | | | |
| Anurádhapura | 191 | — | 1 | 145 | 28 | 17 | — | — | 199 | — | 1 | 154 | 21 | 23 | — | — | 194 | — | — | 163 | 10 | 21 | — | — |
| Uva. | | | | | | | | | | | | | | | | | | | | | | | | |
| Bádulla | 435 | — | — | 336 | 80 | 17 | — | 2 | 465 | 1 | 1 | 365 | 83 | 15 | — | — | 472 | — | 1 | 375 | 82 | 14 | — | — |
| Sabaragamuwa. | | | | | | | | | | | | | | | | | | | | | | | | |
| Ratnapura | 296 | — | 1 | 271 | 24 | — | — | — | 287 | — | — | 257 | 27 | 3 | — | — | 252 | — | — | 226 | 25 | 1 | — | — |
| Kégalla | 657 | — | — | 531 | 103 | 23 | — | — | 668 | — | 1 | 542 | 100 | 24 | 1 | — | 492 | — | — | 384 | 96 | 10 | — | 2 |

Table XII.—Causes of Deaths registered in Ceylon, and in each Province and District, in the Third Quarter of 1894.

| CAUSES OF DEATH. | CEYLON. | WESTERN PROVINCE. | | | CENTRAL PROVINCE. | | | NORTHERN PROVINCE. | | | | SOUTHERN PROVINCE. | | | EASTERN PROVINCE. | | NORTH-WESTERN PROVINCE. | | | NORTH-CENT. PROV. | UVA PROV. | SARARA-GAMUWA PROV. | | DEATHS AMONG ALL RACES. | | | | | | | |
|--|---------|-------------------|----------|-----------|-------------------|---------|---------------|--------------------|---------|-------------|-----------|--------------------|---------|-------------|-------------------|--------------|-------------------------|----------|---------|-------------------|-----------|---------------------|-----------|-------------------------|-----------|-------------|----------|-------------|--------|---------|---------|
| | | Colombo. | Negombo. | Kalutara. | Kandy. | Matalé. | Nuwara Eliya. | Jafna. | Mannár. | Mullattiva. | Vavuniya. | Galle. | Mátara. | Hambantota. | Baticaloa. | Trincomalee. | Kurunégala. | Putalam. | Chilaw. | Anurádhapura. | Badulla. | Ratnapura. | Kéegalla. | Europeans. | Burghers. | Siphaliese. | Tamilis. | Immigrants. | Moors. | Malays. | Others. |
| ALL CAUSES ... | 22232 | 2452 | 968 | 897 | 2500 | 797 | 832 | 1491 | 148 | 47 | 83 | 1938 | 1101 | 598 | 757 | 174 | 2234 | 259 | 348 | 584 | 1372 | 835 | 1817 | 21 | 112 | 15301 | 5243 | — | 1476 | 40 | 39 |
| I. Specific, Febrile, or Zymotic diseases | 13066 | 1277 | 603 | 457 | 1497 | 512 | 405 | 800 | 68 | 27 | 49 | 1260 | 686 | 438 | 444 | 98 | 1277 | 140 | 186 | 352 | 867 | 437 | 1126 | 8 | 49 | 9362 | 2814 | — | 740 | 20 | 13 |
| II. Parasitic diseases | 851 | 110 | 50 | 48 | 139 | 50 | 9 | — | 3 | — | — | 63 | 9 | — | — | 98 | 3 | 15 | 5 | 20 | 40 | 189 | 2 | 2 | 647 | 126 | — | 71 | 1 | 4 | |
| III. Dietetic diseases | 87 | 4 | 1 | 1 | 33 | 7 | 4 | 1 | — | — | — | 3 | — | — | — | 3 | 4 | — | — | 21 | 1 | 4 | — | — | 34 | 49 | — | 4 | — | — | |
| IV. Constitutional diseases | 1503 | 241 | 64 | 117 | 98 | 31 | 19 | 93 | 9 | 2 | 5 | 192 | 128 | 42 | 28 | 7 | 162 | 10 | 27 | 28 | 53 | 63 | 84 | 2 | 15 | 1144 | 212 | — | 123 | 3 | 4 |
| V. Developmental diseases | 416 | 72 | 3 | 19 | 35 | 6 | 30 | 36 | — | — | — | 51 | 26 | 8 | 4 | 1 | 7 | 1 | 5 | — | 64 | 19 | 29 | 1 | 1 | 287 | 111 | — | 15 | — | 1 |
| VI. Local diseases | 4653 | 552 | 210 | 187 | 455 | 117 | 187 | 486 | 52 | 16 | 24 | 296 | 182 | 51 | 212 | 59 | 556 | 79 | 84 | 140 | 271 | 163 | 274 | 8 | 37 | 2894 | 1269 | — | 418 | 13 | 14 |
| VII. Violence | 407 | 70 | 12 | 27 | 39 | 11 | 13 | 29 | 3 | 1 | 1 | 26 | 25 | 11 | 7 | 1 | 42 | 2 | 14 | 3 | 18 | 23 | 29 | 2 | 4 | 283 | 97 | — | 21 | — | — |
| VIII. Ill-defined and not specified causes | 1309 | 126 | 25 | 41 | 204 | 63 | 165 | 46 | 13 | 1 | 4 | 50 | 42 | 48 | 62 | 8 | 89 | 20 | 17 | 56 | 58 | 89 | 82 | — | 4 | 650 | 565 | — | 84 | 3 | 3 |
| I. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 Miasmatic diseases | 6267 | 652 | 402 | 220 | 411 | 234 | 83 | 625 | 38 | 19 | 36 | 262 | 293 | 297 | 352 | 69 | 752 | 114 | 129 | 233 | 301 | 135 | 610 | 3 | 15 | 4416 | 1355 | — | 459 | 12 | 7 |
| 2 Diarrhœal do. | 6454 | 582 | 195 | 235 | 1043 | 275 | 316 | 125 | 21 | 5 | 8 | 991 | 378 | 136 | 84 | 26 | 508 | 24 | 54 | 112 | 547 | 297 | 492 | 5 | 32 | 4843 | 1298 | — | 262 | 8 | 6 |
| 3 Malarial do. | 151 | 30 | 1 | 1 | 32 | 3 | 2 | — | 3 | — | — | 4 | 11 | 1 | 3 | — | 11 | 2 | 2 | 4 | 17 | 5 | 19 | — | 1 | 67 | 76 | — | 7 | — | — |
| 4 Zoogenous do. | 21 | 4 | 2 | 1 | — | — | — | 1 | — | — | — | 2 | 4 | 1 | — | — | 4 | — | — | 1 | — | — | — | — | — | 18 | 2 | — | 1 | — | — |
| 5 Venereal do. | 20 | 3 | 1 | — | 5 | — | 2 | 1 | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — | — | 2 | — | 1 | 7 | 12 | — | — | — | — |
| 6 Septic do. | 93 | 3 | 2 | — | 6 | — | 2 | 48 | 6 | 3 | 5 | 1 | — | 2 | 5 | 2 | 1 | — | — | 2 | 2 | — | 3 | — | — | 11 | 71 | — | 11 | — | — |
| II. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Parasitic diseases | 851 | 110 | 50 | 48 | 139 | 50 | 9 | — | 3 | — | — | 63 | 9 | — | — | 98 | 3 | 15 | 5 | 20 | 40 | 189 | — | 2 | 647 | 126 | — | 71 | 1 | 4 | |
| III. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dietetic diseases | 87 | 4 | 1 | 1 | 33 | 7 | 4 | 1 | — | — | — | 3 | — | — | — | 3 | 4 | — | — | 21 | 1 | 4 | — | — | — | 34 | 49 | — | 4 | — | — |
| IV. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Constitutional diseases | 1503 | 241 | 64 | 117 | 98 | 31 | 19 | 93 | 9 | 2 | 5 | 192 | 128 | 42 | 28 | 7 | 162 | 10 | 27 | 28 | 53 | 63 | 84 | 2 | 15 | 1144 | 212 | — | 123 | 3 | 4 |
| V. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Developmental diseases | 416 | 72 | 3 | 19 | 35 | 6 | 30 | 36 | — | — | — | 51 | 26 | 8 | 4 | 1 | 7 | 1 | 5 | — | 64 | 19 | 29 | 1 | 1 | 287 | 111 | — | 15 | — | 1 |
| VI. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Diseases of— | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 Nervous system | 1691 | 320 | 76 | 127 | 72 | 13 | 38 | 141 | 27 | — | 6 | 215 | 89 | 23 | 5 | 23 | 87 | 41 | 37 | 23 | 161 | 78 | 87 | 2 | 19 | 1094 | 412 | — | 148 | 9 | 7 |
| 2 Organs of special sense | 9 | — | 2 | — | 2 | 1 | — | — | — | — | — | — | 1 | — | — | — | 2 | — | — | — | — | — | 1 | — | — | 5 | 2 | — | 2 | — | — |
| 3 Circulatory system | 74 | 22 | 5 | 3 | 10 | 2 | 1 | 3 | 1 | — | — | 3 | 5 | — | — | 1 | 4 | 3 | 3 | — | 3 | 2 | 3 | 1 | 4 | 39 | 20 | — | 7 | 2 | 1 |
| 4 Respiratory do. | 633 | 45 | 25 | 5 | 131 | 19 | 91 | 95 | 12 | 7 | 9 | 6 | 14 | 5 | 43 | 8 | 17 | 11 | 8 | 8 | 41 | 11 | 22 | — | 7 | 238 | 339 | — | 46 | 1 | 2 |
| 5 Digestive do. | 276 | 31 | 3 | 5 | 24 | 8 | 10 | 35 | 6 | 8 | 8 | 20 | 17 | 7 | 36 | 5 | 11 | 6 | 3 | 6 | 8 | 9 | 10 | 4 | 1 | 124 | 115 | — | 28 | — | 4 |
| 6 Lymphatic system and Ductless Glands | 2 | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | 1 | 1 | — | — | — | — |
| 7 Urinary system | 24 | 7 | 1 | 1 | 5 | — | 3 | — | 1 | — | — | — | 1 | — | — | — | 1 | — | — | — | 1 | 1 | 2 | — | — | 11 | 13 | — | — | — | — |
| 8 Reproductive system: | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| (a) Organs of Generation | 15 | 1 | 1 | 2 | 1 | — | — | 2 | — | — | — | 2 | 1 | — | — | — | 2 | — | — | — | 1 | — | 2 | — | 1 | 8 | 6 | — | — | — | — |
| (b) Parturition | 543 | 43 | 23 | 16 | 52 | 18 | 27 | 8 | — | 1 | — | 24 | 18 | 6 | 13 | 10 | 100 | 6 | 18 | 30 | 35 | 17 | 69 | — | 2 | 424 | 70 | — | 37 | 1 | — |

Table XII.—Causes of Deaths, &c.—continued.

| CAUSES OF DEATH. | CEYLON. | WESTERN PROVINCE. | | | CENTRAL PROVINCE. | | | NORTHERN PROVINCE. | | | SOUTHERN PROVINCE. | | | EASTERN PROVINCE. | | NORTH-WESTERN PROVINCE. | | NORTH-CENT. PROV. | UVA PROV. | SABARA-GAMUWA PROV. | DEATHS AMONG ALL RACES. | | | | | | | | | | | | |
|---|---------|-------------------|----------|-----------|-------------------|---------|---------------|--------------------|---------|-------------|--------------------|--------|---------|-------------------|-------------|-------------------------|-------------|-------------------|-----------|---------------------|-------------------------|------------|----------|------------|-----------|------------|---------|-------------|--------|---------|---------|---|---|
| | | Colombo. | Negombo. | Kalutara. | Kandy. | Mátalé. | Nuwara Eliya. | Jaffna. | Mannár. | Mullaitivu. | Vavuniya. | Galle. | Mátara. | Hambantota. | Batticaloa. | Trincomalee. | Kurunégala. | Puttalam. | Chilaw. | Anurádhapura. | Badulla. | Ratnapura. | Kégalla. | Europeans. | Burghers. | Sinhalese. | Tamils. | Immigrants. | Moors. | Malays. | Others. | | |
| Organs of Locomotion | 5 | 1 | — | — | — | — | — | — | — | — | 1 | 2 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |
| Integumentary system | 1590 | 82 | 74 | 28 | 157 | 56 | 17 | 202 | 4 | — | 1 | 25 | 35 | 7 | 115 | 12 | 332 | 11 | 15 | 73 | 21 | 45 | 78 | 1 | 3 | 946 | 290 | — | 150 | — | — | — | |
| VII. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Accident or Negligence | 350 | 63 | 9 | 25 | 32 | 7 | 12 | 28 | — | 1 | 23 | 21 | 10 | 5 | — | 37 | 2 | 11 | 3 | 15 | 23 | 22 | 2 | 3 | 244 | 84 | — | 17 | — | — | — | | |
| Homicide | 26 | 3 | 2 | 2 | 1 | 2 | 1 | — | — | — | 2 | 2 | — | — | 1 | 4 | — | 1 | — | 1 | — | 3 | — | — | 19 | 4 | — | 3 | — | — | — | | |
| Suicide | 25 | 2 | — | — | 3 | 2 | — | 1 | — | — | 1 | 2 | 1 | — | — | 1 | — | — | — | 2 | — | — | 4 | — | 1 | 15 | 8 | — | 1 | — | — | | |
| Execution | 6 | 2 | — | — | 3 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 5 | 1 | — | — | — | — | — | | |
| VIII. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ill-defined and not specified causes | 1309 | 126 | 25 | 41 | 204 | 63 | 165 | 46 | 13 | 1 | 4 | 50 | 42 | 48 | 62 | 8 | 89 | 20 | 17 | 56 | 58 | 89 | 82 | — | 4 | 650 | 565 | — | 84 | 3 | 3 | | |
| Miasmatic Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Chickenpox | 8 | — | — | — | 7 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | 7 | — | — | — | — | — | |
| Measles | 51 | 10 | 1 | 2 | 6 | 1 | 3 | 6 | — | — | 1 | 17 | 3 | — | — | — | — | — | — | — | — | — | — | — | 1 | 34 | 12 | — | 4 | — | — | — | |
| Whooping Cough | 31 | 1 | — | 2 | — | — | — | 3 | — | — | — | — | — | 18 | 2 | — | — | — | — | — | — | — | — | — | — | 8 | 12 | — | 11 | — | — | — | |
| Mumps | 1 | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | |
| Diphtheria | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | |
| Simple, ill-defined fever | 5163 | 495 | 307 | 106 | 336 | 214 | 44 | 610 | 38 | 19 | 35 | 145 | 176 | 254 | 331 | 67 | 710 | 101 | 113 | 231 | 170 | 86 | 575 | 1 | 10 | 3482 | 1257 | — | 398 | 9 | 6 | | |
| Enteric Fever | 979 | 144 | 94 | 106 | 61 | 19 | 29 | 2 | — | — | — | 108 | 96 | 39 | 3 | — | 42 | 13 | 15 | 1 | 123 | 49 | 35 | 2 | 4 | 877 | 46 | — | 46 | 3 | 1 | | |
| Influenza | 31 | 2 | — | 3 | 2 | — | 6 | 4 | — | — | — | 3 | 4 | — | — | — | — | — | — | — | 7 | — | — | — | — | 11 | 20 | — | — | — | — | | |
| Other Miasmatic diseases | 2 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | 2 | — | — | — | — | — | — | |
| Diarrhœal Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Cholera | 134 | 11 | 9 | 5 | 5 | 6 | 2 | — | — | — | 2 | 4 | — | — | — | 52 | 1 | 4 | 2 | 1 | 4 | 24 | — | — | — | 127 | 3 | — | 4 | — | — | — | |
| Diarrhœa | 4084 | 276 | 59 | 187 | 731 | 181 | 132 | 63 | 11 | 1 | 1 | 652 | 299 | 106 | 46 | 7 | 344 | 15 | 13 | 91 | 304 | 234 | 331 | 2 | 14 | 3257 | 658 | — | 147 | 2 | — | — | |
| Dysentery | 2236 | 295 | 127 | 43 | 307 | 88 | 182 | 62 | 10 | 4 | 5 | 337 | 75 | 30 | 38 | 19 | 112 | 8 | 37 | 19 | 242 | 59 | 137 | 3 | 18 | 1459 | 637 | — | 111 | 6 | 4 | 2 | |
| Malarial Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Remittent Fever | 26 | 4 | — | — | 6 | 1 | — | — | 1 | — | — | — | 1 | 1 | — | 4 | — | 1 | 2 | 1 | 1 | 3 | — | 1 | 10 | 9 | — | 6 | — | — | — | — | |
| Ague | 43 | 4 | — | 1 | 5 | — | 1 | — | — | — | 3 | 11 | — | — | — | — | — | 1 | 2 | 12 | — | 3 | — | — | 31 | 12 | — | — | — | — | — | — | |
| Malarial Cachexia | 77 | 22 | 1 | — | 21 | 1 | — | — | 2 | — | 1 | — | — | 2 | — | 7 | 1 | — | — | 4 | 4 | 11 | — | — | 22 | 54 | — | 1 | — | — | — | — | |
| Malarial fever | 5 | — | — | — | 1 | 1 | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | 2 | — | — | 4 | 1 | — | — | — | — | — | — | |
| Zoogenous Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hydrophobia | 20 | 3 | 2 | 1 | — | — | — | 1 | — | — | — | 2 | 4 | 1 | — | 4 | — | 1 | 1 | — | — | — | — | — | — | 17 | 2 | — | 1 | — | — | — | |
| Cowpox and other effects of vaccination | 1 | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | 1 | — | — | — | — | — | — | — |
| Venereal Diseases. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Syphilis | 13 | 2 | 1 | — | 4 | — | 2 | 1 | — | — | — | — | — | — | — | 1 | — | — | — | — | — | 2 | — | — | — | 4 | 9 | — | — | — | — | — | |
| Gonorrhœa, Stricture of Urethra | 7 | 4 | — | — | 1 | — | — | — | — | — | — | — | 1 | — | 1 | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — | — |

Table XIII.—Causes of Deaths on Estates in the Central, Uva, Sabaragamuwa Provinces and Kalutara District of Western Province for the Third Quarter of 1894.

| Causes of Death. | Central Province. | | | Prov. of Uva. | Province of S'gamuwa. | | | Western Province, Kalutara. |
|--|-------------------|---------|---------------|---------------|-----------------------|------------|----------|-----------------------------|
| | Kandy. | Mátalé. | Nuwara Eliya. | | Badulla. | Ratnapura. | Kégalla. | |
| ALL CAUSES ... | 733 | 134 | 526 | 183 | 48 | 250 | 41 | |
| I.—Specific, Febrile, or Zymotic diseases ... | 364 | 76 | 234 | 94 | 23 | 128 | 23 | |
| II.—Parasitic diseases ... | 13 | 5 | 1 | 7 | 3 | 45 | 8 | |
| III.—Dietetic diseases ... | 24 | 4 | 4 | 2 | 1 | 3 | — | |
| IV.—Constitutional diseases ... | 20 | 4 | 4 | 3 | — | 5 | 2 | |
| V.—Developmental diseases ... | 23 | 3 | 23 | 5 | — | 7 | — | |
| VI.—Local diseases ... | 139 | 19 | 108 | 41 | 11 | 26 | 3 | |
| VII.—Violence ... | 11 | — | 12 | 2 | 1 | 4 | — | |
| VIII.—Ill-defined and not specified causes ... | 139 | 23 | 140 | 29 | 9 | 32 | 5 | |
| I. | | | | | | | | |
| Miasmatic diseases ... | 55 | 19 | 32 | 15 | 1 | 10 | 8 | |
| Diarrhœal do. ... | 286 | 56 | 199 | 77 | 22 | 100 | 15 | |
| Malarial do. ... | 16 | 1 | — | 2 | — | 14 | — | |
| Zoogenous do. ... | — | — | — | — | — | — | — | |
| Venereal do. ... | 2 | — | 2 | — | — | 1 | — | |
| Septic do. ... | 5 | — | 1 | — | — | 3 | — | |
| II. | | | | | | | | |
| Parasitic diseases ... | 13 | 5 | 1 | 7 | 3 | 45 | 8 | |
| III. | | | | | | | | |
| Dietetic diseases ... | 24 | 4 | 4 | 2 | 1 | 3 | — | |
| IV. | | | | | | | | |
| Constitutional diseases ... | 20 | 4 | 4 | 3 | — | 5 | 2 | |
| V. | | | | | | | | |
| Developmental diseases ... | 23 | 3 | 23 | 5 | — | 7 | — | |
| VI. | | | | | | | | |
| Diseases of— | | | | | | | | |
| Nervous system ... | 39 | 8 | 30 | 20 | 4 | 10 | 1 | |
| Organs of special sense ... | 1 | — | — | — | — | — | — | |
| Circulatory system ... | 9 | 1 | 1 | 2 | 1 | — | — | |
| Respiratory system ... | 61 | 6 | 47 | 11 | 2 | 10 | 1 | |
| Digestive system ... | 12 | 2 | 10 | 2 | 1 | 3 | — | |
| Urinary system ... | 4 | — | 2 | 1 | 1 | 1 | — | |
| Reproductive system : | | | | | | | | |
| (a) Organs of Generation ... | 1 | — | — | 1 | — | — | — | |
| (b) Parturition ... | 7 | 2 | 14 | 3 | 2 | 2 | — | |
| Integumentary system ... | 5 | — | 4 | 1 | — | — | 1 | |
| VII. | | | | | | | | |
| Accident or negligence ... | 10 | — | 11 | 1 | 1 | 2 | — | |
| Homicide ... | 1 | — | 1 | — | — | — | — | |
| Suicide ... | — | — | — | 1 | — | 2 | — | |
| VIII. | | | | | | | | |
| Ill-defined and not specified causes ... | 139 | 23 | 140 | 29 | 9 | 32 | 5 | |
| <i>Miasmatic Diseases.</i> | | | | | | | | |
| Chickenpox ... | 6 | — | 1 | — | — | — | — | |
| Measles ... | 2 | — | — | — | — | — | — | |
| Diphtheria ... | — | — | — | 1 | — | — | — | |
| Simple and ill-defined fever ... | 45 | 19 | 25 | 8 | 1 | 9 | 8 | |
| Enteric fever ... | — | — | — | 1 | — | 1 | — | |
| Influenza ... | 2 | — | 6 | 5 | — | — | — | |
| <i>Diarrhœal Diseases.</i> | | | | | | | | |
| Cholera ... | 1 | — | — | — | — | — | — | |
| Diarrhœa ... | 135 | 24 | 62 | 44 | 9 | 73 | 5 | |
| Dysentery ... | 150 | 32 | 137 | 33 | 13 | 27 | 10 | |
| <i>Malarial Diseases.</i> | | | | | | | | |
| Remittent fever ... | 3 | — | — | — | — | 1 | — | |
| Ague ... | 4 | — | — | 1 | — | 2 | — | |
| Malarial cachexia ... | 9 | 1 | — | 1 | — | 9 | — | |
| Malarial fever ... | — | — | — | — | — | 2 | — | |
| <i>Zoogenous Diseases.</i> | | | | | | | | |
| Hydrophobia ... | — | — | — | — | — | — | — | |
| <i>Venereal Diseases.</i> | | | | | | | | |
| Syphilis ... | 1 | — | 2 | — | — | 1 | — | |
| Gonorrhœa, Stricture of Urethra ... | 1 | — | — | — | — | — | — | |
| <i>Septic Diseases.</i> | | | | | | | | |
| Erysipelas ... | 1 | — | — | — | — | — | — | |
| Pyæmia Septicæmia ... | 4 | — | 1 | — | — | — | — | |
| Puerperal fever ... | — | — | — | — | — | 3 | — | |

Table XIII.—Causes of Deaths, &c.—*continued.*

| Causes of Death. | Central Province. | | | Prov. of | Province of S'gamuwa. | | Western Province, Kalutara. |
|---|-------------------|---------|---------------|------------------|-----------------------|----------|--------------------------------|
| | Kandy. | Mátalé. | Nuwara Eliya. | Uva. Badulla. | Ratnapura. | Kégalla. | |
| <i>Parasitic Diseases.</i> | | | | | | | |
| Thrush ... | — | — | — | — | — | — | — |
| Worms (animal) ... | 2 | 5 | 1 | — | — | 1 | 1 |
| Dochmius duodenalis ... | 11 | — | — | 7 | 3 | 44 | 7 |
| <i>Dietetic Disease.</i> | | | | | | | |
| Starvation, want of breast milk ... | 24 | 4 | 4 | 2 | 1 | 3 | — |
| <i>Constitutional Diseases.</i> | | | | | | | |
| Rheumatism ... | 1 | — | 1 | — | — | — | — |
| Cancer ... | 2 | — | — | — | — | — | — |
| Phthisis ... | 6 | — | 1 | 1 | — | 5 | — |
| Anæmia, Chlorosis, Leucocythæmia ... | 11 | 3 | 2 | 1 | — | — | 2 |
| Diabetes Mellitus ... | — | — | — | 1 | — | — | — |
| Marasmus ... | — | 1 | — | — | — | — | — |
| <i>Developmental Diseases.</i> | | | | | | | |
| Premature birth ... | 4 | — | 2 | 5 | — | 1 | — |
| Old age. ... | 19 | 3 | 21 | — | — | 6 | — |
| <i>Nervous System.</i> | | | | | | | |
| Inflammation of brain or its membranes ... | — | — | — | — | — | — | 1 |
| Apoplexy ... | 5 | — | — | — | — | 1 | — |
| Paralysis ... | 1 | — | 2 | — | — | — | — |
| Epilepsy ... | 1 | — | — | — | 1 | — | — |
| Convulsions ... | 1 | 1 | 6 | 3 | — | 2 | — |
| Infantile convulsions ... | 31 | 6 | 18 | 12 | 3 | 7 | — |
| Tetanus ... | — | 1 | 2 | 3 | — | — | — |
| Mania ... | — | — | — | — | — | — | — |
| Paraplegia, diseases of the Spin l Cord ... | — | — | — | — | — | — | — |
| Other and undefined diseases of brain or nervous system ... | — | — | 2 | 2 | — | — | — |
| <i>Organs of Special Sense.</i> | | | | | | | |
| Epistaxis and other diseases of Nose ... | 1 | — | — | — | — | — | — |
| <i>Circulatory System.</i> | | | | | | | |
| Pericarditis ... | 2 | — | — | — | — | — | — |
| Valve disease of Heart ... | 6 | — | 1 | 2 | 1 | — | — |
| Angina pectoris, Syncope ... | 1 | — | — | — | — | — | — |
| <i>Respiratory System.</i> | | | | | | | |
| Laryngitis ... | — | — | 1 | — | — | — | — |
| Bronchitis ... | 13 | — | 17 | 2 | — | 1 | — |
| Asthma ... | 1 | — | 1 | 1 | — | — | — |
| Pneumonia ... | 43 | 6 | 25 | 8 | — | 9 | 1 |
| Pleurisy ... | 1 | — | 1 | — | — | — | — |
| Other and undefined diseases of respiratory system ... | 3 | — | 2 | — | 2 | — | — |
| <i>Digestive System.</i> | | | | | | | |
| Sore throat ... | — | — | — | — | — | — | — |
| Dyspepsia ... | — | — | 1 | — | — | — | — |
| Diseases of Stomach ... | 3 | — | — | 1 | — | — | — |
| Enteritis ... | 1 | 1 | — | — | — | — | — |
| Ileus, obstruction of Intestine ... | 1 | — | 3 | — | — | — | — |
| Intussusception of Intestine ... | — | — | — | — | — | — | — |
| Peritonitis ... | — | — | — | — | — | — | — |
| Ascites ... | 2 | — | — | — | — | 2 | — |
| Cirrhosis of Liver ... | 1 | — | — | — | — | 1 | — |
| Other diseases of Liver ... | 1 | 1 | 1 | — | — | — | — |
| Other and undefined diseases of digestive system ... | 3 | — | 5 | 1 | 1 | — | — |
| <i>Diseases of Urinary System.</i> | | | | | | | |
| Nephritis ... | 1 | — | 1 | — | — | — | — |
| Bright's disease... ... | 1 | — | 1 | — | 1 | — | — |
| Suppression of Urine ... | 1 | — | — | — | — | 1 | — |
| Diseases of Bladder ... | 1 | — | — | — | — | — | — |
| Other and undefined diseases of Urinary System ... | — | — | — | 1 | — | — | — |
| <i>Disease of Organs of Generation.</i> | | | | | | | |
| Diseases of Uterus and Vagina ... | 1 | — | — | 1 | — | — | — |

Table XIII.—Causes of Deaths, &c.—*continued.*

| Causes of Death. | Central Province. | | | Prov. of Uva. Badulla. | Province of S'gamuwa. | | Western Province, Kalutara. |
|--|-------------------|---------|---------------|------------------------|-----------------------|----------|-----------------------------|
| | Kandy. | Mátalé. | Nuwara Eliya. | | Ratnapura. | Kégalla. | |
| <i>Diseases of Parturition.</i> | | | | | | | |
| Abortion, miscarriage ... | — | ... | — | ... | — | ... | — |
| Metritis ... | — | ... | — | ... | — | ... | — |
| Other and undefined accidents of Child-birth ... | 7 | ... | 2 | ... | 14 | ... | 3 |
| | | | | | | | 2 |
| | | | | | | | 2 |
| <i>Diseases of Integumentary System.</i> | | | | | | | |
| Ulcer, Bed sore... .. | 1 | ... | — | ... | 1 | ... | — |
| Gangrene ... | 2 | ... | — | ... | — | ... | — |
| Other and undefined diseases of integumentary system ... | 2 | ... | — | ... | 3 | ... | 1 |
| | | | | | 1 | ... | — |
| <i>Accident or Negligence.</i> | | | | | | | |
| Fractures, contusions ... | — | ... | — | ... | 3 | ... | — |
| Burn, scald ... | 7 | ... | — | ... | 2 | ... | — |
| Drowning ... | 1 | ... | — | ... | 3 | ... | — |
| Otherwise ... | 2 | ... | — | ... | 3 | ... | 1 |
| <i>Homicide.</i> | | | | | | | |
| Murder, Manslaughter ... | 1 | ... | — | ... | 1 | ... | — |
| <i>Suicide.</i> | | | | | | | |
| Cut, Stab ... | — | ... | — | ... | — | ... | 1 |
| Hanging ... | — | ... | — | ... | — | ... | 1 |
| Otherwise ... | — | ... | — | ... | 1 | ... | — |
| <i>Ill-defined and not specified Causes.</i> | | | | | | | |
| General Dropsy ... | 18 | ... | 9 | ... | 25 | ... | 5 |
| Debility ... | 107 | ... | 2 | ... | 108 | ... | 21 |
| Sudden deaths (causes unascertained) ... | 2 | ... | — | ... | — | ... | — |
| Other ill-defined and not specified causes ... | 10 | ... | 12 | ... | 5 | ... | 3 |
| Inflammation ... | — | ... | — | ... | — | ... | — |
| Hæmorrhage ... | 2 | ... | — | ... | 2 | ... | — |

CEYLON
PRINTED AT THE GOVERNMENT PRESS
COLOMBO