



Ceylon Govt. Gazette

EXTRAORDINARY

Published by Authority.

NO. 5,162—TUESDAY, AUGUST 16, 1892.

✓ GOVERNMENT NOTIFICATIONS.

ABSTRACT OF SEASON REPORTS FOR JULY, 1892.

WESTERN PROVINCE.

COLOMBO DISTRICT.

Paddy.—In Siyané Kóralé West a good yala crop expected. In Héwágam kóralé crop prospects bad owing to leaf disease; fields being prepared for maha. In Salpiti kóralé a very good yala crop is expected. In Alutkuru Kóralé South yala is earing, and crop prospects are favourable. In Siyané Kóralé East a good yalu crop expected; fields already cultivated for maha.

An ordinary July, and favourable to agriculture.

NEGOMBO DISTRICT.

Paddy.—Yala paddy thriving. Sowing already commenced for maha.

KALUTARA DISTRICT.

Paddy.—Kalutara Totamune good. Rayigam and Pasdun kóralés somewhat damaged by drought.
Dry Grain.—No cultivation.

CENTRAL PROVINCE.

KANDY DISTRICT.

Paddy.—Uda Dumbara: moderate. Pata Dumbara and Yatinuwara: unfavourable. Tumpane: fair. Harispattu: crop damaged by flies. Pata Héwáhēta: good. Udupaláta fair, except where damage has been caused by floods. Uda Bulatgama: good. Udunuwara: paddy crop much damaged by flies.

Dry Grain.—Uda Dumbara: kurakkan prospects moderate. Pata Dumbara and Yatinuwara: unfavourable. Tumpane: fair. Harispattu: good kurakkan crop expected. Pata Héwáhēta: good. Udunuwara: kurakkan cultivation not yet begun.

MÁTALÉ DISTRICT.

Paddy.—Yala crop slightly damaged by flies, but prospects fair.

Dry Grain.—Chenas in Mátalé North failed; in Mátalé East chenas just being cleared. Rainfall very poor in Mátalé East.

NUWARA ELIYA DISTRICT.

Paddy.—Kotmalé: fields being ploughed and sown for the maha. Uda Héwáhēta and Walapané: reaping of maha concluded—crop good.

Dry Grain.—Kotmalé: kurakkan young plants. Uda Héwáhēta and Walapané: no work on chenas.

NORTHERN PROVINCE.

JAFFNA DISTRICT.

Paddy.—Ploughing and manuring general throughout the district.

Dry Grain.—Panichchámi and thenaichchámi almost all reaped, and the crop reported to be good on the whole, though in Vadamarachchi West the former grain was reported to have been affected by drought, and the latter damaged in blossom by the hard blowing. Kurakkan in ear in most divisions, and sowing of payaru commenced in chempadu lands.

Except slight showers on the 1st and 3rd July in Jaffna and Valikánam North, there was no rain during the month. Cutting and curing of tobacco almost completed, and shows on the whole a fair crop.

MANNÁR DISTRICT.

Paddy.—Sirupokam in two villages : in Mantai pattu ripe, and fairly good in Musali pattu. It has failed in nine villages, in three for want of rain ; good elsewhere. Preparations being made in some villages for the kalapokam on mainland.

Dry Grain.—Preparations for cultivation of dry grain being made in some villages in Mannár island.

MULLAITTÍVU DISTRICT.

Paddy.—Small idaipokam crop has been reaped and stacked ; yield below the average. Sirupokam cultivated in one or two villages only. Preparations being made for cultivation of kalapokam.

Dry Grain.—Preparations for cultivation now in progress.

VAVUNIYA DISTRICT.

Paddy.—Idaipokam crop now being reaped and stacked ; average yield. Sirupokam crop in ear doing well at present.

Dry Grain.—No cultivation.

Water supply in some tanks likely to fail.

SOUTHERN PROVINCE.

GALLE DISTRICT.

Paddy.—Gangaboda pattu, Wellaboda pattu, Four Gravets, and Aknimana : yala crop exceedingly good ; Talpe pattu and Bentota : good in the low lands but high lands have suffered from insufficient rain; Hinidum pattu : crops poor owing to want of rain.

MÁTARA DISTRICT.

Paddy.—Gravets : little paddy cultivated for yala, good, except in one division damaged by salt water ; maha sowings just commenced. Wellaboda pattu : good. Morowak kóralé : crop damaged by drought. Gangaboda pattu : yala crop good and being reaped : maha sowings commenced. Kandaboda pattu and Weligam kóralé : yala crop good and being reaped ; preparations being made to commence maha cultivation.

Dry Grain.—Gravets : no fine grain. Wellaboda pattu : crop damaged by drought. Kandaboda pattu and Weligam kóralé : fine grain fair.

HAMBANTOTA DISTRICT.

Paddy.—West Giruwa pattu : crops middling, in some places bad owing to insufficient rainfall. East Giruwa pattu : small extent sown, good. Magam pattu : crops at Tissa good ; near Walawa-ganga good.

Dry Grain.—Almost all chena crops in West Giruwa pattu have perished for want of seasonable rain.

Rain on the 20th. Food supply good.

EASTERN PROVINCE.

BATTICALOA DISTRICT.

Paddy.—Later pinmari crops good,—not yet ripe. Ettala cultivation has commenced.

Dry Grain.—Lands are being cleared for cultivation of Indian corn and fine grain.

Hoof-and-mouth disease prevalent among cattle in Batticaloa North. Price of paddy per bushel Re. 1·33, Indian corn Re. 1·25, fine grain Re. 1·25.

TRINCOMALEE DISTRICT.

Paddy.—Prospects of crops fair. Early sown paddy reaped and harvested.

Price of paddy has increased from Re. 1·75 to Rs. 2. Locally grown paddy almost exhausted owing to failure of last year's crops. Paddy and kurakkan are obtained from Singhalese villages, and Coast rice is also used by the villagers.

NORTH-WESTERN PROVINCE.

KURUNGALA DISTRICT.

Paddy.—Crops middling where tank water has been obtainable.

Dry Grain.—Fine grain generally destroyed. Chenas in preparation for maha.

No rain to speak of. Scarcity of food reported from Katugampola.

PUTTALAM DISTRICT.

Paddy.—Demala hatpattu : crop in ear and promises well. Puttalam division : no cultivation for want of rain, Kalpitiya division : small extent of cultivation ; prospects good.

Dry Grain.—Demala hatpattu ; dry grain cultivation failed for want of rain. Puttalam division : see under *Paddy*.

CHILAW DISTRICT.

Paddy.—Northern Division: yala crop partly ripe, but partly damaged by flies—condition fair; maha cultivation not commenced owing to scarcity of water in the tanks. Southern division: partly damaged for want of rain, the rest earing; fields being ploughed for maha harvest.

Dry Grain.—In Southern Division fine grain has been damaged for want of rain; prospects doubtful.

NORTH-CENTRAL PROVINCE.

ANURADHAPURA DISTRICT.

Paddy.—Yala paddy is in various stages. Damage from want of water reported from Négampaha kóralé and from insects in Nuwaragam paláta. Elsewhere prospects favourable.

Dry Grain.—Small gingelly crop reaped in Kalagam and Hurulu palátas only.

Rain in Tamankaduwa and part of Nuwarakaláwiya early in month.

PROVINCE OF UVA.

BADULLA DISTRICT.

Paddy.—Maha crops in all the divisions harvested, the yield generally being good. Sowing for yala has commenced in some of the lower divisions.

Dry Grain.—Cultivation being begun.

PROVINCE OF SABARAGAMUWA.

RATNAPURA DISTRICT.

Paddy.—Yala harvest on wet lands in all the kóralés promises an exceptionally large yield, except in Kuruwiti and Kukulu kóralés, where, owing to drought, prospects are middling. Ploughing operations for maha in progress throughout district.

Dry Grain.—Prospects on ohena lands favourable both for fine grain and el-wi.

KÉGALLA DISTRICT.

Paddy.—Paranakuru kóralé: yala crop fair. Beligal: poor owing to flies and bambupíduma. Galboda and Kinigoda: poor owing to want of sufficient rain. Three Kóralés and Lower Bulatgama: crops bad in some fields which have been affected by bambupíduma, elsewhere crops are middling. Ploughing for maha not yet over.

Dry Grain.—Kurakkan, mun, bill paddy, iringu: prospects poor owing to want of rain. Kurakkan in Three Kóralés and Lower Bulatgama middling. Gingelly is being reaped in Beligal koralé: crop middling.

Hoof-and-mouth disease reported from parts of Beligal kóralé and Paranakuru koralé.

SEASON REPORT FOR THE QUARTER ENDED JUNE 30, 1892.

Province and District.	Average Rainfall in Inches. In the Quarter.	Price per Bushel.				Sowing and Condition of Crop.	Harvest.	Remarks.
		To end of corresponding Quarter of past three years.	Paddy.	Dry Grain.	Corresponding Quarter last year.			
			Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.
WESTERN. Colombo ...	23.54	37.77	39.35	1 50	1 50	i 40	None	—
Negombo ...	17.72	37.32	22.38	1 50	1 50	1 60	Practically none in the market	Yala crop: paddy sown early is damaged by flies
Kalutara ...	23.01	36.29	42.81	1 25	1 50	1 50	Do. do.	—
CENTRAL. Kandy.	—	—	—	1 12½	1 25	—	Kurakkan Anu Hill paddy	Paddy : yala sowing and transplanting over; crop prospects bad. Maha sowing commenced late owing to drought. Kurakkhan : sown in May owing to drought crop prospects bad. Hill paddy : sowing commenced
Yatinuwara ...	—	—	—	1 60	1 50	—	Kurakkan Anu Hill paddy	Paddy : yala sowing and transplanting over; crop prospects bad owing to drought. Kurakkhan : Yala chena sown in plains. Crop prospects bad owing to drought

Province and District.	Average Rainfall in Inches.	Price per Bushel.						Sowing and Condition of Crop.	Harvest.	Remarks.	
		Paddy.			Dry Grain.						
In the Quarter.	To end of Quarter.	Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
Vavuniya	12.58	19.26	21.65	Rs. c. 1 52	Rs. c. 1 28	Rs. c. 1 79	Rs. c. 1 9	Rs. c. 3 58	Gingelly kurakkan	A small extent has been sown for sirupokam, and the plants are doing well. In majority of tanks there was insufficient water for sirupokam cultivation. Extent cultivated was much larger than usual owing to the 1891 rains. Gingelly cultivation was a failure for want of timely rain	
Mannar	2.80	9.41	7.24	—	—	—	—	—	Paddy sowing for chirupokam in about fifteen villages on the mainland. Dry grain none	The present food supply is satisfactory, as almost every village has had a crop.	
Mullaitivu	4.24	8.39	15.99	to 1 50	to 1 50	1 25	1 25	0 75	Kurakkan Varaku Gingelly	The kalapokam crop has been threshed, and gave a fair good return. A small Idiappokam crop (72 bushels' extent) has been reaped and stacked, and is considered a poor one	
								to 1 0 0 50 2 50 to 4 0	to 1 12½ 0 75 2 50 to 3 50	1 0 0 75 3 0 to 4 50	No dry grain cultivation

SOUTHERN.		GALLE.		KANDY.		MATALE.	
Four Gravets and Akkimana	—	—	—	1 25	1 25	—	—
Talpe pattu	...	—	—	1 50	1 50	—	—
Gangaboda pattu	47.41	47.41	—	1 25	1 25	—	—
Wellaboda pattu Bentota - Walalla-witi koralé	—	—	—	1 12	1 12	—	—
Hinidum pattu	...	—	—	1 60	1 50	1 25	4 0
HAMBANTOTA.		—	—	1 60	1 50	—	—
Magam pattu	...	—	—	1 25	1 50	Kurakkan	1 25
East Giruwa pattu.	—	—	—	1 50	2 0	Kurakkan	1 25
West Giruwa pattu	—	—	—	1 50	1 37½	Kurakkan	1 25
Rain-gauge Stations:	—	—	—	—	—	—	10.50
Udukiruwila	...	—	—	—	—	—	—
Kirama	...	—	—	—	—	—	—
Tissa-maharama	...	—	—	—	—	—	—
Ellagatta	...	—	—	—	—	—	—
Hambantota	...	—	—	—	—	—	—
Liyangabalatota..	...	—	—	—	—	—	—
Tangalla	...	—	—	—	—	—	—
MATARA.		—	—	1 25	1 75	1 50	—
Four Gravets	...	—	—	1 50	1 50	Mun	1 25
Wellaboda pattu	—	—	—	1 50	1 50	Amu	3 0
Kanduboda pattu	—	—	—	1 25	1 50	Kurakkan	1 25
Weligam korale...	—	—	—	1 25	1 50	Kurakkan	1 0
						Tana	0 75
							1 0
							1 25
Few fields cultivated for yala		—	—	—	—	—	—
Few fields cultivated for yala		—	—	—	—	—	—
Few fields cultivated for yala		—	—	—	—	—	—

Province and District.	In the Quarter.	Average Rainfall in Inches.				Price per Bushel.				Sowing and Condition of Crop.	Harvest.	Remarks.
		To end of quarter.	Last Quarter.	This Quarter.	Paddy.	Dry Grain.	Rs. c.	Rs. c.	Rs. c.			
Gangaboda Patta	6.87 7.69 4.90	— — —	33.36 36.91 18.46	1.75 1.75 —	1.75 1.75 —	Mederi Kurakkan Amu	Rs. 0. 75 1 0	Rs. 0. 75 1 0	Rs. 1. 25 1 50 1 12½	Some damage by godawellus and drought, but the crop on the whole good	Yala	—
Morawak kóralé...	—	—	—	—	—	Kurakkan Amu Mederi Mun Tala	1.25 1 0 1 50 1 50	1.25 1 0 1 50 1 50	1.25 1 0 1 50 1 50	Yala crop damaged by drought	Yala	—
EASTERN.	... 7.10	42.69	14.25	1.35 to 1.0	1.45 to 1.0	Indian cor. Fine grain	1 0 1 25 1 25	1 0 1 25 1 25	1 0 1 25 1 25	Sowing of later pinnar (part) is being harvested	Yala	Owing to failure of the crops through flood and blight, paddy is rising in price. Export to Jaffna has commenced.
Batticaloa	... 2.0	4.3	5.22	1.87	1.75	Dry grain	1.30	1.30	1.37	Sowing over. Condition of crops good	Pinnari	A mild type of foot-and-mouth disease among cattle is prevailing.
Trincomalee	...	NORTH- WESTERN	2.0	4.3	5.22	Dry grain	1.30	1.30	1.37	Sowing over. Condition of crops good	Pinnari	... where crops on about 390 acres have been reaped and stacked
KURUNGGALA.	18.70	35.12	38.85 & 65.64	1.25	1.25	1.75 Kurakkan Tana	1 0 —	1 0 —	1 25 1 12½ to 1 25	Paddy : 250 amuna-mown, young	Yala	The unusual drought appears to have been most severely felt in Dambadeni and in Dewamedu harapathu. Of these Dambadeni is almost entirely dependent on the rainfall, and the harvest is likely to be a failure. The amount of cultivation in Wanni is very small for the size of the district, and crops throughout the Province have suffered from want of rain. Paddy in low lands irrigable from tanks has to a certain extent stood the drought, but is thin. Fine grain on high lands, where sown, has been destroyed almost without exception.
Weudawali hat-patta (Rainfall registered at Kurunggala)	16.07	23.57	33.82 & 49.04	1.0 to 1.25	1.25 to 2.0	Kurakkan, meneti, and tana	1.12½ to 1.25	1.12½ to 1.25	1.25 to 1.50	Outlook bad. Field abandoned for want of rain	Yala	Failure. Many fields abandoned for want of rain
Wariypola	—	—	41.03 & 69.77	1.0 to 1.37½	1.25 to 1.50	Kurakkan	0.75 to 1.12½	1.0 to 1.0	0.75 to 1.0	Failure. Many fields abandoned for want of rain	Yala	Condition of crop mid-drying, but thin on account of the drought
Dambadeni hat-patta (Mean of rainfall at Polgahawela and Narammola)	—	—	36.11 & 51.47	1.50	1.50	Kurakkan, mun &c	1.28	1	0	1.25	Yala	Katugampola hat-patta (Rainfall registered at Kuliyapitiya)

Wanni	hatpattu (Rainfall regis- tered at Nikaweraiyā)	13·10	20·20	Nil & 45·50*	1 50	1 25	1 50	Kurakkan, mun, &c.	1 0	1 0	1 50	135 amunams sown ...	Yala	
Hiriya	hatpattu (Rainfall regis- tered at Gokar- rella)	11·52	24·50	27·52 & 46·97	1 12½	1 25	1 75	Kurakkan, mun, &c.	1 0	1 12½	1 : 5	Paddy: 339 amunams. Fine grain: 9 amu- nams. Condition of crop fair	Yala	
PUTTALAM	...	19·79	7·53	9·20	1 50	1 50	1 75	Kurakkan	1 50	1 28	1 25	Neither paddy nor fine grain sown in Puttalam patta for want of rain. Fields ploughed and cheeras sown for Yala in Demala hatpatu, and in some villages the plants are young Paddy sowings: de- wareddiri and bála- wi. Fine grain: meneri, mun, and gingelly. Condition fair	Yala	
CHILAW.														
Pitigal	Kóralé	19·89	23·05	25·17	1 25	1 25	1 50	—	1 0	1 0	1 12	—	—	
North														
Pitigal	Kóralé	Central	Not as- cer-tain- able (Doubtful)	1 50	1 50	1*75	Mun Kurakkan	3 50	3 50	1 50	Do.	do.	—	
Pitigal	Kóralé	Southern	9·41 (N.c as- cer-tain- able)	6·26	9·41	1 50	1 50	1 75	Mun Kurakkan	3 50	3 50	1 50	Do.	—
NORTH- CENTRAL.														
Nuwarakabewiya	There was rain in April; none in May and June	1 50	1 25	1 50	Kurakkan Gingelly Mun Uru Kollu	0 90 2 50 3 50 1 90 1 40	0 75 2 50 3 0 3 0 1 75	1 0 2 0 3 50 2 0 2 0	Cultivation for Yala harvest is in various stages. The general outlook is favourable, but the extent culti- vated is restricted owing to cattle mar- rain. Gingelly and mun crops destroyed for want of rain throughout the Pro- vince	A successful, but limi- ted, meda harvest is being reaped	Food supply is ample every- where. Water-supply suffi- cient. Twenty-five village tanks are being re-filled from Kalawewa	Prospects of yala har- vest good		
Tamankaduwa	Do.	do.	1 75	1 75	2 0	Kurakkan Gingelly Mun Uru Kollu	1 40 3 75 3 75 2 75 1 50	1 40 1 75 3 75 2 75 1 50	1 50	Fields have been cul- tivated early for yala. Crop is matur- ing. Condition is favourable	Water supply sufficient	Prospects of yala har- vest good		

* Mean of Rainfall registered at Nikaweraiyā at Bololla.

Province and District.	Average Rainfall in Inches.				Price per Bushel.				Sowing and Condition of Crop.				Harvest.		Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past three years.	Last Quarter.	Paddy.	Dry Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.
UV.A. Udnkinda	—	—	—	1 50	1 75	1 55	Kurakkan Indian corn Green peas Kollu	1 47 1 68 5 0 2 66	1 25 1 50 4 50 2 75	1 41 1 39 3 77 2 67	The paddy crop is still young. The kollu crop has suffered from insufficient rain	Paddy and kollu	Paddy	Paddy	The yield of paddy promises to be fair
Yatikinda	—	—	—	1 55	1 50	1 76	Kurakkan Indian corn Green peas Kollu	1 17 1 19 4 80 2 36	1 25 1 12 4 50 2 25	1 25 1 25 2 0	The weather was very dry during the quarter	Paddy	Paddy	Paddy
Wellessa	—	—	—	1 0	1 25	1 25	Kurakkan Indian corn Green peas	0 87½ 0 75 3 84	1 12½ 1 0 4 48	1 0 0 87½ 3 0	The crop of some fields is now ripening, and some in blossom. Owing to want of rain the yield is expected to be below the average, and the kollu crop has failed	Maha paddy crop is ripening and is satisfactory	Maha paddy	Paddy	Favourable weather prevailed during the quarter
Wiyaluwa	—	—	—	1 50	1 25	1 50	Kurakkan Indian corn Green peas Kollu	1 0 1 0 3 50 2 25	1 25 1 12½ 4 25 2 25	1 0 1 12½ 3 50	Maha paddy crop is being reaped and threshed	Maha paddy crop is being reaped and threshed	Paddy	Paddy
Wellawaya	—	—	—	1 75	1 50	2 25	Kurakkan Indian corn Green peas Kollu	1 25 1 50 4 50 4 0	1 37½ 1 25 4 25 3 0	1 25 1 12½ 4 50 3 50	The crops of the fields that were sown at the beginning of the year are being reaped and are satisfactory	Paddy	Paddy	Paddy
Buttala	—	—	—	1 0	1 25	1 50	Kurakkan Indian corn Green peas	1 0 1 0 3 50	1 0 0 62½ 3 56	0 75 0 75 3 50	Paddy crops good	Paddy	Paddy	Paddy
Bintenna	—	—	—	1 25	1 0	1 0	Kurakkan Indian corn Green peas	1 0 0 62 0 50	0 75 0 50 2 80	0 75 0 50 2 80	Some of the fields are being ploughed and sown. The paddy crop is much damaged by flies	Paddy	Paddy	Paddy	Poor crop anticipated

SABARAGAMUWA. Ratnapura.	88-53	155-58	1 26	1.25	1 25	Kurakkan Anu Meneri	0 75 0 75 0 50	0 75 0 62 0 60	0 75 0 75 0 75	0 75 0 62 0 60	Yala harvest sown and the plants are in blossom. The con- dition of crops in some villages favour- able owing to rain during the quarter	Murrain and hoof-and-mouth disease prevails in some villages of this kóralé
Nuwadun kóralé...	—	—	1 50	1 50	1 50	Kurakkan Anu Meneri	1 0 0 75 0 75	1 0 0 75 0 75	1 0 0 75 0 75	1 0 0 75 0 75	The first yala had been sown under favourable circum- stances	The harvesting of the second maha has been harvested. The crop was very ordinary
Atakalan kóralé...	—	—	1 75	1 75	1 75	Eli-wi Indian corn per 100 pods	1 0 0 25	1 0 0 25	1 0 0 25	1 0 0 25	The second maha crop has been gathered. The fields for the yala have been sown. Prospects favourable. Eliwi and kurakkam chenus have been sown in some parts of the kóralé, and in them are planted Indian corn	Cattle murrain prevails in some villages of this kóralé
Kolonna kóralé ...	9-53	23-26	60-53	1 50	1 50	Kurakkan Tana Green peas Kollu Indian corn per 100 pods	1 25 0 75 4 0 4 0 0 75	1 25 1 0 4 0 4 0 0 75	1 25 0 75 4 0 4 0 0 75	1 0 0 75 4 0 4 0 0 75	The crop on dry grain for maha has been harvested. The fields are being sown in some parts of the kóralé, and in others the plants in differ- ent stages of growth with favourable pros- pects	—
Kadawatu kóralé...	—	—	—	—	1 25 to 1 50 to 1 75	—	Kurakkan	1 12 to 1 25 to 1 60	1 25	—	The permanent crop was fairly good. Yala thriving well, but not so good as in previous years. Generally the fields in Kadawatu kóralé are not so good as those in the Meda Kóralé	Damage to the crop by drought was caused by late sowing

Province and District.	In the Quarter.	Average Rainfall in Inches.						Price per Bushel.						Sowing and condition of crop.	Harvest.	Remarks.
		To end of corresponding Quarter of past three years.	To end of Quarter.	Paddy.	Dry Grain.	Rs.	c.	Rs.	c.	Rs.	c.	Rs.	c.			
SABARAGAMUWA—coind. Media kóralé ...	—	—	—	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	Rs. c.	The paramas crop reaped in April and May was a very poor one. The Yala fields in some villages are blossoming now and the others ripening. Prospects unfavourable except in villages outlying the range of hills, which are very good, especially in the Bulatgamawela, which has this year given a splendid crop. Fields in Opanaiké, Hunuwala, Madoha, and Akarella are good, and have not suffered from drought	—	—
Kukulu kóralé ...	—	—	—	1 25	1 25	1 25	1 25	1 0	1 25	Amu Meneri	0 75	0 75	0 75	No crop during this quarter. Yala fields sown.	0 75	0 75
KÉGALLA.	—	—	—	1 25	1 25	1 25	1 25	Kurakkan Amu Mun	0 75	0 75	0 75	0 75	0 75	I addy, kurakkan, and mun partly sown for want of rain; chena are ready for sowing hill paddy. Maha fields are being ploughed.	0 75	0 75
Galboda and Kini-Goda kóralés	—	—	—	1 25	1 25	1 25	1 25	Hill paddy Iringu	3 0	3 0	3 0	3 0	3 0	There has not been sufficient rain during the quarter	3 0	3 0

Beliyal kóralé ..	D.o.	d.o.	do	1 25	1 37	1 37	Hill paddy	1 0	1 12	1 12	Paddy, kurakkan, mun, and gingelly partly sown for want of rain. Hill paddy andirung are being sown. Maha fields are being ploughed.	Prospects fair
Parankuru kóralé	24.48	24.48	38.15	1 50	1 50	1 50	Amu Kurakkan	0 87	1 0	1 0	Paddy and hill paddy partly sown for want of rain; che- nas in some parts are being prepared for sowing. Hill paddy : maha fields are being ploughed.	Prospects fair
Three Kóralés and Lower Bulat- gama	27.59	27.59	44.99	1 50	1 50	1 50	Amu Kurakkan	0 50	0 50	0 50	Maha fields are being ploughed. Growth on yala fields fair. Kurakkan are in plants.	Prospects fair
											Rainfall moderate	

There has not been sufficient
rain during the quarter.
Hoof-and-mouth disease
in cattle prevails in some
villages

There has not been sufficient
rain during the quarter.
Cattle murrain decreasing

NOTICES CALLING FOR TENDERS.

SEALED Tenders (in duplicate), marked on the envelopes "Tender for provisioning Hospitals," will be received by the Hon. the Secretary at his office up to 12 noon on Monday, August 29, 1892, from persons willing to contract for supplying raw provisions to the undermentioned Government Field Hospital for one year commencing from October 1, 1892:—

	Security if in Landed Property.	Security if in Cash. Rs.
Field Hospital, Hambagamuwa	250	100

2. The tenders are to be made upon forms which will be supplied upon application to the Principal Civil Medical Officer and Inspector-General of Hospitals, and no tender will be considered unless it is furnished on the recognised form, and unless accompanied by a letter signed by two responsible persons, whose addresses must be given, engaging to become security for the due fulfilment of the contract.

3. Every tenderer will be required to make a deposit (on applying for forms) of Rs. 50; and should any person decline to enter into the contract and bond after he has tendered, or fail to furnish approved security, such deposit will be forfeited to the Crown. All other deposits will be returned after the contract has been signed. The deposit

must be made at the Treasury, and the deposit receipt must be produced to the officer issuing the form as his authority for making the issue.

4. When required, samples must be deposited.
5. Sufficient sureties will be required to join in a bond for the due fulfilment of the contract. The amount of security is given opposite the service. Title deeds or cash must be deposited. The person whose tender has been accepted by Government will be required to bear the expense of having security bonds prepared for the due performance of his contract, which bonds will be prepared by the Attorney-General.

6. Every alteration in the tenders should bear the initials of the tenderers; all tenders containing alterations not bearing the tenderers' initials will be treated as informal and rejected.

7. Any further information can be obtained on application to the Principal Civil Medical Officer and Inspector-General of Hospitals.

8. The Government reserves to itself the right, without question, of rejecting any or all tenders, and the right of accepting any portion of a tender.

H. L. CRAWFORD,
for Colonial Secretary.

Colonial Secretary's Office,
Colombo, August 10, 1892.