# ලංකාණඩූවේ ගැසට් පතුය

## THE CEYLON GOVERNMENT GAZETTE

අංක 14,648 — 1966 ජනවාරි 27 වැනි බුහස්පතින්ද — 1966.1.27 No. 14,648—THURSDAY, JANUARY 27, 1966

(Published by Authority)

# PART I: SECTION (III)—TRADE MARK AND

## PATENT NOTICES

(Separate paging is given to each language of every Part in order that it may be filed separately.)

			PAGE				PAGE	
Trade Mark Notices		••	15	Notifications under the Designs Ordinance				
Trade Mark Notifications	••		-	Miscellaneous	••	••		
Notifications under the Patents Ordinance		17						

#### Trade Mark Notices

#### **Trade Marks Office**

All communications relating to Trade marks should be addressed to the Registrar of Trade marks, Department of the Registrar of Companies, Block 5, Echelon Square, Colombo 1.

#### Hours of Inspection '

The office shall be open to the public every week day except Saturday, between the hours of ten to four, and on Saturdays between the hours of ten to one, except on public holidays. Applications for inspections will, however, be accepted up to 3 p.m. on week days and 12 noon on Saturdays.

#### Trade Marks limited to Colours

Where it is stated in the advertisement of an application that the mark upon its registration is to be limited to

certain colours, the colours are, as far as possible, indicated in the accompanying representation of the mark in the usual heraldie manner.

#### Association

Where it is stated that an advertised mark is to be associated (under Section 22 of the Trade Marks Ordinance (Cap. 121) with another mark, it is indicated by its official number.

#### Applications in Part A or Part B

Applications for registration in Part A of the Register are shown with the official number unaccompanied by any letter. Applications for Part B of the Register are distinguished by the letter B prefixed to the official numbers.

#### IMPORTANT NOTICE

IT is hereby notified that in view of the Public Holidays on Saturdays, February 12, and Friday, February 18, 1966, all Notices and Advertisements for publication in the Ceylon Government Gazette of February 17, 1966, should reach the Government Press not later than 12 Noon on Friday, February 11, 1966.

Government Press, Colombo, January 27, 1966. Bernard de Silva, Government Printer.

#### **OPPOSITION**

NOTICE is hereby given that any person who has grounds of objection to the registration of the following trade marks. may, within two months from the date of this Gazette, lodge Notice of Opposition on form T. M. No. 7 bearing an uncancelled or impressed stamp of Rs. 25. The period of lodging Notice of Opposition may be enlarged by the Registrar if he thinks fit and upon such terms as he may direct.

Formal opposition should not be lodged until after reasonable notice has been given by letter to the Applicant for registration as to afford him an opportunity of withdrawing his application before the expense of preparing the Notice of Opposition is incurred. Failure to give such notice will be taken into account in considering any application by an Opponent for an Order of Costs if the opposition is uncontested by the Applicant.

#### TRADE MARK APPLICATIONS ADVERTISED BEFORE REGISTRATION

(The Trade Marks Office does not guarantee the accuracy of these publications or undertake any responsibility for errors or omissions or their consequences)

(1) Trade Mark No. 26,945. (2) Date of Receipt: 29th June, 1965. (3) Applicant (Proprietor of the Trade Mark): MORINAGA CONFECTIONERY COMPANY LIMITED (a Company duly organized under the laws of Japan), 12, 1-chome, Shiba-Minato-ku, Tokyo, Japan; Manufacturers and Tamachi, Merchants. (4) Address for service in the Island: Mr. George Abeyaratne, Negris Building, York Street, Colombo. (5) Class: 42. (6) Goods: Substances used as food or as ingredients in food, such as Biscuits, chocolates, caramels, cakes pastry and other confections. (7) Representation of the Trade Mark:

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 12th November, 1965. 1-717

(1) Trade Mark No. 27,289. (2) Date of Receipt: October, 1965. (3) Applicant (Proprietor of the Trade Mark):
PATHMANATHAN KUNJU KRISHNAN trading as 'Gova Beedi Company', No. 132, Sangamitta Mawata (Green Street), Colombo 13; Manufacturer and dealer. (4) Address for service in the Island: ——. (5) Class: 45. (6) Goods: Beedies. in the Island: —. (5) Class: 45 (7) Representation of the Trade Mark:



W. M. SELLAY Registrar of Trade SELLAYAH. Marks.

Department of Registrar of Companies, Colombo, 4th December, 1965.

-737

(1) Trade Mark No. 26,887. (2) Date of Receipt: 14th June, 1965. (3) Applicant (Proprietor of the Trade Mark): ADAM SAIBO NOOR MOHAMED and LAWRENCE KANDAGE trading as STAR PAINT CO., 69, Dam Street, Colombo 12; Manufacturers. (4) Address for service in the Island: ---(5) Class: 1. (6) Goods: Paints and distempers. (7) Representation of the Trade Mark:

# SPACEMAN

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 26th August, 1965.

1 - 716

(1) Trade Mark No. 25,881. (2) Date of Receipt: 3rd July, 1964. (3) Applicant (Proprietor of the Trade Mark): F. HOFF-MANN-LA ROCHE & CO. LIMITED COMPANY, (a Company organised under the laws of Switzerland) Basle, Switzerland; Manufacturers. (4) Address for service in the Island: Manufacturers. (4) Address for service in the Island: Messrs. JULIUS & CREASY, P. O. BOX No. 154, Colombo. (5) Class: 3. (6) Goods: All goods in Class 3. (7) Representation of the Trade Mark:

#### PROTOVIT

W. M. SELLAYAH, Registrar of Trade Marks...

Department of Registrar of Companies, Colombo, 17th November, 1965.

1-1354

(1) Trade Mark No. 26,684. (2) Date of Receipt: 19th April, 1965. (3) Applicant (Proprietor of the Trade Mark): UNILEVER LIMITED (a British Company), Port Sunlight, Cheshire, England; Manufacturers. (4) Address for service in the Island: G. Jayasuriya, 258, Grandpass Road, Colombo 14. (5) Class: 47. (6) Goods: All goods in the class. (7) Representation of the Trade Mark: Trade Mark:

#### VINOLIA

This mark is associated with trade marks Nos. 3,109, 26,522, and 26,591.

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 22nd October, 1965.

-83

(1) Trade Mark No. 25,541. (2) Date of Receipt: 13th March, 1964. (3) Applicant (Proprietor of the Trade Mark): OLIN MATHIESON CHEMICAL CORPORATION, (a Virginia Corporation) 460, Park Avenue, New York 22, New York, United States of America; Manufacturers. (4) Address for service in the Island: Messrs. Julius & Creasy, P. O. Box No. 154, Colombo. (5) Class: 3. (6) Goods: Pharmaceutical and medicinal preparations. (7) Representation of the Trade Mark:

#### AFSILLIN

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 30th November, 1965.

1....1359

(1) Trade Mark No. 25,628. (2) Date of Receipt: 9th April, 1964. (3) Applicant (Proprietor of the Trade Mark): GARDI-SETTE COMPANY LIMITED, (a Company organised and existing under the laws of the Federal Republic of Germany) Emsdetten/Westfalen, Grevener Damm, Germany. (4) Address for service in the Island: Messrs. Julius & Creasy, P. O. Box 154, Colombo. (5) Class: 24. (6) Goods: Curtains, net curtains, in the piece, textiles and woven cotton piece goods in class 24. (7) Representation of the Trade Mark:



W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 10th December, 1965. 1-1488

(1) Trade Mark No. 26,967. (2) Date of Receipt: 7th July, 1965. (3) Applicant (Proprietor of the Trade Mark): UNILEVER LIMITED (a British Company) Port Sunlight, Cheshire, England; Manufacturers. (4) Address for service in the Island: G. Jayasuriya, 258, Grandpass Road, Colombo 14. (5) Class: 48. (6) Goods: All goods in the class. (7) Representation of the Trade Mark:

#### VINOLIA BE SURE

- 1. Registration of this mark shall give no right to the exclusive use of the words 'be sure'.
- 2. This mark is associated with trade marks Nos. 72, 3,680, 20,468, 3,109, 22,169, 22,629, 22,852, 26,523 and 26,592.

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 30th November, 1965.

1-92

- (1) Trade Mark No. 26,473. (2) Date of Receipt: 25th February, 1965. (3) Applicant (Proprietor of the Trade Mark): UNILEVER LIMITED (a British Company) Port Sunlight, Cheshire, England; Soap Manufacturers. (4) Address for service in the Island: G. Jayasuriya, 258, Grandpass Road, Colombo 14. (5) Class: 48. (6) Goods: Perfumery, cosmetics, hair lotions and all other goods in the class: (7) Representation of the Trade Mark. of the Trade Mark:
- TIBO 1. Applicants undertake to serve a copy of the Gazette notification on the proprietors of trade mark No. 23,585.

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 20th November, 1965. 1--102

(1) Trade Mark No. 27,337. (2) Date of Receipt: 27th October, 1965. (3) Applicant (Proprietor of the Trade Mark): KURASHIKI RAYON COMPANY LIMITED (a Joint Stock. Company duly organized under the laws of Japan), No. 1621, Sakazu, Kurashiki City, Japan; Manufacturers and dealers. (4) Address for service in the Island: Messrs. Julius & Creasy, P. O. Box 154, Colombo 1. (5) Class: 49. (6) Goods: Fishing nets made of synthetic fibres. (7) Representation of the Trade Mark:

#### KURALON

W. M. SELLAYAH, Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 10th December, 1965.

1--93

(1) Trade Mark No. 25,290. (2) Date of Receipt: 18th January, 1964. (3) Applicant (Proprietor of the Trade Mark): Messrs. Maxim Limited (a Company incorporated in Ceylon). No. 116. Galle Road, Colpetty, Colombo 3, manufacturers of Ready Made-Garments. (4) Address for service in the Island: Messrs. John Wilson, 365, Dam Street, Colombo 12. (5) Class 38. (6) Goods: Ready Made Garments. (7) Representation of the Trade Mark:

# Maxiwell

W. M. SELLAYAH; Registrar of Trade Marks.

Department of Registrar of Companies, Colombo, 23rd November, 1965.

### Notifications under the Patents Ordinance

#### NOTICE

THE following specification has been accepted:-

No. 5,405 of 6th April, 1964 (Convention Application Claiming Priority date 6.4.63 of France No. PV. 930,681).

"Improvements in or Relating to Curved Screens and Method of Making Same".

Abstract.—The nature of the invention can be ascertained from claim 1 which reads as follows:--

1. A method of manufacturing a curved screen for projecting motion picture films or the like, of the type comprising parellel juxtaposed light-diffusing elements, said method being characterized in that it consists in constructing longitudinal panel of which the two large sides are substantially parallel to each other, in associating with each panel light-diffusing elements substantially parallel to said large sides while giving to each element a variable angular setting from one panel to the other, and preferably on a same panel, in juxtaposing said panels along and preferably, on a same panel, in juxtaposing said panels along said sides and securing them in the relative positions thus obtained, the angular setting thus given to the elements depending on the position occupied by the panel considered in the complete screen and such that the light-diffusing faces of said elements be substantially parallel to a same direction perpendicular to the axis of the film projection.

There are 31 claims and 4 sheets of drawings.

S. L. DE SILVA, Registrar of Patents.

Colombo, 20th November, 1965. 1-680/1

Part I : Sec. (III) — (Advertising) — CEYLON GOVERNMENT GAZETTE — Jan. 27, 1966

#### NOTICE

THE following specification has been accepted:-

No. 5,409 of 16th April, 1964 (Convention Application Claiming Priority date 10.5.63 of U.K. No. 18,548/63).

METAL CLOSURES LIMITED

"Improvements in Closure Seals".

Abstract.—The nature of the invention can be ascertained from claim 1 which reads as follows:—

1. A closure cap for vacuum sealing an externally screw-threaded container comprising a disc-like vacuum cap member, adapted to seal against the mouth of a container and an outer closure shell having a top, a threaded skirt and a security band at the lower margin of the skirt, said security band being engaged with a co-operating formation on the container to prevent the closure shell from being removed from the container without at least partial separation of the security band from the skirt of the closure shell, the vacuum cap member being arranged so as to remain in undisturbed sealing relation with the container on unscrewing of said outer closure shell until the degree of separation of the security band from the skirt of the closure shell, necessary to permit removal of the closure shell from the container, has taken place. 1. A closure cap for vacuum sealing an externally screw-threaded place.

There are 11 claims and 3 sheets of drawings.

S. L. DE SILVA, Registrar of Patents.

Colombo, 20th November, 1965.

1 - 680/2

#### NOTICE

THE following specification has been accepted:-

No 5,411 of 20th April, 1964 (Convention Application Claiming Priority date 24.4.63 of U. S. A. No. 275,303).

AMERICAN FLANGE & MANUFACTURING CO. INC.

" Closure Cap and Method for Forming Same ".

Abstract.-The nature of the invention can be ascertained from claim 1 which reads as follows:-

1. A lightweight metal closure cap of the type adopted to be formed over a lip bordering the opening of a container neck, said cap comprising a disc-like top portion an annular gasket within said cap and engaged with the wall thereof a laterally depending skirt depending from and around said top portion, a pair of scores extending into the metal of said cap, commencing at the form and edge of said clirit and continuously at least rate way scores extending into the metal of said cap, commencing at the free end edge of said skirt and continuously at least part way across said top, said scores establishing a tear strip there between, a tearing ear extending laterally outwardly as an integral extension of said tear strip from the free edge of said skirt at the commencement of and between said scores, characterized by said scores (10, 11; 14, 15; and 16, 17) being uniform in cross-sectional contour throughout their extent said gasket (25) having integral extensions (18) extending into and filling said scores (14, 15) where said gasket (25) crosses said scores (14, 15) and said gasket extending from a position (26) closely adjacent the periphery of said top (2) to a position (27) part way down said skirt (3) said scores (10, 11) in said skirt (3) having been formed by the simultaneous scoring of the interior of said skirt (3) while forming the cap (1) from a flat blank by drawing an annular peripheral portion (43) of said blank laterally from the plane of said blank (26) while supporting the center circular portion (43) as the same is drawn into a lateral position with respect to said center portion. (The numbers in brackets refer respect to said center portion. (The numbers in brackets refer to the diagrams accompanying the specification).

There are 5 claims and 1 sheet of drawing.

S. L. DE SILVA. Registrar of Patents.

Colombo, 20th November, 1965. 1-680/3

#### NOTICE

THE following specification has been accepted:-

No. 5,417 of 28th April, 1964 (Convention Application Claiming Priority date 16.5.63 of U. K. No. 19,508/63).

HAROLD DOUGLAS EDWARDS

"Improvements Relating to Removal of Stalk from Manufactured Tea."

Abstract.—The nature of the invention can be ascertained from claims 1 and 2 which read as follows:—

1. A process of separating stalk from tea leaf which consists of immersing a mixture of stalk and the tea leaf in a volatile organic liquid medium of such specific gravity that the stalk rises

and the tea leaf sinks in the liquid, dividing the liquid into stalk-containing and leaf-containing portions and treating each portion to separate the solids (stalk and tea leaf respectively) from the liquid medium and to recover the liquid.

2. A process as claimed in claim 1 wherein the specific gravity of the liquid medium is within the range 1.15 to 1.35.

There are 12 claims and 5 examples.

S. L. DE SILVA, Registrar of Patents.

Colombo, 20th November, 1965.

1 - 680/4

#### NOTICE

THE following specification has been accepted:-

No. 5,424 of 23rd May, 1964 (Convention Application Claiming priority date 28.5.63 of U. K. No. 21,196/63)

CALMIC LIMITED.

"Improvements in or Relating to the Maintenance of Urinals, Water Closet Basins and the like".

Abstract.—The nature of the invention can be ascertained from claim 1 which reads as follows:—

1. A method of maintaining flushed convenience such as urinals and water closet basins in a relatively clean, odourfree and sanitary condition which compromises forming, during an interval between flushes, a relatively concentrated aqueous disinfectant solution from a viscous slowly mobile disinfectant composition, diluting the concentrated solution during a flush and discharging the diluted solution into the convenience at the end of the flush.

There are 21 claims and 3 sheets of drawings.

S. L. DE SILVA, Registrar of Patents.

Colombo, 20th November, 1965.

1 - 680/5

#### NOTICE

THE following specification has been accepted:-

of 23rd July, 1964 (Registration of No. 948,322 of 28.7.60 under Section 46) No. 5,483 of U. K.

Shell Internationale Research Maatschappij N. V.

"Improvements in the Drilling of Offshore Wells".

Abstract.—The nature of the invention can be ascertained from claim 1 which reads as follows:-

1. A method of drilling an offshore well and completing it with its wellhead equipment at a depth beneath the surface of the water where it is not subject to damage by collision with moving vessels, said method comprising drilling a borehole in the ocean floor from a drilling vessel by means of a drill stem and drilling tool, lowering over the drill stem a conductor pipe having a wellhead support structure and a well casing-head attached to the top thereof until the lower end of said conductor pipe has entered the borehole before the end of the drill stem has left it, arranging on the wellhead support structure guide cables extending to said vessel, lowering said conductor pipe into said borehole until the wellhead support structure and casinghead are at least at a water depth greater than the draft of vessels using the waters, running a cementing pipe string into said conductor pipe and cementing said conductor pipe in place within said borehole, lowering and guiding a blowout preventer to the top of the said casinghead and releasably connecting it thereto, guiding to and supporting on the top of the said blow-out preventer in a fluidtight manner the lower end of a marine conductor pipe extending to a point above the surface of the water, passing a drill stem and drilling tool down through said marine conductor pipe, blow-out preventor and conductor pipe to the bottom of the borehole, and continuing drilling of the borehole. A method of drilling an offshore well and completing it

There are 16 claims and 17 sheets of drawings.

S. L. DE SILVA, Registrar of Patents.

Colombo, 1st December, 1965.

1 - 680/6

## Part I: Sec. (III) — (Advertising) — CEYLON GOVERNMENT GAZETTE — Jan. 27, 1966

#### NOTICE

THE following specification has been accepted:-

No. 5,485 of 23rd July, 1964 (Registration of U. K. No. 948,326 of 8.5.61 under Section 46)

Shell Internationale Research Maatschappij N. V.

"Cementing Well Casings".

Abstract.—The nature of the invention can be ascertained from claim 1 which reads as follows:—

I. A method of cementing a string of casing in an offshore well drilled by equipment on a structure positioned above the surface of a body of water, which comprises the steps of leaving at least a portion of a drill string in the drilled hole so that the drill string extends from a point within the well to a point above the surface of the water to serve as a guide for the casing, running a well casing down over the drill string so that the casing extends from a point above the surface of the water down into at least the top of the well suspending the casing from its upper end, withdrawing the drill string from the casing, running a cement retainer to a position in the casing near the bottom thereof, securing the cement retainer to the inner wall of said casing, removably attaching the upper end of the casing to a pipe string, lowering the pipe string and casing simultaneously until the casing is in a final position in which its bottom is at a predetermined depth in the well but off the bottom thereof and the top of the casing is still above the top of the well, hanging the pipe string by the upper end thereof from the structure above the surface of the water, and pumping cement through the pipe string and

through the casing below the cement retainer and up the cutside of the casing to cement the casing in the well.

There are 16 claims and 4 sheets of drawings.

S. L. DE SILVA, Registrar of Patents.

Colombo, 1st December, 1965. 1—680/7

#### NOTICE

THE following specification has been accepted:—
No. 5,596 of 24th March, 1965
MIRUGASU KRISHNAPILLAI.

"A Propelling Eraser".

Abstract.—The nature of the invention can be ascertained from the 2 claims which read as follows:—

1. A method of propelling the eraser cord by twisting the cord itself through the nozzle irrespective of the design of the barrel, nozzle, thread, etc.

2. A Propelling Eraser made according to my method substantially as described in my specification and as illustrated in my drawings.

There are 2 claims and 1 sheet of drawing.

S. L. DE SILVA. Registrar of Patents.

Colombo, 20th November, 1965.

The "Ceylon Government Gazette" is published every Friday. Day of publication is subject to alteration in any week where Public Holidays intervene.

All Notices and Advertisements should reach the Government Printer, Government Press, Colombo, by 3.30 p.m. four working days previous to day of publication (i.e., normally 3.80 p.m. on Monday).

Subscriptions for the "Government Gazette" should be paid direct to the Superintendent, Government Publications Bureau, Secretariat, Colombo. The Government Printer does not accept subscriptions for the "Gazette".