The Ceylon Government Gazette,

PART 5,665-FRIDAY, DECEMBER I. -- No. 1899.

VITAL STATISTICS OF CEYLON.

REPORT OF THE REGISTRAR-GENERAL FOR THE FIRST QUARTER OF 1899.

I.—Population.

The estimated population of the Island on the last day of the quarter was 3,448,671 as against 3,455,253 in the previous quarter, a decrease of 6,582, due to an excess of 4,529 of births over deaths and to a deficit of 11,111 of arrivals below departures of Indian coolies. Table I, in the appendix gives the area of each Province and district of the Island with its estimated population for the quarter.

Arrivals and Departures of Indian Coolies.—The total number of Indian coolies who arrived in the Island

(11,433) was 35 per cent. below the average for the corresponding period in the last five years, while the total number of the departures (22,544) was 6 per cent. above the average. The excess of departures over arrivals was 11,111 this quarter as against 3,675, the average excess of departures over arrivals during the corresponding period of 1894 to 1898.

II.—Marriages.

Marriages.—The number of general marriages—i.e., marriages other than Kandyan or Mohammedan—registered in this quarter was 3,362, and of Kandyan marriages 1,157.

Table VI. in the appendix shows the marriages solemnized among the general community in every Province and district of the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c.

of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c. Table VII. in the appendix gives similar information in respect of the Kandyans.

First Marriages; Re-marriages.—Of the 3,362 general marriages, 2,919 (equal to 87 per cent.) were between bachelors and spinsters, 92 between bachelors and widows, 289 between widowers and spinsters, 58 between widowers and widows, 2 between divorced men and spinsters, 1 between a bachelor and a divorced woman, and 1 between a divorced man and a widow. Of the 1,157 Kandyan marriages, 913 (equal to 79 per cent.) were between bachelors and spinsters, 49 between bachelors and widows, 101 between widowers and spinsters, 32 between widowers and widows, 34 between divorced men and spinsters, 4 between divorced men and divorced women and bachelors, 4 between divorced women and bachelors, 4 between divorced women and widowers, and 5 between divorced men and divorced women.

Age at Marriage.—The mean age at marriage for the general community was 27.6 for males and 20.7 for females, and for Kandyans 26.2 for males and 19.2 for females.

Minors.—In the general community 5 per cent. of the brides, and amongst

Minors.—In the general community 5 per cent. of the bridegrooms and 46 per cent. of the brides, and amongst the Kandyans 15 per cent. of the bridegrooms and 60 per cent. of the brides, were under 21 years of age.

Mixed Marriages.—There were 33 mixed marriages in the quarter: 2 between Europeans and Burghers, 2 between Europeans and Sinhalese, 8 between Burghers and Sinhalese, 2 between Burghers and Tamils, 18 between

Sinhalese and Tamils, and 1 other mixed marriage.

Signature in Marriage Register.—Of the 6.724 persons married among the general community this quarter, 922 men and 2,588 women signed the register with marks; that is to say, 72 per cent. of the men and 23 per cent. of the women were able to write their names. Of the 2,314 persons married among the Kandyans, 418 men and 1,086 women signed the register with marks, i.e., 64 per cent. of the men and 6 per cent. of the women were able to write their names.

Births.—Births and Deaths.

Births.—The births registered in the quarter amounted to 37,225 (50 Europeans, 176 Burghers, 28,397 Sinkalese, 6,209 Tamils, 2,297 Moors, 69 Malays, and 27 others), and were in the proportion of 47.6 to 1,000 persons living, as against 32.8, the average of the corresponding period for the ten years 1889–98, and 39.5 in the first quarter of last year.

Deaths.—The deaths registered in the quarter numbered 32,696 (33 Europeans, 116 Burghers, 19,860 Sinhalese, 10,331 Tamils, 2,232 Moors, 74 Malays, and 50 others), and corresponded to an annual rate of 41.8 per 1,000, as against 30.1, the average rate for the corresponding period during the last ten years.

1,000, as against 30.1, the average rate for the corresponding period during the last ten years.

The Births and Deaths and their Rates in this quarter are compared in the following statement with the results obtained in the last quarter, in the corresponding quarter of last year, and the average for the corresponding quarter in the ten years 1889 to 1898:—

			LABLE A.						
							Per Mille	e per	r Annum.
Average of the ten prev	ious first	quarters in	Births.		Deaths.		Birth-rate.	_	Death-rate.
1889-98	• • •	-	24,600	•••	22,529		32.8		30.1
First quarter of 1898	•••	•••	30,501	•••	20,846	•••	39.5	•••	27.0
Fourth quarter of 1898		•••	39,398	•••	28,397	•••	49.5	• • •	35.7
First quarter of 1899	•••	•••	$37,\!225$	•••	32,696		47.6	• • •	41.8

The birth-rate recorded (47.6) is 14.8 per 1,000 above the average for the corresponding quarter of the last ten years (32.8), and is also 8.1 per 1,000 in excess of the rate for the first quarter of the last year (39.5). The death-rate (41.8) is not so favourable as that for the corresponding quarter of 1898 (27.0), and is about 11.7 per 1,000 above

rate (41.8) is not so favourable as that for the corresponding quarter of 1898 (27.0), and is about 11.7 per 1,000 above the average rate for the last ten years.

Table II. in the appendix gives information similar to that given in Table A in respect of each Province and district in the Island; Table I. gives the births and deaths according to sex; Table VIII. the births according to nationality and sex; Table IX. the deaths for each month of the quarter according to nationality for every Province and district. The causes of death for every district are shown in Table X.; for the estates in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, in Table XI.; and for the town of Colombo (according to wards and nationalities) in Table XII. Table XIII. shows the period of life at which the deaths of the various races occurred in every district.

Age at Death.—The deaths of infants under one year of age numbered 8,725, and were in the proportion of 234 deaths to 1,000 births. The rate of infant mortality varied in different districts from 532 (for Sinhalese) in Anuradhapura, 503 (for Tamils) in Mannar, 492 (for Moors) in Puttalam, 482 (for Sinhalese) in Kurunegala, 467 (for Sinhalese) and 458 (for Tamils) in Puttalam, 485 (for Tamils) in Mullaittivu, 415 (for Tamils) in Jaffna, 414

(for Tamils) in Trincomalee, 405 (for Sinhalese) in Matale, to 179 (for Sinhalese) in Nuwara Eliya, 166 (for Sinhalese) in Chilaw, 118 (for Sinhalese) in Galle, 115 (for Sinhalese) in Negombo, 114 (for Sinhalese) in Matara, 109 (for Sinhalese) in Colombo, and 102 (for Sinhalese) in Kalutara.

Thirty-nine deaths (16 males and 23 females) were reported to be of centenarians, but the ages cannot be

relied on.

Sex.—Of the total number of births (37,225), 19,091 were males and 18,134 were females, i.e., 105 males to 100 females. Of the total number of deaths (32,696), 16,123 were males and 16,573 were females. Out of equal numbers living of each sex, there died 861 males to 1,000 females.

IV .- State of Public Health.

The general health of the population during the quarter was bad, the death-rate (41.8 per 1,000 per annum) being the highest recorded for any quarter since 1882, and 39 per cent. in excess of the average rate for the first

quarter of the last ten years (30.1).

With the single exception of the Southern Province, where a slight improvement has occurred, every Province and every district, compared with their averages, show enhanced death-rates. The northern half of the Island, comprising the Northern and North-Central Provinces, the Trincomalee District of the Eastern Province, the Matale District of the Central Province, and the Kurunegala and Puttalam Districts of the North-Western Province, were all severely affected by an epidemic of fever. The death-rate in seven out of the eight districts in this portion exceeds 70 per 1,600, and in Jaffna it is nearly 70 per 1,000 (67-8). In Anuradhapura, the unhealthnest district, it is as high as

82.2 per 1,000.

Tables III., IV., and V. in the appendix show the births and deaths, the birth-rates and the death-rates for all ages and for infants in the several Provinces and districts of the Island, and in the revenue subdivisions of those districts for the quarter under review, for the corresponding quarter of last year, for the quarter immediately predistricts for the quarter under review, for the corresponding quarter of last year, for the quarter immediately preceding the present, and the average rate for the corresponding period of the last eight years 1891–98. The rates shown are for the Sinhalese only in the districts which are mainly inhabited by the Sinhalese, and for the Tamils only in the districts where the Tamils form the bulk of the population. These separate rates furnish more trustworthy data for comparing the relative sanitary condition of those districts and subdivisions of the Island than if the rates included other nationalities temporarily resident in them. In the Puttalam District, where the Sinhalese and Mohammedans are found in almost equal numbers, and in the Batticaloa District, which is inhabited almost in equal numbers by Tamils and Mohammedans the rates are given for the different sections of the republic properties. numbers by Tamils and Mohammedans, the rates are given for the different sections of the population.

Western Province.—The Sinhalese death-rate recorded for the present quarter is 24.1, which is 4.7 per 1,000

Mestern Promice.—The Sinhalese death-rate recorded for the present quarter is 24.1, which is 4.7 per 1,000 higher than that of the corresponding quarter of last year (19.4), and 4.2 higher than that of the mean rate (19.9). The death-rate of the Colombo District (24.5) is 5 per 1,000 higher than its average (19.6). With the exception of Hewagam korale, which has enjoyed its normal health, every division shows a death-rate higher than its average for the corresponding period of the last eight years, ranging from 21.8 in Siyane korale to 37.2 in the Colombo Municipality.

The health of the Negombo District (24.1) was worse than in the preceding quarter (18.3), and than its average (21.6). The Negombo Local Board shows a lower death-rate (39.0) than usual, but the two other divisions of the district show higher rates then their averages.

average (21.6). The Negombo Local Board shows a lower death-rate (39.0) than usual, but the two other divisions of the district show higher rates than their averages.

The death-rate of the Kalutara District (23.3) is higher than the average (20.3). All the divisions show higher death-rates, the highest being in the Kalutara Local Board (29.1), which is about 2 per 1,000 higher than its average (27.4) and 4 per 1,000 than in the preceding quarter.

Central Province.—This Province has suffered in health in the quarter like most other Provinces. The Sinhalese death-rate rose to 43.9 from the average (31.1). All the three districts have shared in the deterioration.

Kandy District is credited with a death-rate of 37.4, an excess of 9 per 1,000 over its average (28.7). All its subdivisions, except Pata Hewaheta, the healthiest division in the quarter, show higher rates than their averages. Of the subdivisions, Harispattu shows the highest death-rate (44.9) next to the Municipality (50.4) and is followed closely by Tumpane (44.3). These two divisions, which border on Kurunegala District, with Uda Dumbara adjoining Bintenna division of Uva, are usually the unhealthiest in the district. The mortality of the estate Tamil population of Kandy District (28.2) compares well with the Sinhalese rate (37.4).

of Kandy District (28.2) compares well with the Sinhalese rate (37.4).

The death-rate of Matale District (72.3) is nearly double that of the Kandy District, and is 26 per 1,000 in excess of the average (45.9). The unhealthiest of its unhealthy divisions was Matale north with a Sinhalese death rate of 102.1 per 1,000 per annum, more than double its average (50.7), but 6 per 1,000 less than in the preceding quarter

(1084).

In the Nuwara Eliya District the Sinhalese death-rate rose to 33.1 from the average 27.9. The estate Tami population (death-rate 17.9), however, does not appear to have been affected; in fact, they appear to have farel better than usual. The unhealthiest division was Uda Hewaheta with a Sinhalese death-rate of 33.7. Walapan

division, though closely following Uda Hewaheta, has a death-rate slightly below its average.

Northern Province.—This Province appears to have suffered in health in the quarter under consideration more than it ever did at any period on record. The Tamil death-rate was 67.8 per 1,000 per annum, which is more than double its average during the last eight years (28.5). This was due to a severe epidemic of fever and pneumonia that has largely affected every district and division. The result of this epidemic has also been severely felt in all the districts addivising this Province. adjoining this Province.

In the Jaffna District there were 3,079 deaths from fever, i.e., 31 per cent. of the total number of deaths (9,907) attributed to this cause, and 111 deaths, or 21 per cent. of the total number (518), from pneumonia, and the death-rate rose to 67.0 from an average of 26.8 in 1891-98. All the subdivisions show excessive rates. In two divisions the rate exceeds a hundred per 1,000 per annum, viz., in Vadamaradchi east (113.0) more than six-fold its average (17.5) and in Tenmaradchi (102.2) more than thrice the average (31.5), while Vadamaradchi west has a rate

average (17·5) and in Tenmaradchi (102·2) more than thrice the average (31·5), while Vadamaradchi west has a rate (85·1) more than quadruple its average (19·2).

In Mannar District the death-rate rose to 76·5, an excess of 28·2 per 1,000 over its average (48·3). The unhealthiest division was Mantai with a rate as high as 104·1, against an average of 41·8. The Nanaddan death-rate in the quarter (74·6) exceeds its average (44·7) by 30 per 1,000.

In Mullaittivu the death-rate rose to 77·7 from an average of 53·2. In Karikaddumulai, the most populous and in this quarter the unhealthiest division in the district, the death-rate rose to 102·2 from an average of 56·4.

Southern Province.—This is the only Province in the Island which does not show an increased death-rate in the quarter as compared with the average. The death-rate was 26·8 in the quarter, and slightly lower than the average (27·2), but higher than the rate for the first quarter of last year (21·5). In Galle District the mortality fell from an average of 26·7 to 24·6 in the quarter. Five of its seven subdivisions show decreased rates, notably Wellaboda and Talpe pattus. In the former the death-rate has declined to 24·1 from an average of 27·1, and in the latter to 26·6 from 30·4. In the remaining two divisions, Four Gravets beyond Municipal limits and Akmimana and Hinidum pattu, the increase in the death-rate is but nominal. The unusual activity in the plumbago industry has given employment to village labour in the Galle and Matara Districts, and this no doubt in great measure accounts for the improved death-rates of these districts. rates of these districts.

In the Matara District the death-rate fell to 23.0 from an average of 26.4. All the subdivisions show improved

rates except Gangaboda pattu, where a slight increase is shown from the average 27.8 to 28.2 in the quarter.

The death-rate of Hambantota District fell 6 per 1,000 from an average of 46.3 to 40.1. The subdivisions of Hambantota town, Magam pattu, and Giruwa pattu east show increased rates, but Giruwa pattu west, the most populous division (having more than four-fifths of the district population), shows a considerable improvement in health, the death-rate declining from an average of 44.7 to 33.6, and has affected the rate of the whole district for the better.

Eastern Province.—The mortality of the Tamils in this Province was higher than usual, the death-rate having

risen to 44.7 from an average of 32.8, a result due to the large increase in the mortality of the Trincomalee District. In the Batticaloa District the death-rate has declined to 37.2 from 38.5, the average. The Moorish population of the district (numbering about 53.000), as well as the Sinhalese (who number about 6,000), have fared worse than usual, the death-rate of the former (30.7) showing an increase of 5 per 1,000 over the average, and the latter (51.6) of 19 per 1,000.

Manmunai pattu has improved in health, both its Tamil and Moorish inhabitants showing lower rates than usual,

the former 29.9 against an average of 42.5, and the latter 18.3 against an average of 29.1; while the Nintavur and Akkarai pattu division has deteriorated with a Tamil death-rate of 88.0 and a Moorish death-rate of 47.0 as against

averages of 56·1 and 27·7 respectively.

The Trincomalee District has a death-rate (79·6) more than double its average (34·0). The town division, containing more than half the population of the district, was the least unhealthy division in the quarter, and shows a death-rate (65·9) 27 per 1,000 over the average; while of the three rural divisions, Kaddukulam pattu shows a rate (88·1) more than double its average, and Koddiyar pattu (97·1), and Tampalakamam pattu (97·4), each more than four

times its average.

North-Western Province.—The death-rate for the quarter is 66.6 as against 41.8, the average for the corresponding quarters of the last eight years, 27.7, the rate for the corresponding quarter of last year, and 51.7, the death-rate of Ing quarters of the last eight years, 27%, the rate for the corresponding quarter of last year, and 51%, the death-rate of the preceding quarter. In the Kurunegala District the rate of mortality (76.4) was considerably higher than its average for the corresponding quarters of 1891–98 (44.7) and the rate of the corresponding quarter of last year (30.1). Kurunegala Local Board and Hiriyala hatpattu continue to be unhealthy, the death-rate of the former being 258·1 and that of the latter 113·1. The healthiest division was as usual Katugampola hatpattu (43.8), but this is 16 per 1,000 higher than the average, 27·5.

The Chilaw District has a death-rate of 30·8, which is 6 per 1,000 higher than its average, all the divisions showing higher death rate then their graphers.

higher death-rates than their averages.

The death-rate of Puttalam for the Sinhalese population was 67.5 as against 66.8 for the corresponding period of 1891-98. The death-rate for all races is 72.8 against an average of 58.2, and the death-rate for the

Mohammedans was 64.8 against an average of 48.4.

North-Central Province.—The health of this Province was bad, the death-rate recorded being 78.6, or 25 per 1,000 above the mean rate for the corresponding quarters of 1891–98 and 22 per 1,000 above the rate of the last quarter. For this unsatisfactory state of things Tamankaduwapalata is largely responsible, whose death-rate (104·0) arrests attention, being 57 per 1,000 higher than the average of the corresponding period of 1891–98 (47·1).

The health of Kelegampalata (90·0) also was not good, the mean rate being 53·1. Every division in the district shows a much higher death-rate than the average.

Province of Uva.—This quarter has in the majority of divisions been less healthy than the corresponding quarter of last year, but it shows a decided improvement compared with the last quarter. The healthiest division is Udukinda (26.6), which is 26 per 1,000 lower than that of the preceding quarter (52.6). Increased mortality is noticeable chiefly in Badulla Local Board, the death-rate of which during the quarter was 62.7. The next highest was in

Wellassa division (62.4).

Province of Sabaragamuwa.—The health of this Province (38.8) was above the average (30.1). The death-rate of the Ratnapura District (43.9) is 4 per 1,000 more than in the corresponding period of 1891-98 and in the fourth quarter of 1898; while the death-rate of the Kegalla District (34.8) is 10 per 1,000 higher than its average (24.8). The highest death-rate recorded (53.6) is in Kadawata korale, the next highest (51.2) is in Kukulu korale, and the next in Meda korale (50.1), all of which are in the Ratnapura District. The lowest death-rate (26.2) is in Atulugam korale of the Kegalla District.

V.—Causes of Death.

The causes of deaths registered in the Island during the quarter are given in Table XII. in the appendix. They may be summarized as follows:-

District.	-		Small-		Dysen-		Viol	ence.		All other	rm
. District.		Cholera.	pox.	Fevers.	tery and Diarrhœa	Accident.	Suicide.	Homicide	Execution.	Causes.	Total.
CEYLON	•••	-	37	9,907	5,871	392	31	33	3	16,422	32,696
Colombo		_	8	583	5.67	32	6	6	1	2,033	3,236
Negombo	•••			236	113	18	1	2		504	87
Kalutara	•••			198	312	15	2	7		782	1,316
Kandy -	• • •		1	312	834	53	6	1 1	2	1,539	2,748
Matale	• • • •	-		464	272	12	2	1		687	1,43
Nuwara Eliya	•••	-		48	285	7		1		385	726
Jaffna	•••	_		3,079	204	38	3	2		1,663	4,989
Manuar	•••			127	79	3	. 1	_		243	45
T ullaittivu	•••			79	43	1	1			107	231
Halle	•••	_		234	335	28	2	2		874	1,47
Matara	•••			232	298	· 23	1	1	- -	561	1,116
Hambantota	•••			519	106	8	1	1 1		259	894
Batticaloa	•••			-604	189	18		1		394	1,206
l'rincomalee	•••	_		211	88		1	1		203	504
Kurunegala	•••			1,510	449	23		2)	2,441	4,42
Puttalam		_		155	48	5	1			245	454
Chilaw	•••	<u> </u>	20	113	47	8		1		369	558
Anuradhapura	•••	_	4	581	204	3				737	1,529
Badulla	•••		4	278	587	32	1	2	~-	769	1,673
k atnapura	•••			190	405	44	1	—		639	1,279
Cegalla	•••			154	406	21	1	2	/	988	1,572

Fever and Diarrheal Diseases. Of the 32,696 deaths registered in the quarter, 9,907 were reported as due to various forms of fever and 5,871 to diarrhogal diseases, i.e., fever and diarrhogal diseases contributed 48 per cent. of the total number of deaths.

There were 37 deaths from smallpox this quarter, of which 20 were in Chilaw, 8 in Colombo, 4 each in Anuradh pura and Badulla, and 1 in Kandy. Seventy-five deaths were attributed to measles, of which 34 were in Anuradh pura, 10 in Nuwara Eliya, 7 in Jaffna, 5 each in Kandy and Colombo, 4 in Galle, 2 each in Puttalam and Badulla, and 1 each in Negombo, Kalutara, Matale, Matara, Kurunegala, and Chilaw. Eight deaths were attributed to chickenpor of which 3 were in Kandy, 3 in Galle, and 1 each in Nuwara Eliya and Badulla. Nine deaths resulted from whooping cough (of these 5 were in Batticaloa, 2 in Galle, and 1 each in Colombo and Kurunegala. The other chief natura causes of death were infantile convulsions 3,026, general dropsy 967, anæmia 697, debility 1,151, phthisis 839, pneumonia 518, bronchitis 124, asthma 73, worms 867, thrush 360, dochmius duodenalis 50 (17 in Kandy, 7 in Kegalla, 5 in Colombo, 4 each in Chilaw and Badulla, 3 each in Kurunegala and Ratnapura, 2 each in Hambantota and Matale, and 1 each in Kalutara, Nuwara Eliya, and Jaffna), puerneral convulsions 386 childbirth 322, old age 540. Matale, and 1 each in Kalutara, Nuwara Eliya, and Jaffna), puerperal convulsions 386, childbirth 322, old age 540. matale, and I each in Kalutara, Nuwara Enjya, and Jahna), puerperal convinsions 386, enhabitan 522, 51d age 340, premature birth 190 (80 in Badulla, 39 in Colombo, 19 in Kandy, 8 in Jaffna, 7 each in Kalutara, Matale, and Kurnnegala, 6 each in Matara and Kegalla, 3 in Galle, 2 each in Mullaittivu, Puttalam, and Ratnapura, and 1 each in Negombo and Mannar), parangi 70 (15 in Kurunegala, 16 in Anuradhapura, 8 in Matara, 7 in Matale, 5 in Batticaloa, 4 each in Hambantota and Trincomalee, 2 each in Colombo, Chilaw, and Kegalla, and 1 each in Negombo, Kandy, Galle, Badulla, and Ratnapura), want of breast milk 68 (27 in Kandy, 12 in Trincomalee, 10 in Kegalla, 4 each in Colombo, Matale, and Badulla, 3 in Nuwara Eliya, 2 in Matara, and 1 each in Jaffna and Mullaittivu), malarial cachexia 353 (105 in Matale, 50 in Kandy, 33 in Colombo, 30 in Kegalla, 28 in Kurunegala, 18 each in Kalutara and Galle, 17 in Ratnapura, 14 in Jaffna, 7 in Badulla, 6 in Anuradhapura, 5 each in Negombo, Mannar, Batticaloa, and

Galle, 17 in Ratnapura, 14 in Jaffna, 7 in Badulla, 6 in Anuradhapura, 5 each in Negombo, Mannar, Batticaloa, and Trincomalee, 2 each in Mullaittivu, Puttalam, and Chilaw, and 1 in Hambantota), hydrophobia 16, and rheumatism 165.

Deaths by Violence.—Of the 459 deaths attributed to these causes, 92 are reported to be due to falls from trees, 93 to drowning, 44 to snake-bites, 37 to burns and scalds, 8 to poison, 23 to gun-shot wounds, 7 to falls from heights other than trees, 19 to fall of heavy substances, 20 to injury at birth, 4 to injuries caused by bulls, 6 to being run over by train, 6 to being run over by carts, 2 to sunstroke, 1 to lightning, 1 to hornet sting, 2 to injuries caused by a heetahs, 1 to injuries caused by an elephant, 1 to injuries caused by an elephant, 1 to injuries caused by a rat, 1 to injuries caused by a brahmin lizard, 2 to injuries caused by buffaloes, 1 to explosion in a quarry, and 2 to fall into pits.

Thirty-one deaths were attributed to suicide, of which the majority 21 was by hanging, 3 by poison, 1 by gun-

shot wounds, and 6 by drowning.

Thirty-three deaths were attributed to murder and other forms of homicide (25 Sinhalese, 6 Tamils, 2 Moors).

Thirty-three deaths were attributed to murder and other forms of homicide (25 Sinhalese, 6 Tamils, 2 Moors). Of these, 6 occurred in Colombo, 7 in Kalutara, 2 each in Negombo, Jaffna, Galle, Kurunegala, Badulla, and Kegalla, and 1 each in Kandy, Matale, Nuwara Eliya, Matara, Hambantota, Batticaloa, Trincomalee, and Chilaw).

Three men were judicially executed, 1 in Colombo and 2 in Kandy.

VI.—Health of the Estate Population.

The total number of births reported for registration from the estates in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, was 1,802 (of which 14 were Europeans. 10 Burghers, 72 Sinhalese, 1,686 Tamils, 18 Moors, 1 Malay, and 1 other), and the total number of deaths was 2,338 (1 European, 2 Burghers, 48 Sinhalese, 2,277 Tamils, 9 Moors, and 1 other), corresponding respectively to an annual rate of 22-9 and 30-9 per 1,000. The causes of death are given in detail in Table XIII., and may be summarized as follows:-

				TABLE U.					
Fevers	***		172	Infantile convulsions		98	Anæmia	•••	46
Diarrhœa	• • •	• • •	463	Want of breast-milk		29	Old age	•••	61
Dysentery	***	•••	426	Malarial cachexia		143	Dochmius duodenalis		19
Dropsy	***	• • •	370	General debility		95	Childbirth		35
Pneumonia		• • •	129	Bronchitis"		32	Other causes	•••	220
The foll	owing Tobl	0 T) 0	virron tha	ostimated 1.4: C) / "	TV 212	1 31 / 1 / 1/ 1/ 1/ 18		

s the estimated population of estate Tamils in each district, its birth- and death-rates for the first quarters of 1899 and 1898, the fourth quarter of 1898, and the average of the first quarters in 1891-98:-TARIE D

				1. A B 1. 19						
			Birth	-rate per	Mille per A	nnum.	Death	-rate per l	Mille per A	nnum.
Distri	ct.	Population.	Average of 1st Quarters, 1891-98.	First Quarter of 1898.	Fourth Quarter of 1898.	First Quarter of 1899.	Average of 1st Quarters, 1891–98.	First Quarter of 1898.	Fourth Quarter of 1898.	First Quarter of 1899.
Kandy Matale Nuwara Eliya Badulla Ratnapura Kegalla Colombo Kalutara		112,890 16,956 78,966 30,999 10,879 33,704 5,339 9,116	26·1 26·1 22·7 33·5 34·8 19·4 19·1 12·7	31·4 27·5 22·1 29·5 28·5 34·5 22·0 17·2	24·9 25·1 21·4 41·3 27·5 27·4 14·7 20·3	23·2 24·6 16·5 34·3 23·9 25·6 22·0 21·4	27·2 29·1 20·2 35·8 47·5 35·9 70·1 39·5	32·6 29·3 20·7 34·5 71·9 48·1 76·0 44·4	35·2 60·9 28·3 40·6 54·6 49·8 63·0 68·2	28-2 62-2 17-9 -30-0 34-7 41-5 79-7 51-2
	Total	298,849	25.2	28.2	25.3	22.9	28.4	33.8	38.8	30.9

Kandy District.—The total number of births reported for registration from the estates in the Kandy District was 692 (of which 645 were Tamils, 25 Sinhalese, 9 Moors, 9 Europeans, 3 Burghers, and 1 Malay), and the deaths numbered 806 (of which 784 were Tamils, 18 Sinhalese, 3 Moors, and 1 Burgher). The Tamil birth-rate in the quarter was equal to 23·2 as against a mean rate of 26·1 in the first quarter of 1891–98, and the Tamil death-rate was equal to 28·2 per cent. as against 27·2 the mean rate for the corresponding period of 1891–98. As usual, the most fatal causes were diarrheal diseases, which caused 298 deaths (125 from diarrhea and 173 from dysentery), or nearly 37 per cent. of the total number of deaths (806). The other chief causes of death were debility 150 (including mostly deaths of infants from inability to suck milk), fever 36, malarial cachexia 30, pneumonia 43, bronchitis 13, infantile convulsions 27, general dropsy 37, anchylostomiasis 8, starvation and want of breast-milk 10, childbirth 12, old age 14, anæmia 24, and phthisis 11.

Matale District.—The total number of births reported for registration from the estates in the Matale District was 104 (103 Tamils and 1 Burgher), and the deaths numbered 265 (260 Tamils, 4 Sinhalese, and 1 Burgher), and corresponded to an annual birth-rate of 24·6 against a mean rate of 23·1 for the corresponding periods of 1891–98, and a death-rate of 62 2 against a mean rate of 23·1 in the first quarters of 1891–98. Dysentery and diarrhea caused 66 deaths, i.e., nearly 25 per cent. of the total number of deaths (265), fever 49, debility 11, pneumonia 10, general dropsy 9, childbirth 3, old age 9, starvation and want of breast-milk 3, infantile convulsions 7, bronchitis 4, and malarial cachexia 66. Kandy District.—The total number of births reported for registration from the estates in the Kandy District

malarial cachexia 66.

Nuwara Eliya District.—The total number of births reported for registration from the estates in the Nuwara Eliya District was 339 (3 Europeans, 3 Burghers, 9 Sinhalese, 322 Tamils, 1 Moor, and 1 other), and the deaths numbered 353 (1 Moor, 346 Tamils, and 6 Sinhalese), and corresponded to an annual birth-rate of 16 5 against a mean

numbered 353 (1 Moor, 346 Tamils, and 6 Sinhalese), and corresponded to an annual birth-rate of 16.5 against a mean rate of 22.7 in the first quarters of 1891-98, and a death-rate of 17.9 against a mean rate of 20.2 in the first quarters of 1891-98. Dysentery and diarrhœa were fatal in 124 cases, or nearly 35 per cent. of the total deaths (353). 82 deaths were attributed to debility (mostly of infants from inability to suck), 15 to fever, 33 to pneumonia, 4 to bronchitis, 23 to general dropsy, 18 to infantile convulsions, 15 to old age, and 8 to childbirth.

Badulla District.—The total number of births reported for registration from the estates in the Badulla District was 268 (1 European, 2 Burghers, 3 Sinhalese, and 262 Tamils), and the deaths numbered 231 (229 Tamils and 2 Sinhalese), and corresponded to an annual birth-rate of 34.3 against a mean rate of 33.5 in the corresponding period of 1891-98, and a death-rate of 30.0 against a mean rate of 35.8 in the first quarters of 1891-98 respectively. Dysentery and diarrhœa were fatal in 93 cases, or nearly 40 per cent. of the total number of deaths (231), debility in 46 cases (mostly of infants from inability to suck), fever in 15, general dropsy in 5, pneumonia in 17, infantile convulsions in 9, old age in 6, and bronchitis in 6.

Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura

Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura District was 72 (64 Tamils, 5 Sinhalese, 1 Burgher, and 2 Moors), and the deaths numbered 96 (93 Tamils, 1 Sinhalese, 1 European, and 1 Moor), and corresponded respectively to an annual birth-rate, among the Tamils, of 23.9 and a death-rate of 34.7. Here, as elsewhere, the most fatal causes were diarrhoeal diseases, which caused 50 deaths (27 from diarrhoea and 23 from dysentery), or 52 per cent. of the total number of deaths. The other principal causes

death-rate of 34.7. Here, as elsewhere, the most fatal causes were diarrhocal diseases, which caused 50 deaths (24 from diarrhoca and 23 from dysentery), or 52 per cent. of the total number of deaths. The other principal causes of death were infantile convulsions 5, debility 14, pneumonia 3, and malarial cachexia 4.

Kegalla District.—The total number of estate births registered was 237 (213 Tamils, 19 Sinhalese, 4 Moors, and 1 European), and the deaths numbered 361 (345 Tamils, 12 Sinhalese, 3 Moors, and 1 other), and corresponded respectively to an annual birth-rate, among the Tamils, of 25.6 against 19.4 the mean rate for the corresponding quarters and a death mate of 41.5 minutes are set 25.0 in the corresponding quarters of 1891-98 in the last eight years, and a death-rate of 41.5 against a mean rate of 35.9 in the corresponding quarters of 1891-98. The largest number of deaths in the district, as elsewhere, was due to diarrhœal causes, being 145 (94 from diarrhœa and 51 from dysentery), or 40 per cent. of the total number of deaths (361). Of the other principal causes of death, fever accounted for 21 deaths, debility for 50 (mostly of infants due to inability to suck), anchylostomiasis for 7, general dropsy for 12, malarial cachexia for 30, pneumonia for 12, infantile convulsions for 20, phthisis for 4, old age for 13, childbirth for 7, and starvation for 9.

Colombo District.—The total number of births reported for registration from the estates in the Colombo District, by which is meant the Avisawella division of the district, was 37 (29 Tamils, 6 Sinhalese, and 2 Moors), and the number of deaths was 108 (105 Tamils, 2 Sinhalese, and 1 Moor), and corresponded to an annual birth-rate of 22 0 and death-rate of 79 7. The birth- and death-rates among the Sinhalese inhabitants of the division are 54 9 and 21 1 respectively. Diarrhœal diseases were fatal in 60 cases (47 diarrhœa and 13 dysentery), i.e., nearly 56 per cent. of the total number of deaths (108). The principal causes of death were anemia 13, dochmius duodenalis 3, debility 4, fever 10, pneumonia 2, and infantile convulsions 6.

Kalutara District.—The total number of estate births registered in the district was 53 (48 Tamils and 5 Sinhalese), and the deaths numbered 118 (115 Tamils and 3 Sinhalese), and corresponded to an annual birth-rate, among the Tamils, of 21.4 and a death-rate of 51.2. The most fatal causes were diarrheeal diseases, to which 53 deaths (28 from dysentery and 25 from diarrheea), or nearly 44 per cent. of the total number of deaths (118) were attributed. The other principal causes of death were debility 14, general dropsy 6, infantile convulsions 6, phthisis 2, old age 3, malarial cachexia 10, and pneumonia 9.

VII.—Health of the Town of Colombo.

The deaths registered in the town of Colombo during the quarter numbered 1,187. This, added to six deaths of town residents which occurred in the Infectious Diseases Hospital, Kanatta (outside the town), makes a total of 1,193, corresponding to an annual rate of 34.0 per 1,000 per annum, being slightly higher than the mean rate for the first quarter in the last six years (33.5).

The births registered in the quarter numbered 920, representing an annual rate of 26.2 per 1,000, which is an

increase of 30 per cent. on the mean rate for the quarter in the last six years (201).

As usual, the death-rate exceeded the birth-rate, due mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Mohammedans), to the presence of hospitals, which add to the normal mortality of the town, and to the registration of births, which, though much improved, is still defective. especially among the Mohammedans.

The subjoined Table E gives the births and deaths and their rates for each nationality in the first quarter

of this year, and the average rates for the first quarters in 1887-92 and in 1893-98 :-

TABLE E.

	The state of the s		Births.	•		Deaths.			Birth-ra 00 per A			eath-rat	
Nationality.	Population at the Census of 1891.	Averege of First Quarters, 1887-92.	Average of First Quarters, 1893-98	First Quarter, 1899.	Average of First Quarters, 1887–92.	Average of First Quarters, 1893-98.	First Quarter, 1899.	Average of First Quarters, 1887–92.	Average of First Quarters, 1893–98.	First Quarter, 1899.	Average of First Quarters, 1887–92.	Average of First Quarters, 1893-98.	First Quarter, 1899.
ALL RACES	127836	546	671	920	693	1,125	1,193	17.7	20.1	$\frac{-}{26 \cdot 2}$	22.5	33.5	34.0
Europeans, including the Military	2,239	13	13	16	9	19	20	23.5	23.5	29.0	16.3	33.8	36.2
Burghers	10,674	37	49	82	23	78	61	14.1	18.4	31.2	8.7	27.9	23.2
Sinhalese	59,962	226	306	468	266	512	550	15.3	20.7	31.7	18.0	34.6	37.2
Tamils	24,372	31	45	117	109	255	. 273	$5\cdot 2$	7.4	19.5		42.5	45.4
Moors · ···	24,428	213	230	208	247	208	238	35.4	38.2	$34 \cdot 5$	41.0	34.5	39.5
Malays	$\frac{3,437}{2,724}$	19	20 8	* 18 11	25	37	26	22.4	24.0	21.2	29.5	43.2	30.7
Others	4,124	- (1	। ।	11	14)	21	25	10.4	12.4	16.4	20.8	31.9	37.2

The birth- and death-rates given in the above table for the Europeans, Malays, and "Others" are not reliable

owing chiefly to their population being too small for purposes of rate calculation.

Excluding the rates of these sections of the population, the lowest death-rate was, as usual, among ti Burghers (23·2), against an average of 27·9 in 1893-98, and the highest among the Tamils (45·4), against an average of 42.5. The next highest Moorish death-rate (39.5) is an increase of 5 per 1,000 over the average. Burghers as Malays show death-rates lower than their averages, whilst all the other races increased. The increase in the rate of the Sinhalese, who form nearly half of the town population, is 3 per 1,000 from an average of 42.5 to 45.4. Regi tration of births has improved among races other than Mohammedans (Moors and Malays). Amongst the latter the birth-rate is still below their rate in 1887–92 as well as in 1893–98. The Tamil birth-rate in the quarter (19.5) more than double their average in 1883–95, and more than treble their average in 1887–92.

The number of births and deaths of the different races in the different wards of the town, their rates per 1,000 the principal zymotic causes of death, &c., during the first quarter of 1899, are shown in the following Table F.

TABLE F.

	1891.	{			I	Birt	hs.													Dea	ith	s.								A	nnu
	of		Fota irth				C	las	₹.				otal				C	lass	3.				(Cau	ses	of D	eat	h.		R	te p 1,000
Ward.	Population at Census	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Persons.	Males.	Females.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Cholera.	Measles.	Fevers.	Dechnius Paodenalis.	Diarrhæa and Dysentery	-	<u> </u>	Suicide.		Desths.
Colombo Town	127836	920	482	438	16	82	468	117	208	18	11	1193*	639	ŏŏ4	20	$\frac{-}{61}$ 5	50 50	$\frac{1}{273}$	238	26	25	- 6	1	120	4	182	9	5	4	26	2 34
Fort & Galle Face Pettah St. Sebastian St. Paul's Kotahena New Bazaar	7961 7943 16322 27935	$64 \\ 120 \\ 174$	83 63 91	57 83		2 5 14, 9 1	- 13 19 43 113 40	1: 2: 1: 37: 19: 17:	$\frac{1}{37}$ $\frac{26}{25}$ $\frac{58}{58}$	i		8 19 53 129 217 154	8 13 31 74 105 71	$\frac{22}{55}$ 112	5 - - - -	$egin{array}{c} 4 \ 4 \ 12\ 1 \end{array}$	10 14 28 44 58	1 4 5 68 37 26	4 29 27 21 59	1	2 -	2 3		18 26 14	:	11 -4 11 34 12	1 - 1	1		1 9 32 29 25 33	2 1 7 2 8 3 1 3 3 1
Maradana: Hospitals Exclusive of above Slave Island Kollupitiya	23562 13622 13449	96			5	5 25 8 9	73 76 43 48	3 12 13 12	$\begin{array}{c} 1 \\ 42 \\ 16 \\ 2 \end{array}$	5 10	- 5 1 -	$252 \\ 165 \\ 114 \\ 82$	163 73 59 42	89 92 55 40	5 3 2 5	6	39 77 32 48	74 20 21 17	15 42 37 4	6 15 1	10 - 9 - 1 - 1 -		_	21 7 14 9	-	75 20 19 6	_	4	3 -	29 28 22	6

^{*} Including 6 deaths (5 from smallpox and 1 from acute diarrhoea) at the Infectious Diseases Hospital, Kanatta (e town), to which the patients were removed from the town.

The unhealthiest division of the town was the New Bazaar Ward, with an annual death-rate of 43·1 per 1, followed by Slave Island (33·9) and St. Paul's (32·1). The birth- and death-rates of the Fort and Galle Free Pettah Wards are due to their population being chiefly a floating male adult one. Excluding these two divisions the healthiest, as may be expected, is the Kollupitiya Ward with a death-rate of 24·7.

There were no deaths from cholera. Five deaths from smallpox occurred at the Infectious Diseases Holes, Kanatta (outside the town limits), after the removal of the patients thither from the town (three from New Bataar and two from Kotahons). Meanless and whose interest the removal of the patients thither from the town (three from New Bataar).

Kanatta (outside the town limits), after the removal of the patients thither from the town (three from New Bahar and two from Kotahena). Measles and whooping cough caused one death each. Phthisis, bronchitis, and pneutona were fatal in 201 cases (against an average of 216 in the corresponding period of the last six years), dysenters and diaroheea in 181 (average 184), infantile convulsions in 151 (average 115), debility in 88 (average 95), old again 86 (average 56), remittent fever in 48 (average 73), simple and ill-defined fever in 40 (average 48), premature birth in 38 (average 28), malarial cachexia in 33 (average 42), enteric fever in 29 (average 18), worms in 27 (average 45), diseases of the circulatory system 26 (average 13), parturition 17 (average 26), paralysis 10 (average 12), dochmius duodenalis 4 (average 7). Other causes of death were liver diseases 11, Bright's disease 10, apoplexy 7, enteritis 6, brain diseases 6, syphilis 5, cancer 5, diabetes 4, cellulitis 4, leprosy 3. Of the 9 deaths attributed to accidents, 3 were due to burns, 2 to fall from heights. 1 to drowning. Five deaths resulted from homicide and four from suicide (two of which were by drowning and two by hanging).

VIII.—Health of the other Towns.

The total number of births registered in the principal towns, exclusive of Colombo, during the quarte numbered 2,325, corresponding to an annual rate of 41.4 per 1,000, an increase of 10.7 per 1,000 over the average for the corresponding period in 1891-98 (30.7).

The deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the deaths numbered 2,742 and were at the annual rate of 48.8, an increase of 13.8 per 1,000 over the average for the avera

(35.0).

The following Table G shows the birth- and death-rates in each of the principal towns of the Island the first quarters of 1899 and 1898, and the average rates for the first quarters in 1891-98. For the towns of Morakuw Panadure, Gampola, Nawalapitiya, Mannar, Mullaittivu, Vavuniya, Tangalla, and Kegalla, the rates for the first quarters in 1891-97 are not available for comparison with the present rates:—

TABLE G.

	•	1			TABLE (π					
			t Quarter	, 1899.	Birth-rate	per Mille	per Annum	Death	-rate per l	Mille per	Annum.
Town	Population at the Census of 1891.	Total Births.	Total Deaths.	Deaths in Hospitals and Jails.		First Quarter, 1898.	First Quarter, 1899.	Average o First Quarters, 1891–98.	First Quarter,	1	of Exclusive of Hospital and Jail Deaths.
Vestern Province. olombo egombo Loratuwa alutara anadure	18,933 24,948 10,864	920 255 321 140 37	1,193 150 163 87 44	269 27 — 15 18	21·2 67·2 33·3	18·2 38·3 48·0 35·1 46·2	26·2 54·6 52·2 52·3 46·2	Inclusive of and Jail 31.6 44.6 — 31.3	6f Hospital Deaths, 38·7 27·0 22·6 24·6 42·5	34·0 32·1 26·5 32·5 55·0	30·9 26·3 26·5 26·9 32·5
entral Province. Landy ampola awalapitiya Latale Luwara Eliya	20,558 2,975 2,542 4,197 2,726	232 17 16 31 18	261 56 76 218 24	91 44 57 179 10	16·1 — 17·7 23·0	24·5 21·8 55·8 31·9 22·3	45·8 23·2 25·5 30·0 26·8	25·6 57·1 27·7	31·6 55·9 83·0 78·3 34·2	51·5 76·3 121·2 210·6 35·7	33·5 16·4 30·3 37·7 20·8
Vorthern Province. affna Iannar Iullaittivu 7avuniya	35,856 3,254 1,127 467	273 37 9 4	492 35 21 8	$\begin{bmatrix} -6 \\ -4 \end{bmatrix}$	37·4 	32·1 28·7 32·4 8·7	30·9 46·1 32·4 34·7	35·8 — — —	37·0 26·2 64·8 43·4	55·6 43·6 75·6 69·5	55·6 36·1 75·6 34·7
Southern Province. Galle Matara Hambantota Tangalla	33,590 11,500 2,588 1,436	310 143 24 28	221 66 23 10	28 9 6 4	34·5 36·0 31·9	25 4 39·1 26·6 42·3	27·4 50·4 23·7 79·1	36·1 33·3 36·1	18.6 42.4 20.4 19.8	26·7 23·3 36·0 28·2	23·3 20·1 26·6 11·3
Eastern Province. Batticaloa Trincomalee	7,257 11,948	62 97	68 172		20·9 25·8	11·2 17·3	34·6 32·9	21·4 35·5	11·7 30·5	38·0 58·4	38·0 56· 7
North-Western Province. Kurunegala Puttalam Chilaw	4,745 5,034 3,738	36 51 45	172 94 36	125 26 9	22·5 37·8 33·2	34·2 46·7 44·5	30·8 41·1 48·8	75·0 56·0 36·9	67·5 75·7 29·3	147·0 75·7 39·1	40·2 54·8 29·3
North-Central Province. Anuradhapura	2,508	17	51	18	19.0	45.3	27.5	45.3	35-6	82.5	53·4
Province of Uva. Badulla	5,023	54	84	41	36.0	50·1	43.6	47.1	47.6	67.8	34.7
Province of Sabaragamuwa. Batnapura Kegalla	3,527 3,143	48 20	77 33	49 23	29-9	34·5 25·8	55·2 25·8	43.2	89·7 28·4	88·5 42·6	32·2 12·9·

The death-rates are given inclusive and exclusive of hospital and jail deaths. In some of the towns which attract large numbers of estate coolies and destitute poor to the hospitals, the difference between the two rates is striking, e.g., Matale 210.6 and 37.7, Kurunegala 147.0 and 40.2, Nawalapitiya 121.2 and 30.3, Ratnapura 88.5 and 32.2, Gampola 76.3 and 16.4. Excluding hospital deaths, the highest death-rate in the quarter was in Mullaittivu (75.6), followed by Trincomalee (56.7) and Jaffna (55.6); and the lowest in Tangalla (11.3), followed by Kegalla (12.9) and Gampola (16.4).

Registrar-General's Office, Colombo, October 16, 1899.

P. ARUNACHALAM, Registrar-General.

APPENDIX.

Table I.—Area, Estimated Population, and the number of Marriages, Births, and Deaths registered in the First Quarter of 1899.

		Miles.	tion	M.	ARRIAG	ES.		BIRTH	s.	· .	DEATH	8,
Province	and District.	Area in Square M	Estimated Population on January 1, 1899.	Total.	General.	Kandyan.	Total.	Males.	Females.	Total.	Males.	Females.
CEYLON		25,333	3,169,478	4,519	3,362	1,157	37,225	19,091	18,134	32,696	16,123	16,573
Western	•••	1,432	824,622	1,598	1,598		10,083	5,098	4,985	5,426	2,751	2,675
Central	***	2,300		484	118	36 6		2,699	2,538			
Northern	•••	3,363		327	323	300	3,107	1,623	1,484	4,912	2,603	2,309
Southern		2,146	, , , , ,	917	911	6	,	3,389		5,673	2,557	3,116
Eastern	***	4,037	165,981	47	41	6	1,683	888	3,274 795	3,485	1,740	1,745
North-Western	•••	2,997	321,703	573	304	269	4,123	2,143	1,980	1,710	880	830
North-Central	•••	4,002	75,464	65	11	54	874	455	419		2,560	2,877 772
Uva .		3,155		124	11	113	1,605	816	789	1,529	757	
Sabaragamuwa	•••	1,901	265,527	384	42	342	3,850		1,870	1,673	879	794
Western.	•••	7,001	200,027	904	42	942	0,000	1,000	1,070	2,851	1,396	1,455
Colombo	***	561	472,593	855	855		5,543	2,771	2,772	0.000	1 600	1 000
Negombo	***	247	150,913	290	290	_	2,078	1,051	1,027	3,236	1,630	1,606
Kalutara	•••	624	201,116	453	453	_	2,462	1,276	, ,	874	434 687	440
Central.	•••		201,1,0	400	4.03		2,402	1,270	1,186	1,316	097	629
Kandy	•••	911	296,853	345	82	263	3,514	1,837	1,677	2,748	1 405	1 029
Matale	•••	926	77,002	84	12	72	881	446	435		1,485 752	1,263 686
Nuwara Eliya		463	113,801	55	$\frac{12}{24}$	31	842	416	$\frac{426}{426}$	$1,438 \\ 726$	366	360
Northern.			, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		**	۰۰۱	04-		320	120	900	300
Jaffna	•••	$1,265 \pm$	304,713	275	275	[2,641	1,388	1,253	4.989	2,200	2,789
Mannar	•••	9434	24,491	44	44		309	157	152	453	231	27,709
Multaittivu	***	1,154	13,161	8	7	_ 1	157	78	79	231	126	105
Va v uniya	•••				'	1	10,		_'`	201	120	100
Southern.								1				
Galle	***	652	237,241	551	545	6	2,985	1,496	1,489	1,475	724	751
Matara	•••	481	190,605	284	284	_ 1	2,546	1,301	1,245	1,116	557	559
Hambantota	•••	1,013	91,862	82	82	_	1,132	592	540	894	459	435
Eastern.		'					•		"1"	004	400	400
Batticaloa	•••	2,872	139,506	37	31	6	1,415	740	675	1,206	631	575
Trincomalee	•••	1,165	26,475	10	10	_ 1	268	148	120	504	249	255
North-Western,						1				004	240	204
Kurunegala		1,845	228,412	334	82	252	2,954	1,525	1,429	4,425	2,064	2,361
Puttalam	•••	890	25,273	29	12	17	306	161	145	454	221	233
Chilaw	•••	262	68,018	210	210		863	457	406	558	275	283
North-Central.					-	1			0	000		
_ Anuradhapura	• • • • • • • • • • • • • • • • • • • •	4,002	75,464	65	11	54	874	455	419	1,529	757	772
Uva.		1					1		1	- ,0 20		7
Badulla	•••	3,155	166,452	124	11	113	1,605	816	789	1,673	879	794
Sabaragamuwa.					1	1	'	-		-,0.0	0.0	10%
Ratnapura	***	1,259	110,950	1 5 6	23	133	1,500	767	733	1,279	641	638
Kegalla	•••	642	154,577	228	19	209	2,350	1,213	1,137	1,572	755	817

Table II.—Birth- and Death-rates in the First Quarter of 1899, the First and Fourth Quarters of 1898, and the mean rate for the First Quarters of 1889-98.

		the mean rate i	01 011	3 1 11 30	Q ua	1 001	B UI .	1009-	.00.					
				Birth-	rate	per M	Iille p	er An	num.			per Mi		er Annum
	Province a	and District.		Average of Ten First Quarters of	1889-98.	First Quarter of 1898.	Fourth Quar-	ter of 1898.	ter of 1899.	Average of Ten First	1889-98.	rirst Quarter of 1898.	Fourth Quar- ter of 1898	First Quarter of 1899.
CEYLON		***		. 32	.8	39.5	49	1.5 4	7.6	30	0.1	27.0	35.7	41.8
Western	•••				_ -	0 = 0								-
Central		***	••	0.1		37·3 45·1	41		9·6 3·6	21		22.6	22·1	
Northern	•••	***	••			28.2	45		6.8	28 31		29.4	34.7	
Southern	•••	***	•••	• •		35.5	55		2.0	29		21.6	25.4	
Eastern	•••	***	•••			37.1	55		1.1	31		0.5	28.8	E.
North-Western	•••	144	•••	36.		48.5	60		2.0	43		9.4	52.8	68.5
North-Central			•••	40.	1	42.7	63		7.0	48		7.7	61.1	82.2
Uva		***	•••	37.		11.7	52		9.1	36		3.1	52.5	40.8
Sabaragamuwa	•••	***	•••	33.0	1	17.6	55		8.8	32		1.8	40.9	43.5
Western.														
Colombo				2.	, ,	4.0	6.0	a]		_ _			
Negombo	***	***	•••	27.6		4.8	38.0	- /	.6	21.		,	22.2	27.8
Kalutara	•••	•••	•••	39.3		3.4	400			22.			18-2	23.5
Central.	•••	•••	••••	31.9) 3	8.5	47"	2 49	1-7	22.	0 2	3·1	24.7	26.5
Kandy			i			ĺ		1	- 1				1	•
Matale	•••		•••	30.3		6.2	45.9	48	.0	27:	7 31	.7 4	3.2	37.5
Nuwara Eliya	•••	***	•••	41.2	- 1	5.4	52.5		- 1	41.8	3 38		3.6	75· 7
THUMBIR ISHYR	•••	***	•••}	28.7	3	4.1	37.6	30	0	22.4	1 24	.6 3	9.0	25.9 -
Northern.									-				-	-
Jaffna	* ***	•••		29.2	22	7.0	44.3	35	2	26.5	27	8 3	3.5	63.4
Mannar	,	***		30.8	1 '	3.8	51.3			49.6	- 1		2.4	75.0
Mullaittivu	•••	•••	•••	38.9		0.4	58.6		•	53·0	1		0.1	71-2
Southern.														
Galle	•••	***		33.9	34	-7	45.6	51	0	26.7	22.	7. 25	6	25.2
Matara	***	***		31.4		.5	62 6	54		25.7	20.			23.8
Hambantota	***	***		33.5		•4	63.5	50.		43.8	21.			39.5
Eastern.			-			İ					1	i		
Batticaloa	***	***		40.0	37	.7	55.9	41.		31.7	18.8	3. 23.	8	35·1
Trincomalee	•••	•••		30.3	34		54.1	41.	,	31.5	29.0			7.2
North-Western.							• • •						- '	
Kurunegala	•••		1	37.6	50	. 7	64.2	52.4	1	AR.E	30.5	62	6 -	8.6
Puttalam	•••	•••	•••	39.1	48		55·1	49.1		46·5 58·2	49.7			5·8 9.0
Chilaw	•••	***	•••	31.6	40		50·7	51.5		25.6	18.0			3·3
North-Central.										*** V	,00			- v
Anuradhapura	•••	***		40.6	42.	7	63.0	47.0		48.9	37.7	61.1	8	2.2
Uva.						į Į	- [å a .	1	1	,
Badulla	•••	***		37.6	41.	7 / 6	52.1	39.1		36.4	33.1	52.5	40)· 8
Sabaragamuwa.														
Ratnapura	•••	***		36.9	48.5	3 5	7.4	54.8	(:	39.8	40.4	44.7	46	.7
Kegalia	***	114	• • •	30.1	47.0		4.3	61.7	3	26.8	30.8	38.1		.2
,		•-•			`			•	l '		•	-0 1	1 **	-

Table III.—Sinhalese Births and Deaths, with the Birth-rate and the Death-rate for all Ages and for Infants in Sinhalese Districts.

		and fo	r Infan	ts in S	inhale	se Dis								
			pe l			Per M	Birth- ille pe		um.	per		h-rate per Ar	ınum.	under hs in 899.
Province, District, and I	Division.	Area in Square Miles.	bsumated ropu- lation at the beginning of the Quarter.	Births.	Deaths.	Average of Bight First Quarters, 1891-98.	First Quarter of 1898.	FourthQuarter of 1898.	First Quarter of 1899.	Average of Eight First Quarters, 1891-98.	First Quarter of 1898.	FourthQuarter of 1898.	First Quarter of 1899.	Deaths of Children under 1 year to 1,000 Births in First Quarter of 1899.
CEYLON	24	5333 2	,184,811	28,361	19,860	35.8	43.0	52.9	52 ·6	30-1	24.5	33.6	36.9	205
WESTERN Colombo Colombo Municipality Alutkuru Korale South Hewagam Korale Salpiti Korale	1	561 10 72 170 75	713,640 399,132 54,791 63,200 60,356 88,140	9,092 4,984 469 838 817 £67	4,240 2,40 546 349 314 487	36.6 20.1 29.5 40.7	44.7 37.6	40.6 32.5 38.8 41.6 40.4	50.6 31.7 53.8 54.9 44.5	17.5	20.3	19·4 18·9 33·6 15·8 15·2 17·2	24·1 24·5 37·2 22·4 21·1 22·4	109 109 311 96 96 103
Siyane Korale Negombo Negombo Local Board Alutkuru Korale North Hapitigam Korale	•••	2333 247 71 159 811	132,645 131,248 12,164 89,404 29,680	1,893 1,921 218 1,263 440	779 117 474 188	38·1 51·3 36·3 38·5	43.2	43·3 47·8 42·1 44·9	72·7 57·3 60·	21.6 42.9 18.8	15.5	15·7 19·4	21·8 24·1 39·0 21·5 25·7	74 115 101 92 186
Kalutara Kalutara Local Board Kalutara Totamuna Pasdun Korale Rayigam Norale	•••	624 12 88 1 403 4 130	183,260 8,791 84,932 40,635 48,902	487	63 483 261	31·4 36·7 32·1	35·4 46·4 38·5	36·2 45·9 49·7	47·5 49·4 48·6	20·8 20·3	23·3 26·2	21.6 21.6	23·3 29·1 23·1 26 0 20·4	102 117 96 121 110
CENTRAL Kandy Municipality Harispattu Pata Dumbara Pata Hewaheta		$ \begin{array}{c} 2300 \\ 911 \\ 6\frac{7}{8} \\ 50\frac{7}{8} \\ 107\frac{1}{8} \\ 57\frac{1}{4} \\ 467 \end{array} $	268,567 170,013 9,422 27,924 32,200 13,346	2,460 132 418 506 172	1,568 117 3 .309 288	37.8 21.4 39.9 38.7 44.6	54.6 39.2 57: 61.5 58.7	56·2 50·7 61·5 56·3 50·5	58.7 56.7 60.7 63.7 52.3	24·0 33·3 25·5 25·8	28·3 29·3 29·7 27·8 23·9	42·9 38·0 51·4 42·9 31·4	43·9 37·4 50·4 44·9 35·9 24·3	251 222 250 258 180 110
Tumpane Uda Bulatgama Uda Dumbara Udu Nuwara Uda Palata Yati Nuwara	••• ••• ••• •••	$ \begin{array}{c} 46\frac{7}{8} \\ 230 \\ 238\frac{1}{4} \\ 34\frac{5}{8} \\ 106 \\ 33\frac{1}{8} \\ 926 \end{array} $	11,530 10,965 19,861 12,305 17,790 14,670	9: 213 5 21: 288 6 24	7 185 2 98 3 159 1 130	4 25·1 3 42·2 8 40·1 9 30·7 7 39·5	45.6 45.7 54.6 53.2 55.2	31.9 56.4 61.5	44.8 69.9 65.7 66.6	19 1 35 4 28 9 23 9 31 2	22·4 29·6 31·5 28·7 33·2	20·7 68 5 29·6 34·1 39·7	44·3 27·4 37·4 32·3 36·2 37·9 72·3	308 261 198 222 250 207
Matale Local Board Matale South Matale East Matale North Nuwara Eliva		$ \begin{array}{c} $	1,601 24,683 13,594 15,814	1 12 3 329 5 170 4 198	3 340 5 214 3 39	1 31·8 0 52·0 4 52·7 7 51·9	50.6 69.2 64.3 60.9	29·4 56·7 60·7 65·5	27·8 55·3 52·5 49·5	39·0 40·1 46·3 50·7	1	78·3 73·6 76·7 108·4	78·5 57·3 63· 102·1	375 596
Nuwara Eliya Local outside Kotmale Uda Hewaheta Walapane	Board and	$\begin{array}{c} 4\frac{7}{8} \\ 236\frac{1}{8} \\ 108\frac{3}{8} \\ 113\frac{1}{8} \end{array}$	1,360 13,82 16,949 11,320	3 13 13 9 23	8 10 0 11 8 14	0 27·5 1 31·5 1 48·4	20·7 5 43·1 1 51·2	29·0 41·2 2 58·0 56·2	23·7 2 38·	20·3 21·0 29·8	25.9 3 2.5 3 22 6 2 25.7 3 29.4	34·8 29·9 44·6	29·7 32·0 33·7	250 200 143
SOUTHERN Galle Municipality Four Gravets beyond limits and Akmimans		$2146 \\ 652 \\ 6$	495,97 224,49 25,30 18,74	4 2,88 6 24	7 1,36 2 14	4 85.8 4 32.8	35.6 3 28.5	56°2 47°0 30°0 1 41°7	38.8	26·7 25·7	2 21·6 7 22·7 7 20·1	25·4 22·2	24.6	118 174
Gangaboda Pattuwa Wellaboda Pattuwa Talpe Pattuwa Walallawiti Korale Hinidum Pattuwa	•••• ••• •••	$ \begin{array}{r} 128\frac{3}{4} \\ 83\frac{1}{4} \\ 97 \\ 146 \\ 166 \end{array} $	28,49 58,00 48,65 39,19 6,09	4 40 6 77 1 66 3 52	0 17 2 34 3 31 1 25	2 33·3 5 35·3 9 40·3	7 33 3 1 35 3 2 34 6 7 42 6	5 44.2 3 50.4 6 44.8 6 59.6 7 47.5	56.9 54.0 55.5 55.5 53.9	24.9 27.1 30.4 9 27.5	1	27·3 26·3 25·5 27·3	24·£ 24·1 26·6 26·2	115 101 110 125
Matara Matara Local Board Four Gravets beyond limits Wellaboda Pattuwa	•••	481 1½ 7 ⁷ / ₈ 513	16,36	5 12 3 21	2 5 0 5	4 38·3	3 43·6 5 31·	6 63·7 6 61·4 9 47·9	69.6 69.6	31·3 1 24·9	20·1 3 40·1 9 16·1	22·9 7 13·9	30·5 13·4	82 81
Weligam Korale Morowak Korale Kandaboda Pattuwa Gangaboda Pattuwa	•••	111 160 70	48,97 13,97 22,63	78 57 74 14 50 34	4 24 5 10 16 13	7 31 32 32	1 28· 7 39· 0 44·	3 65.6 5 63.9 0 62.4 9 69 6	9 47° 4 42° 8 62°	5 20·0 1 39· 0 31·3	2 14:9 6 18:3 7 30:4 3 22:3 8 20:	2 21·3 5 30·0 2 24·3	20·4 30·2 24·9	87 207 1/9

Table III .- continued.

· · · · · · · · · · · · · · · · · · ·												
		0	pu- e the				Birth-r	ate per Annum.		th-rate per Ar		First Quarter 50 of 1899. DeathsofChildren under 1 year to 1,000 Births in First Quarter of 1899
		tin Square Miles.		1						per AL	:	
		S. S.	D T D	·		stht srs	Lei L	h Quarter Quarter	E s	ter.	rte	t Quarter 1899. sofChildren to 1,000 Birtl Quarter of 1
Province, District, and Di	vision.	n S	at at rte	Births	Deaths	s.	8 F 8	ua:	88 E	38	E ∞	# 8 E E
		1 in 2	na na			0.05	5 5 5 5 T	ુ 5 €	5 5 5 6 S	0a 18	0	2 × 5 × 5
		Area in Mil	ati ati	` 		ğ + ;	S 5 1	世世世	\$ \$ \frac{1}{2} \f	st of	五五十	St to st
•	į	(▼	Estimated Pelation at the beginning of Quarter.		1	Average of Eight First Quarters	First Quarter of 1898.	ourth First	Average of Eight First Quarters of 1881-98.	First Quarter of 1898.	Fourth Quarter of 1898.	First (Of 1 Denthso year to First Q
Hambantota							_	<u> </u>			<u> </u>	<u> </u>
Hambantota Four Gravets	•••	1,013	88,484	1,102	875	34.5	39.9	64-1 50%	6 46.3	21.3	28.0	40.1 224
Magam Pattu, excl. of Four	···	6423	∫ 1,041		10	30.6	19.3	49.6 35	37.5	31.0	45.8	39.0 445
Giruwa Pattu East	Gravets) ~1	E 9,/10	ì	129	43.0	52.3	73.7 55.0	71.4	38.3	92.1 1	11.2 820
Giruwa Pattu West	•••	1221	10,827			27.9		64.5 33.6		15.0	21.5	52.4 318
EASTERN	•••	$247\frac{3}{4}$	71,901	941	596	34.8	40.2	63·6¦ 53·	44.7	21.0	24.5	33.6 172
Dattie to the	•••	4,037	7,587	85	94	38.2	34.9	44.9 45.	37.0	31.0	48.1	50.2 247
Batticaloa Local Board	•••	2,872	6,440		82	$32 \cdot 1$		44.9 47.9	32.4			51.6 250
Manmunai Pattu, exclusive o	f I 2001	1 1	214)	2	l —	1-1	- -	1-1		-1-	- 1
Board		222	47	,		ĺ			1		- 1	- 1
Bintenna	•••	6771	$\frac{47}{2,504}$	44				<u> </u>				- 1
Chammanturai and Nadukad	11	4201	1,160	17	40 14	36.7		53.9 71.3				34.8 250
Eravur, Rukam, and Koralai	1	6621	312		2	66.8	65.9	30.7 59.4		34.7	1	18.9 176
Eruvil, Porativn, and Karow.	aku	277	85	[1		1-1	- -		-	- -	-
Nintavur and Akkarai Pattu		1241	1,128	8	-	38.8	32.2 4	5.8 28.8		14.3	38.8	6.0 625
	• • • •	486	990	5	13	_		1.8 20.5			i	3.2
North-Western		2,997	280,448	3,644	4,604	20.0		i	1		į.	
Kurunegala		,845	212,560	2,764	4,002		49.3 6				- 1	6·6 441 6·4 482
Kurunegala Local Board		13	1,561	29		39.7	$\begin{vmatrix} 51.8 & 6 \\ 75.2 & 8 \end{vmatrix}$		-	- 1	0.8 7 2.0 25	
Dambadeni Hatpattu Dewamedi do	•••	1643	38,082	615	_			1.1 65.5				0.4 306
Dewamedi do. Hiriyala do.	•••	1863	3 0,9 0 0	394	703	42.0		3.3 51.7	ſ	1 .	,	2.3 642
Katugampola do.	•••	$387\frac{1}{2}$	27,758	338		44.8		0.0 49.4	j	1	4.0 11	
Wanni do	•••	$358\frac{1}{8}$	44,922	477			41.9 6			9 2 2	4.9 4	3.8 228
Weudawili do,	• • • •	5693	34,064	403			56.2 6					655
Putlalam*	•••	177	35,273	508	709 4	46.0	61.3 65	2.1 58.4	44.2 3	1.7 103	3.3 81	·5 45 5
Puttalam Local Board	•••	890	9,485	105	158 4	41.2	44.6 6	2.0 44.9	66.8 3	9.8 52	2.0 67	-5 467
Demala Hatpattu	•••]	2	715	_8	29		- -	_	-	- -	-1 -	- '
Kalpitiva Division	• •••	4411	5,954	71		52.7	44.9 65	5.4 48.4	82.7 4	2.9 57	·4 67	4 493
Puttalam Division		$\begin{bmatrix} 315 \\ 133 \end{bmatrix}$	369	10	14	_		-		- -	- -	_
Chilaw	•••	- 1	2,447	16	16 1	18.8	30.1 35	26.5	31.7	8.4 27	6 26	5 437
Chilaw Town	•••	262	58,403	775		32.9	40.8 53	5 53.8	24.5	6.7 18	2 30	8 166
Pitigal Korale North	•••	34	2,262	35		35.6 6	50.9 45	9 62.8	32.4 2	7.3 15	9 39	4 114
Pitigal Korsle Central	()	$132\frac{3}{4}$	6,021	91	90 3	4.8	39.9 48	3 61.3	43.1 22	2.7 34	4 60	6 341
Pitigal Korale South		1283	50,120		$\{05\}$	2.5 4	40.4 54	5 52.5	21.8 15	5 16	4 26	9 58
NORTH-CENTRAL	1-			´ `	27 } 0						1	
Anuradhapura	1 7	002	60,791				44.8 65	0 47.1	53.2 40	7 56		
Anuradhapura Town	1 '	002 5흥	60,791				4.8 65			7 56		
Nuwaragam Palata		490 ⁸	761 25,304	272			7.6 56		55.1 31		- 1	1
Hurulu Palata	٠٠. 1,	040	19,394	220	448 4. 376 46		13 4 64 10 4 60		$ \begin{array}{c cccc} 52.8 & 44 \\ 43.0 & 42 \end{array} $			
Kelegam Palata	(311	13,656	187	303 44		2.5 72		53.1 33			
Tamankaduwa Palata	[1,]	155	1,676	23	43 45		3.1 74.		47.1 31			
UVA	3,1	55 1	22,085	1,331 1	,319 44	- i	- 1		j			ł
Badulla				- ' -	,319 44	1	6·1 59·		40·6 32·			
Badulla Local Board	•••	3	3,106	38	48 43		7.3 64.5		10.9 28	. !	1	
Yatikinda Division Bintenna do	1	833	20,850	215	170 43		2.1 58.		35.7 36.		1 -	i .
Buttala do.	i	359	8,855	89	105 45		9.2 54.1		3.5 31.		1	
Wellawaya do.			43,539	173	221 51	2 54	4.9 71.7	7 48·3 5	46.	0 76.6		381
Udukinda do.	, ,	$\frac{19\frac{1}{2}}{88\frac{3}{2}}$	7,208	69	86 42		2.4 54.9		2.8 24			
Wellassa do.			29,847 20,933	314	196 42	-	5.3 50.1		0.7 25.3			
Wiyaluwa do.			16,747	256 177	322 49		5.8 57.7		4 9 34:3			
SABARAGAMUWA		1		1	171 40	ſ	2.1 68.8		3.4 32.4	1	41.4	
Ratnapura	[1,9				,228 36		3.1 56.2		0.1 27.1			175
Ratnapura Local Board	1,2				113 40		57.7		9.9 33.6			
Kuruwiti Korale	2	$\begin{bmatrix} 2\frac{1}{4} \\ 11\frac{3}{4} \end{bmatrix}$	2,824 24,335	244	34 34		56.4	1 E	7.1 45.9	1		250
Nawadun do		TE)	22,956	329 336	238 40. 222 41.		.7 5 1.5 .5 54.4		1.0 26.1			22 5
Atakalan do			5,898	1	170 41		0.5 54.4		$egin{array}{c cccc} 5 & 2 & 32 \cdot 2 \ 5 \cdot 3 & 38 \cdot 3 \end{array}$		39·2 43·4	241 249
Kadawata do] I	30 <u>1</u>	9,222		122 43		0 79.1	1	4.6 39.4			394
Kolonna do Kukulu do		69	9,302	91	97 30.	5 43	8 38.8	39.7 4	3.5 33.5			242
Mada A.		$24\frac{1}{4}$	6,765	89	86 3 5 ·	8 47	6 6 6 9	53.4 3	4.9 31.1		51.2	315
• •••	18	$56\frac{1}{2}$ 1	1,652	182	144 42	9 46	3 65.2	63.3 5	6.8 46.0	1	50.1	242
egalla	6	12 12	9,953 2,	020 1	115 32	- 1	•4 55.0		4.8 22.0	1 1		197
Beligal Korale			_/ . 1		263 29	4 34.	7 52.3	60.4	0·2 16·1	1	29.4	144
Balboda do Kinigoda do	6	$6\frac{5}{4}$ 1	9,073		190 37.	6 53	6 62.0	72.1 9	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1 1	49.4	260
Kinigoda do, Paranakuru do,				249	171 39.6	6 58.	0 64.1	66.0 30	0.7 24.2		45.3	269
Atulugam do					234 32.4	4 5 0·	1 56.9	68.4 2	7.1 28.0	, - ,	39.2	252
Dehigampal do				142	59 31.2	$2 \mid 42 \cdot$	4 42.3	63.0 26	9 22.1		26.2	91
anawal do				167 1 172	107 28·6		9 48.5	53.1 2:	2.7 22.0	25.0	34.0	132
ower Bulatgama		. (5,531 7,607	102	37 38·5 54 27·4		3 46.0	52.8 25	5.9 18.7		27.1	
		±4	,,,,,,		JT 61'4	= 199.	9 58.8	04.4 2]	8 22.4	30.3	28.8	118

Table IV.—Tamil Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in the Tamil Districts.

			oń.	ou- le the			. 1		per I			th-rate per Ai			under hs in 11899.
Province, District	, and Division.		Area in Square Miles.	Estimated Popu lation at the beginning of th Quarter	Births.	Deaths.	Average of Right First Quarters of 1891-98.	First Quarter of 1898.	Fourth Quarter of 1898.	First Quarter of 1899.	Average of Eight First Quarters of 1891–98.	First Quarter of 1898.	Fourth Quarter of 1898.	First Quarter of 1899.	Deaths of Children under 1 year to 1,000 Births in the First Quarter of 1899
Northern			3363	326,476	2,964	5.45 8	28.8	28.0	45.3	36·8	28·5	29-4	34.5	67∙8	423
		1		1	2.615			27.1	44.5	35.4	26.8	27.8	33.7	67.0	415
Jaffna Jaffna Division	***	- 1	1265 <u> </u>	, ,	357	4,953 636			39.4	34.4	29.1	35.3	31.1	61.3	454
Valikamam East			$40\frac{1}{4}$		185	409	32.1		43.6	31.2	22.1	22.9	32.9	68.9	4:27
Valikamam North		•••	$36\frac{3}{4}$		347	559	25.8		41.6	30.9	19.8	30.1	32.6	49.8	277
Valikamam West	•••		$38\frac{7}{2}$	47,879	386	621	32.1		43.0	32.7	54.8	26.8	34.1	52.6	321
Vadamaradchi Eas		•••	344	4,228	46	118			63.9	44.]	17.5	34.7	60.1	113.0	102
Vadamaradchi Wes	it	•••	5 5	50,533	406	1060		1	46.6	32.6	19.2	20.0	31.5	85.1	340
Tenmaradchi	•••	••••	80 87	37,506 5,637	391 47	941 94	18.5	24.6	46·3	42·3 33·8	31·5 36·7	32·7 31·6	39·6 44·9	102 2 67·6	642 681
Pachehilaippalli Karaichehi	•••	•••	1233		2	11	28.6		04.4	-	JU 1	010			001
Punakari	•••		226	. ,	55	98	27.4	23.8	28.9	46.4	33.0	$32 \cdot 2$	23.1	82.7	582
Islands	•••	•••	78	35,371	384	395	36.5	27.2	55.1	44.0	30.8	22.8	31.3	45.3	305
Tunukkai	•••	•••	446	595	9	11		-	-	-	-		-		
Munnar	•••	•••	9434		207	295	29.3	38.6	51.4	53.7	48.3	43.0	40.2		503
Mannar Islands Di	vision	•••	47		72	89	•	22.8	54-1	51.5	52.7	40.7	31.6	63.6	347
Mantai Division	•••		247	4,123	1 .	106		49.7		51.2	41.8	35.8	38.7	104.1	807
Nanaddan Division		•••	251	5,275 574		97 3		14.2	48-1	59.2	44.7	46.5	47.4	74.6	481
Panankamam	***	•••	397 <u>}</u>	014	U	0	-	_	_	_	_				_
Mullaittivu	•••		1154 	10,934	142	210			58.6		53.2	52.3		77.7	485
Karikkaddumulai	•••	•••	350	4,247		107			67.4	55.4	56.4	58.2	57.2	102.2	500
Mulliyawalai	-	•••	139	·	3	30			50.1	65.7	57.0	63.1	42.9	73.0	481
Kilakkumulai Chinnahaddiladar	***	•••	286		E .	38 14		19.2	41.8	39.7	39.9	26.6	33.1	55.9	407
Chinnacheddikular Melpattu		•••	158g	1,512	1			37.4	57·8	51.0	51.8	50.8	52.5	56.3	368
Mospatta	•••	•••	220	.,,,,,	10		50.2								000
Eastern	•••	•••	4037	95,201	954	1,050	38.2	33.7	55.8	40.6	32.8	19.6	29.7	44.7	285
Batticaloa	•••		2872	78,342		§ .			57.2		38.5	18.3		37.2	261
Batticaloa Local I		•••	1-2						65.0		27.8	9.3	25.1	38.5	320
Manmunaipattu, e: Bintenna	kelusive LocalBo	ard		23,197		171	40.6	28.2	57:1	43.9	42.5	20.6	20.9	Ť l	
Chammanturai and	l Nadukadu		420		1	29	26.2	29.1	37.0	21.4	 28·8	16.6	18:0	29.5	190
Eravur, Rukam, a	nd Koralai		662			115			67.2		34.8	15.8			-
Eruvil, Porativu,	and Karavaku	•••	277	24,842	253	210	44.3		53.1			17.8		34.3	206
Nintavur and Akk	arai Pattu	•••				122		54.4	59.5	44.0	56.1	28.7	42.5	88.0	459
Panama Pattu	•••	•••	486	574	3	6	-	_	_		_		— ,	_	
Trincomalee	•••		1165	16,859	152	331			49.4		34.0	27.4	53·1	79.6	414
Trincomalee Town		••	1	8,741					36.3			32.8			•
Kaddukkulam Pat	tu	•••	220			l			57.3		_				
Koddiyar Pattu	***	•••				1 -		28.1					$\begin{array}{c} 62.2 \\ 110.4 \end{array}$		
Tampalakamam P	uliu	•••	450	1,665	15	40	32.9	40.1	54.0	36.5	. 22.2	29.7	110.4	97.4	400
North-Weste	RN	•••	2997	17,237	176	421	26.2	32.7	34.2	41.4	47:3	37.6	73.8	99-1	443
Puttalam	•••		890	5,481	72	134	34.5	37.2	36.7	53.3	64.6	53.2	58.3	99-1	458
Puttalam Local		•••	1 4	980	7	24	24.0		36.1		78∙0		722		571
Demala Hatpattı		•••	441	181	1			_				_			
Kalpitiya Divisio	on Se	•••	100	1,482		1				112.1	57.0			189.1	
Puttalam Divisio	ы	***	133	2,838	11	24	37.8	25.7	15.4	15.7	41.4	20.0	22.3	34.3	273

Table V.—Mohammedan Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in the Batticaloa and Puttalam Districts.

-	20	pu- le the			Birt.	h-rate oer An	per Mi num.	lle	Deat	h-rat per <i>A</i>	e per nnun	Mille a.	under hs in 1899.
Province, District, and Division.	Area in Square Miles.	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Average of Eight First Quarters of 1891–98.	First Quarter of 1898.	Fourth Quarter of 1898.	of 1899.	Average of Eight First Quarters of 1891-98.	First Quarter of 1898.	Fourth Quarter of 1898.	First Quarter of 1899.	Deaths of Children under 1 year to 1000 Births in the First Quarter of 1899.
Eastern	. 4037	60,025	616	531	41.2	43.1	58.3	1.6	24.9	19-1	2 5· 6	35.9	237
Butticaloa Batticaloa Local Board	. 11	52,767 320	527 2	399 2	42·7	42.0	57.4 4	0·5	25·8	17.8	20·8	30·7	190 —
Manmunai Pattu, exclusive of Loca Board	9.30	11,321	129	51	47.4	47.8	68.2 4	6.2	29.1	17.1	17-9	18.3	124
Bintenna	. 6773	250					.						
Chammanturai and Nadukadu	1 7		55	60	34.2	38.5	43.0 3	9.8	23.0	17.8	24.4	43.4	291
Eravur, Rukam, and Koralai	1 0 2		89	49	42.7	39.0	59.6 4	0.1	22.2	17.2	17.0	22.1	180
Eruvil, Porativu, and Karavaku	4	13,018	107	83	40.3		50.8 3			14.4	18.0	25.9	187
Nintayur and Akkarai Pattu	1 3343		121	135	43.8		61.7 4		27.7	22.3		47.0	198
Panama Patiu	4001		24	19	65.1	28.8		-			50.6	48.8	333
NORTH-WESTERN	. 2997	22,242	293	39 3	36 ·9	49-1	54.8 5	3.4	43.0	40.8	52.7	71.6	471
Puttalam	. 890	9,704	128	155	41.4	60.4	59.8 5	3.5	48.4	56.6	53.2	64.8	492
Puttalam Local Board	. }	2,645	36	38	47.4	60.9	53.9 5	5.2	46.7	80.7	59.9	58.3	333
Demala Hatpattu	. 441	452	11	21			- -		-	!		!	
Kalpitiya Division	. 315	4,459	80	95	47.8	87.9	71.2 7	2.8	60.0	69.6	69.4	86.4	475
Puttslam Division	. 133	2,148	1	1	22.4	38.0	35·3	1.8	25.4	38.0	11.1	1.8	1,000
	1]	<u>, </u>					1		1			

MARRIAGES. Signed Lowest Female Age.

Marriages solemnized
by Ministers. Contracted Kegister Ot Persons! Highest Female Age between Persons not 21 Years with Of Contracted between Contracted between Mesn Femals Age. Lowert Male Age. of same Race. Marks. of Age. Male Age. Province and Men and Women. Male Divorced Women and Widowers. Bachelors and Divorced Women Divorced Men and Widows. District. Widowers. Eur opean. Highest Males. Males. Mean ... 3362 2919 92 289 58 2 1 14 38 2760 CEYLON 347 151 516 162 1554 80 27.6 68 20.7 922 2588 Western 34 131 ... 1598 1416 15 46 50 1130 1481 756 60 27.3 20.2 14 80 387 1144 Central 12 118 _ 15 5 2 60 47 59 66 28.9 21.6 14 19 Northern 30 326 271 17 25 326 63 28.0 18 21.1 12 102 62 258 Southern 789 25 86 11 911 97 906 36 60 500 2 80 27.8 18 21.2 13 316 778 Eastern 35 3 ___ 24 26.9 21 30 20.1 14 34 North-Western 304 258 16 19 11 30 27 263 32 131 60 27.7 20.9 14 116 18 86 240 North-Central ___ 32.9 26 31 23.4 Uva ___ 44 31.5 25 28 21.5 17 6 Sabaragamuwa 42 37 3 25 40 32 45, 27.9 17 21.0 14 32 Western. Colombo 855 753 14 76 11 87 26 2 11 28 778 56 469 30 -60 26.7 20.6 14 175 194 Negombo 5 27 290 256 ___ 29 252 30 15 146 46 29.1 35 20.1 15 77 218 18 Kalutara 15 28 453 407 30 17 ----__ 60 27.2 451 141 19.5 15 18 43 116 344 Central. Kandy 82 8 50 25 66 28.4 19 59 21.1 14 26 Matale 2 2 31.1: 22 32 23.1 18 Nuwara Eliva 24 18 5 17 40 29.2 23 35 22.6 16 18 Northern. Jaffna 275 242 19 26 14 __ 275 63 27.8 221 Mannar 18 21.5 14 47 9 44 25 __ 18 10 28 44 54 29.5 21 35 19.4 12 15 31 Mullaittivn 2 35 27.7 23 22 17.1 14 Southern. Galle 545 464 14 60 67 21 _ 543 18 75 27.9 21.7 13 172 446 Matara 284 254 19 _ 21 11 282 34 197 80 27.2 18 20.6 14 253 Hambantota 1111 82 71 9 81 47 65 29.1 18 55 79 19.8 15 33 Eastern. Batticaloa 31 27 31 19 40 27.0 21 30 20.2 25 Trincomalee 10 2 _ 26.6 40 21 26 19.7 14 9 North-Western. Kurunegala 80 52 26.6 38 31 19.8 28 79 Puttalam 60 34.2 20 40 24.2 11 15 Chilaw 216 183 12 9 15 ___ 181 87 22 60 27.7 19 45 21.1 14 105 150 53 North-Central. Anuradhapura ... 11 2 2 2 40 32.9 31 23.4 14 Uva. Badulla 31.5 28 21.5 17 25 Sabaragamuwa. Ratnapura 45 28 5 22 30 20.3 14 Kegalla 2 17

Table VI .- Marriages (General), Civil Condition, Nationality, Age, Mode of Solemnization, Signature of Marriage Register, &c., in the First Quarter of 1899.

Table VII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the First Quarter of 1899.

										e uur		1 100									mad
					Co	ntra	eted l	betwe	en	,		not Yen	sons 21 rs of re.				á	-	ie l	t Reg w	ned he isters ith rks.
Province and District.		Total Marriages.	Bachefors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women	Divorcea Women	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
CETLON		157	913	49	101	32	34	4	15	4	5	168	698	63	26.2	17	5 5	19.2	13	418	1086
Southern Eastern North-Western North-Central Uva	••	366 1 6 269 54 113 342	5 6 182 44 91	1 1 16 6 4	37 1 13	- - - 18 2 4	12	=		- - - 2 - 1	_	47 -1 -36 2 9 73	278 1 5 4 33 19 79 279	28 41 50 63 60	28·5 25·3 30·8	17 -20 22 19 19 17 18	24 22 38 55 45	20·2 15·4 23·7	13 16 18 15 16 14	70 22 54	4 4 6 260 54 94
Central. Kandy Matale Nuwara Eliya.		263 72 31	218 53 22	6	8	2		-	4	_	2 1	32 11 4	208 49 21	55 58 49			40	19·1 20·7 20·3	13 15 15	102 21 11	244 71 29
Northern. Mullattiva		1		1	_	 	-	_	-	-	_]	25	24.9	_	20	20.0	-	-	ı ´
Southern. Galle .	••	6	5	1	_	-	-	-	_	_	_)	5	26	23.2	20	24	18.5	16	3	4
Eastern. Batticalea . Trincom lee .	•	_6	6	=	_	_	_	_	_	_	_		4	41 	28·5 —	22 —	22	20.2	18 -	_2	6
30 a. 1 1	••	252 17				1		-	-	- '2		3 5	27 · 6	50 50	25·0 29·4	19 20	38 35	16·0 22·8	1 <i>5</i> 18	55 12	243 17
North-Central. Anuradhapura.	••	54	44	•	3 1	. 2	-]	_	-	_	-	2	19	63	30.3	19	55	23.7	16	22	54
Uva. Badulla .	••	113	91	! 4	18	3 4	-	_	-	1	-	9	79	60	26-1	17	45	21.8	14	54	94
Sabaragamuwa. Ratnapura . Kegalla .	•-	1 3 3 209									_	36 37	110 169	58 60		- 18 18	38 40		16 14	61 72	128 195

Table VIII Return of Births of each Nationality and Sex in each Province and District in the Island registered
during the First Quarter of 1899.

						,		1	uur	ing ,	me r	rirst Q	uarter	01 109	9. 										الم بيبرانانان	
	•			Il Race	e.	Eu	ropea	ıns.	Bu	rghe	rs,	s	inhales	e.		Tamils.			Moors.) N	Ialay:		(Other	s.
Province	and District.		Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Femules.	Persons.	Males.	Females.	Persons.	Males.	Females.
CEYLON	•••	•••	37,2 2 5	19,091	18,134	50	31	19	176	101	75	28,397	14,454	13,943	6,209	3,240	2,969	2,297	1,218	1,079	69	31	38	27	_	11
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa			10,083 5,237 3,107 6,663 1,683 4,123 874 1,605 3,850	2,699 1,623 3,389 888 2,143 455 816		24 1 1 2 - 3	15 - 1 2	9	95 32 5 12 15 6 2 6 3	3 7 6 3 1 2	35 16 2 5 9 3 1 4		3,273 41 1,885 365 666	5 3,174 44 1,759 341 665	329 1,196 2,964 34 954 176 55 206 295	167 618 1,546 17 498 96 31 106 161	162 578 1,418 17 456 80 24 100 134	515 302 128 156 616 293 111 55	251 153 70 82 339 157 58 36 72	264 149 58 74 277 136 53 19	21 	10 -8 2 -	11 11 - 4 9 2 -			8 3 - - -
Western. Colombo Negombo Kalutara		• • •	5,543 2,078 2,462	1,051	1,027	1	1	$\begin{bmatrix} -6 \\ -2 \end{bmatrix}$	3	2	33 1 1	4,984 1,921 2,187	2,474 977 1,144	944	169 108 5 2	52	79 56 27	255 43 217	128 19 104	127 24 113	1	9	10	12 1	-	7
Central. Kandy Matale Nuwara Eliya	 	•	3,514 881 842	446	435		11 -4			14 - 2	13 — 3	2,460 708 487	1,277 361 245	347	735 128 333	394 65 159	341 63 174	250 44 8	130 19 4	120 25 4		9	10 — 1		2	3 -
Northern. Jafina Mannar Mullaittivu Vavuniya		•••	2,641 309 157		152	,			3 2 —		1 1 —	1 8 	_ _ _ _	1 - 4 -	2,615 207 142	1,375 101 70	1,240 106 72	21 100 7 —	11 55 4	10 45 3		_		1111		_
Southern. Galle Matara Hambantota	•••	•••	2,985 2,546 1,132	4. 4.	1,245	_	1 —		7 4 1	_ 1		2,887 2,458 1,102	1,252	1,206	11 19		5 10 2	78 64 14	37 37 8	41 27 6		- 1 7	 4	1 _		=
Egstern. Batticalog	e je zero kandar e e je	(a)	1,41 <i>5</i>	740	67 <u>6</u> 120				2	5	4	76 s	36	40	802	413	389	527	286	241	1	1	1		i .	

DEC. 8, 1899]

North-Western, Kurunegala Puttalam Chilaw	••• •••	306	161	1,429 145 406			-	4 1 1	2 1	1	2,764 106 775	1,417 61 407	1,347 44 368	44 72 60	26 37 33	18 35 27	140 126 25	79 62 16	61 66 9	- I - I	- -	-1 - 1	- 1	
North-Central. Anuradhapura,	•••	874	455	419			_	2	1	1	706	365	341	5 5	31	24	111	58	5 3 .	_ } _		_		-
Uva. Badulla		1,605	816	789	3	2	1	6	2	4	1,331	666	665	206	106	100	55	36	19	2	2 -	2	. 2	_
Sabaragamuwa, Ratnapura Kegalia	•••	0'050	767 1,213	7 33 1,137		-1	_	2	2 1		1,408 2,020	708 1,034	700 986	73 222	46 115	27 107	16	11	5 44	_1 -	. , .		-	o y chiadan canada

Table IX.—Deaths among the various Races registered in each Month in Ceylon, and in each Province and District, in the First Quarter of 1899.

				J_A	NUA	RY.				<u> </u>]	FE	BRU	JAR	Υ.					1	IAR	cн.		
Province and District.		TOTAL.	Ruropeans.	Burghers.	Sinhalese.	Tamils,	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinbalese.	Tamils.	Moors.	Malays.	Others.	TOTAL.	Furopeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malikys.
CETLON		12726	10	38	8088	3686	85 6	3:	18	10,391	8 3	3	6 2 65	3349	696	22	18	9579	15	45	5507	3296	680	22 14
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa	***	2,052 2,073 1,998 1,907 660 2,302 645 643 1,046	2 - 2 -	3 2 4 2	1234	621 1921 25 410 153 64 114	95 67 43 405 152 73 27	98 1 54 2 1	1	1698 1511 1866 1146 487 1686 527 526 944	1	3 4 3	1350 820 2 1097 37 1403 395 416 745	607 1776 13	27 152 126 78 16	-9 2 5 6 -	10 2 - 6	1676 1328 1809 1032 563 1449 357 504 861	9 3	7 1 6	1271 742 4 948 22 1210 275 404 631	487 1761 48 351 119	86 44 33 174 115 49 14	10 7 3 - 2 - 5 3 1 - 1 4
Western. Colombo Negombo Kalutara	***	1,260 316 477	6	23 1 2	279	155 30 33	106 4 54	9	5 1	1011 284 403	-	8 1 2	778 257 315	121 22 52	68 4 34	9	01	965 275 436	9	23 1	678 24? 350	141 26 47	98 4 38	9 7
Central. Kandy Matale Nuwara Eliya	•••	1,115 670 288	-	3	656 513 174	391 116 114	54 41	8		792 425 294		2	460 251 109	285 140 182	41 32 3	2	2	841 343 144	3	6	452 218 72	310 108 69	67 16 3	3
Northern. Jaffna Mannar Muliaittivu Vavuniya		1,736 149 113		2	1 1 2	1724 92 105	9 55 3		1	1631 179 66				1617 109 50	14 69 5		-	1622 125 62	-		-1 -3 -	1612 94 55	9 31 4	
Southern. Galle Matara Hambantota	•••	547 400 340	-	3	506 398 330	14 5 6	24 16 3		~ ~ ~	475 350 321		4	442 336 319	7 6	18 8	4.	-	453 346 233	- -	I -	416 306 226	12 85 1	24 5 4	
Eastern. Batticaloa Trincomalee		46 198	1	2	28 7	279 131	154 51	5	-,	369 118		2	3 5	215 74	117 35	6	-	37 <i>5</i> -		3	19	225 126	128 46	5 3
North-Western. Kurunegala Puttalam Chilaw	[1,898 183 221		1 1	734 77 180	75 51 27	86 54	2 -	-	363 - 147 - 176 -),	225 44 134	82 46 21	52- 54- 20-		3	1164 124 161			043 37 130	66 37 16	54 47 14	- - - -
North-Central, Anuradhapura	•••	645	_ -	-	50b	64	73		-	527	_ -		395	54	78	-	1	357	- -		275	33	49	
Uve. Badulla		643	_ -	_	499	114	27	2	ì	526	_		416	94	16	_ _		٤04	_	1	404	80	14	1 4
17 a 11 a		478 568			431 42)	41 119	5 25	1		417 527	-		371 374	4} 131	5 22			384 477 –	1		311 320	68 135	4 21	

		,	Pro	CVINC	E.		OVINC			RTHE			OUTHE		EAS Prov	TEHN INCE,	w	NORTI ESTEI OVINC	RN	NORTH- CENT. PROV.	Uva Prov.		ARA- DWA DV,		Deat	нз Амс	ong at	L RA	es.	!
CAUSE OF DEATH,		CEYLON.	Colombo.	Negombo,	Kalutara.	Kandy.	Matule.	Nuwara Eliya.	Jaffna,	Mannar.	Mullaittivu.	Galle.	Matara,	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam,	Chilaw.	Anuradhapara,	Badulla,	Ratnapura.	Kegalla.	Europeans,	Burghers.	Sinhalese,	Tamils,	Moors,	Malays.	Others.
ALL CAUSES		32696	3236	874	1316	2748	1438	726	4989	453	231	1475	1116	894	1206	504	4425	454	55 8	1529	1673	1279		33	116		10331		74	
I. Specific, Febrile, or Zymotic diseases II. Parasitic diseases III. Dietetic diseases IV. Constitutional	s s	16519 1277 71	1219 190 6	73 —	541 75	1221 152 28		352 18	3423 6 1	224 18	132 1	606 68	536 6 2	628 2 —	808	312 1 12	1998 220	210 7	186 70	829 29 —	884 11 4	614 70	 591	10 1	28 5	8969	6372	1094	29 2	17
diseases v. Developmental	•	1966	391	87	175	150	57	22	106	3	1	192	146	59	13	13	210	14	42	71	68	74	72	5	12	1542	284	119	2	2
diseases vi. Local diseases vii. Violence viii. Ill-defined and no		737 9484 459	209 1021 45	298	418	733	329	2) 149 8	1102	1 142 4	2 57 2	51 494 32	51 342 25	15 122 10	3 262 19	3 120 2	14 1666 25	$162 \\ 6$		1 482 3	104 454 35	13 348 45		$egin{array}{c} 2 \\ 13 \\ 2 \end{array}$	10 46 2	6490	$175 \\ 2241 \\ 119$		8 24	-
specified cause		2183	155	13	31	347	68	153	255	61	35	32	8	58	101	41	292	5 3	14	114	113	115	124		12		993	193	9	7
1 Miasmatic diseases 2 Diarrhead do 3 Malariai do 4 Zoogenous do 5 Venereal do 6 Septic do	•	9396 5871 1007 17 19 209	544 567 88 1 7	113 31 2	312 21 6	834	272 116	62 285 1 — 4	2665 204 435 — — —	117 79 15 — — 13	77 43 4 — — 8	335 29 2 2	220 298 14 1 —	517 106 3 1	605 189 9 — 5	211 88 5 — 8	1487 449 53 1 2	151 48 9 —	127 47 10 —	614 204 11 —	274 587 19	187 405 20 —	150	4 3 2 —	7 12 4 —	4917 3817 178 16 12	3747 1707 752 1 6	701 314 63	13 9 7	7 9 1
II. Parasitic diseases	•	1277	190	73	75	152	100	. 18	6	18	1	68	6	2		1	220	7	70	29	11	1	160	-	4 5	29 1092	159 91	16 87	2	
Dietetic diseases	1	71	6		-	28	4	3	1	-	1		2		-	12	_	-	-	-	4	_	10	1	1	10	5 6	3	_ !	
Constitutional disease	-	1966 73 7	391								,]		110	5 9	13	13	210	14	42	71	68	74	72	5	12	1542	284	119	2	2
Developmental disease v1. Diseases of—			209	20	52	55	22	21	53	1	2	51	51	15	3	3	14	2	6	1	104	13	3 9	2	10	477	175	61	8	4
Nervous system 2 Organs of special sens 3 Circulatory system		3449 8 148	469	-	7	1 12	1 7	-2	531 4	_	_	1 18] 9	₁	31 - s	53 —	306 1	74	86 —	79 — 11	234 — 2	155 1 3	101 1	6	24 I	2273 5	912		12	5
4 Respiratory do 5 Digestive do 6 Lymphatic systeman	d	1605 347	142 54								25 2	25 18						40 5	47 7	139	144 20	18 17	71 33	1 1 4	$\begin{array}{c} 3 \\ 11 \\ 2 \end{array}$	107 902 219	29 53 7 97	8 143 22	8	3
Ductless Glands 7 Urinary system 8 Reproductive system (a) Organs of Ge	: : ::	10 85	23 23	-)	1 - 2	-6	- 2	. 4	6	_	_2	10	7	_	-4				_2	_	-6	5	7	<u> </u>	-1	4 60	5 20	1 2	-	
neration (b) Parturition		41 721	A 7		5 1 30	67	1 26		4 10	-		$rac{2}{25}$	4 14	i - 15	3		4 200		$\frac{2}{29}$	2 45	1 27	2 24	71		1	28 582	10 78	2 59	_	

cc. 8, 1899]

PART I. — CEYLON GOVERNMENT GAZETTE

19

Table X.—Causes of Deaths, &c.—continued.

			ESTER		P _R	ENTRA	E.		RTHE			UTHR			TERN /INCE,	W	ESTEI ROVING	3N	NORTH- CENT. PROV.	Uva Prov.	GAM PR	UWA		DEAT	HS AMO	NG AL	L RA	ces.	
CAUSE OF DEATH.	CEYLON.	Colombo,	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaittivn.	Galle.	Matara.	Hambantota.	Batticalos.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw	Anuradhapure.	Badulla	Ratnapura	Kegalla.	Europeans.	Burghers.	Sinhale: e.	Tamils.	Moors.	Malays.	Others.
Organs of Locomotion Integumentary system		208	164	34	377	150	7	374	37	-1	18	2 4		135	22	- 829		 57		20	123	— 263	-	3	2 2308	550	_	_	_
Accident or Negligence Homicide Suicide Execution	392 33 31 3	32 6 6		7	1	1 2	1	38 2 3 —			28 2 2 —	1	1		 - -	23 2 —		8 1 —	3 - -	32 2 1	44 — 1 —	21 2 1	2 		267 25 15		2		4 -3 -
VIII. -defined and not specified causes	2183	155	13	31	347	68	153	255	61	35	32	8	58	101	41	292	53	14	114	113	115	124	_	12	971	993	191	9	7
Miasmatic Diseases. natlpox nickenpox easles hooping Cough yphus erebro-spinal Fever mple and ill-defined Fever	37 8 75 9 1 2	8 -5 1 - - 289	_ _ _ 113	53	1 3 5 — — —	 341	- 10 - - - 32	- - 7 - 1 2 2655			3 4 2 -					1 1 1 -		20 -1 - - - - 91	34 - - - - 554	4 1 2 - - - 107		 - - - - - - - -	2		7 3 32 2 — 3460	16 2 1 2	27 4 —		
nteric Feverfluenza	1535 14	239 2	97 1		· 86 2	112	15 4	_	_	_	119 1	213 1			=	95 —				159 1	115		2	5		52	70		5
Diarrhæal Diseases. olera arrhæa sentery	 4341 1530	 388 179	81 32				 195 90	 80 124	 25 54	 16 27	 312 23		74 32	- 108 81		 393 56		25 22	 190 14	— 403 184	 350 55		3	7 5	3201 616	908 799			1 -
Malarial Diseases. emittent Fever gue alarial Cachexia	419 235 353	50 5 33	26 — 5	1	4	5		220 201 14	10 - 5	1	6	1	1 1 1			25 — 28	-		- 5 - 6	2 10 7	3 - 17		1 1	3 1	88 20 70	211	3	3	-
Zoogenous Diseases. ydrophobia owpox and other effects of Vaccination	16 1	1	2	6	3		_			_	1	1	1		_	1	_		-		_		<u>-</u>	-	15]	-		
Venereal Diseases.	18	7	_		4		_		_	_	1 2	_	1	_	_	2	_	_	_		_	1			1 10			-	

Phagedæna 4 Erysipelas 62 Pyæmia, Septicæmia 15 Puerperal Fever 128 Parasitic Diseases 360 Worms (animal) 867 Dochmius Duodenalis 50 Dietetic Diseases	1 1 2 4 5 5 10 175 5	$ \begin{array}{c c} - & - & - \\ 1 & - & - \\ 3 & 5 \\ 16 & 5 \\ 57 & 69 \\ 1 \end{array} $	52 11	1 5 1 2 6	1 - 12 -	3 3 1 4 64	2	5	102 - 115 3 -	1 2 1 26 7 40	-	21 46	72 — 81 — 7 —	- 3 5 7		1 — 1 — 14 — 36 — 49	
Starvation, want of Breast Milk 68 Scurvy 1 § { Chronic Alcobolism 2	4 - 2 - 22		27 -4 		2 1 -		-	_ 15 	-	- -	4 	- -	10 - 1	1 -	9 55	3	
Rickets 13 Cancer 34 Tabes Mesenterica 4 Tubercular Meningitis (hydrocephalus) 11	7 2 3	_2 _5 			7 — —	4	$\begin{bmatrix} 2 \\ 2 \\ - \\ - \\ 2 \end{bmatrix}$			- -					3 7 23 9 3 —	3	
Phthisis Other forms of Tuber- culosis, Scrofula Anæmia, Chlorosis, Leu-	170	23 79	2 2	11 6	3 — —	96 6	33 12 2 —	3 -	30 -	4 12	14 18 4 4	57	35 4	8 64	7 3 5 136 6 6	1 - 5	2 1
cocythæmia 697 Diabetes Mellitus 24 Leprosy 32 Elephantiasis 70 Other and undefined Con-	145 7 22 - 2	54 77 2 — 1 — 1 — 1	51 2td		1 1	59 6 1 - 1 -		2 1 - 5		-	$ \begin{array}{c c} 20 & 39 \\ - & 2 \\ - & 16 & - \\ \end{array} $	8 -1 -	- -	1 2	0 9 5 4	40 — 4 — 2 — 9 —	
stitutional Diseases 6 Developmental Diseases. Premature Birth 190 Atelectasis 2 Cyanosis 3	39 2 1	- - - - - -	19 7		8 _ 1 _ 5	- -	6 — - —		7 -	2 _	80 - 80		_6 1	1 18	- 1	2 — 19 —	1
Spina Bifida	1 166		1 - 34 15			48 4	-					- - - - - - - - - -	_			 _ 41 _ 8	
Nervous System. Inflammation of Brain or its Membranes 7 Softening of Brain 1 Apoplexy 52 Paralysis 119 Epilepsy 24	5 1 7 34 4	1 - 12 19	•	2 1		10	4 _		_ -	26 2 3		 4		3	5 — 1 — 8 20 37 27	2 - 10 - 2 -	- 1
Convulsions 52 Infantile Convulsions 3026 Collapse 1 Tetanus 91 Mania 19 Paraplegia, diseases of the	363 - 28 4	$ \begin{array}{c cccc} & -1 & -1 \\ & 52 & 262 \\ & -1 & -1 \\ & 1 & 1 \end{array} $	$ \begin{array}{c cccc} 5 & - & 1 \\ -47 & 25 \\ -1 & - & - \\ 1 & 1 & 1 \end{array} $	2 1	50 29	$\begin{bmatrix} -1 \\ 349 \\ - \\ -5 \end{bmatrix}$	1 — 33 82 7 — 1 —	1 - 6 26 38 - 7	- -	, ,	$ \begin{array}{c cccc} & 1 & 1 \\ & 77 & 229 \\ & - & - \\ & - & - \\ & - & - \end{array} $	$\begin{bmatrix} 1 \\ -1 \\ 146 \\ -2 \\ -1 \end{bmatrix}$	$ \begin{array}{c cccc} 2 & 1 \\ 1 & - \\ 78 & 2 \\ - & - \\ 8 & 1 \\ 2 & - \\ \end{array} $	$\begin{bmatrix} 2 \\ 16 \\ - \\ 2 \end{bmatrix}$	5 5 - 51 52 759	1 - 1 - 7	-,
Spinal Cord 1		1 _					. _			<u> </u>	_ _				1 _		

Dec. 8, 1899]

PART I. — CEYLON

GOVERNMENT GAZETTE

GOVERNMENT

	,	P	WEST H	CE.	C Pi	ENTRA ROVING	AL, CE.		ORTHE			UTHE		EAST Provi		W	NORTH ESTEI COVING	RN	NORTH- CENT. PROV.	Uva Prov.	SABA GAMI PRO	UWA		Dкатн	s Amon	G ALL	RACE	s. ;	
CAUSE OF DEATH.	CEYLO'N.	Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya	Jaffna,	Mannar.	Mullaittivu.	Galle.	Matara,	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam,	Chilaw.	Anuradhapura.	Badulla,	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
Other and undefined diseases of Brain or Nervous System	56	22	1	6	4	_	2	1			10	1	1			1	1	1	1		-1		1		46	4		N .	
Organs of Special Sense. Conjunctivitis and other diseases of Eye Otitis and other diseases	2	_		_	1	_		_	_	-			-			_	_		_			1	_	_		2			
of Ear Epistaxis and other diseases of Nose Circulatory System.	6	-	_	1	_		-	_		 -	_ ,		_		_	 - 	_	_		_	 1	_	_	-	5	<i>-</i>		_	_
Pericarditis Valve disease of Heart Angina pectoris, Syncope Embolism, Thrombosis Varicose veins Other and undefined dis-	$-\frac{2}{89}$	- - - 17	-							_		- 8	 - - - - -	- 2	11111	 10	=	_ _ _ _	_ _ _ _ 9	- i 1	- - - 2				78	_ _ _ _ 6	1 -1 -4		
eases of Heart or Circulatory System	55	29	-	5	7	1	1	3	_	_	3	1		1	_		_		2	_	-	2	1	1	28	23	2	_	
Respiratory System. Laryngitis Croup Bronchitis Asthma Pneumonia Pleurisy Other and undefined diseases of Respiratory	6 2 124 73 518 4	2 44 9 76 1	6	4	4	1	2	15	1	1 19 19				 6 2 25 			_ - 1 14 -	2 - 3 4		 8 3 26 2	- 3 3 9	3 5 14	- - - 1	5 5 	4 43 45 111 2	2: 57 27 359	17 1 1 35	 	
System Digestive System. Stomatitis Quinsy Sore Throat Dyspepsia Hæmatemesis Melæna Diseases of Stomach Enteritis Ulceration of Intestines Laus Obstruction of In-	878 2 9 17 38 42 10 4	10 - 1 - 8 6 -		2 2 - 1 - 3 -	69	77 - - 2 - 2	33	4 - 6 8 1 - - 2		1 - 1		3 - - - 5 - - 1	1111	37 - - 3 - - - 1		265	24 - 1 - - - -	37	133	105	3 - - 4 - 3	49 — — — — 17 — 6		1 - - - - - - -	697 1 1 4 32 - 38 6	89 	90		

Table X.—Causes of Deaths, &c.—continued.

DEC. 8, 1899]	PART I	- CEYLON G	OVERN	GOVERNMENT	GAZETTE	TTE	- -	1	- 23
-			1	-	-	_		_	
`5		- - -	_		- -		21 1	37	_
5 5 3 38 8	5	1 14 - 2 1	2	1 4	5	2	17	5 9	1
10 20 5 30 62	2 2	9 12 10 1	26	6	7	8	347	225	_
		 - - - 		 I	_				
- - - 3									
- - 2 - 1 7		1	5	-	1	_	40 _	31	
3 5		- ₂	3	_	1	_	12	12	_
1 1 2 8	-	1 2 - -	3	- 1	_	1 22		4	
	_	<u>-</u>	_	_	_ 2		_	16	_
2 2 2 1				-	-	_	19	10	_
			_	_	_			15	_
- - - - - 1		1 2 - -		_		1 128		71	
		-		_	-	_	'	}	_
— — — — 5	 4			_	3	_	_	3.	
				_	1		1	2	_
_ _ _ 1 _ 5		- - -		2	2	1 8		5	
$\begin{bmatrix} -2\\ -3\\ -1\\ -6\\ 5 \end{bmatrix}$		1 1 1 1		1 —	 1	- 13	_	12	_
				_	_		_	2	-
2	_			ļ	_		_	1	_
	- 11			1 2	l	1 3	-	6	
	_			1	_		_	9	-
		1 1		-	_ 1	1 11		14	
3 -4		1 1 2 1 1	_	_		_ 14		53	1
2 1 9				-		_ 22	_	8	<u> </u>
1 2 - 2			•	_	3 2		-	10	_
2 - 1 10 3 9		6 10 1 -		1 3	1 2	4 25	2	37	_
17 25 9 77	2 8	11 28 10 3 4		.11	7 20	10 386	322	,	1
niver s of Liver defined dis-	Ductless nds. Lymphatic pleen Urinary	ase of Urine one) ladder odefined dis-	Organs of ation.	Uterus and	estes, Penis,	scarriage	undefined	Organs of	osis
Hernia Fistula Peritonitis Ascites Cirrhosis of Liv Other diseases Other and und eases of Digest	Diseases of L System and I Glane Diseases of System Diseases of Spl Diseases of Spl	System Nephritis Bright's Diseas Suppression of Calculus (Ston Diseases of Bla Other and und eases of Urina	Diseases of G Generat	Ovarian disease Diseases of U Vagina Disorders of	tion Diseas es of Tes Scrotum, &c.	Diseases of F Abortion, Misc Puerperal Conv	Placenta Præv ing Other and accidents of	Diseases of C	Caries, Necros Arthritis, Osti titis

GOVERNMENT

			ESTER		C _I	OVING	CE.	No: Pro	RTHE	RN CE.		OVING	RN CE	East Prov	ERN INCE	w	ORTH ESTE OVIN	RN	NORTH- CENT. PROV.	UVA PROV.		ARA- UWA ROV.	D	EATH	S AMO	NG AI	L RA	CES.	
CAUSE OF DEATH.	CEYLON.	Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaittivu.	Galle,	Matara,	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura	Badulla.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors,	Malays.	Others,
Diseases of Integumen- tary System. Carbuncle Phlegmon, Cellulitis Ulcer, Bed sore Eczema Other and undefined diseases of Integumentary	3 9 17	- 4 10 -	_					2			-		<u>-</u>	1111	1111				1 1 1			1			1 4 11	2 2 5			
System Accident or Negligence.	3,038	194	161	32	376	159	7	372	37	I	18	4	1)	135	22	828	20	57	202	20	119	263		1	2,292	41	201	2	1
Activent of Negligence. Fractures, Contusions Gunshot wounds Cut, Stab Burn, Scald Poison Drowning Suffocation Snake-bite Otherwise	139 23 4 37 8 93 1 44 43	12 1 - 5 1 8 - 1 4	5 3 - 1 5 - 4	- 3 -	1 - 8 2 11 - 1	- 1		8 - 3 1 20 - 4 2			19 - 1 - 6 - 1	11 -2 1 6 1	- 1 - 1 - 1	2 - - - 9 - 4 3	1111111	6 4 -4 -1 -6 2	- - - 1 2 - 1	3 3 3 1 1 1 1 1 1 1	1 - - - - - - 2	4 8 -6 -6 -6 -6 2	14 - 1 2 - 8 - 1 18	- 2 - 2 - 2 - 2	1	2	107 20 4 20 3 50 1 30 32	37 - 9		_	
Homicide. Murder, Manslaughter	33	6	2	7	1	1	1	2	_		2)	1	1	1	2		1		2		2			25	6	2		_
Suicide. Gun-shot wounds Poison Drowning Hanging Otherwise	1 3 6 21	- - 2 4	_ _ _ 1	2	1 1 - 4			- 3 -	_ _1 		_2	_ _ _ _ 1	 1	1111	_ _ _ 1		_ _ _ 1		1111	_ _ _ 1	 - - - -	_ _ _ 1			23 - 2 - 13	1 1 4 6	_		_ _ _ 2
Execution.	3	1		_	2	_		_					_	_		_	-		_	_	_	_		_	_				_
Ill-defined and not specified Causes. General Dropsy Debility Sudden deaths (causes unascertained) Abscess Tumour	967 1,151	32 114		14 16			32 121 —	155		. 8		3 5	13	93		218 71 1	16 26	4 8		25 86	8 106			2 10	464 470 1 8	401			

(4)

Table XI.—Causes of Deaths registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, and Colombo and Kalutara Districts, in the Western Province, for the First Quarter of 1899.

and Colombo an	u naiu									•		gam 1				Province.
Cause of Death.				ral I			-	Prov. of Uva.	~		~_				~	
		Kandy	7.	Mata	ıle.	Nuwa Eliya		Badulla	. R	atnapu	ıra.	Kegall	a.		.bo	Kalut ara.
ALL CAUSES	***	806	•••	265	•••	353	•••	231	•••	96	•••	361	•••	108	•••	118
I Specific, Febrile,	or Zv-				•		•				,					
motic diseases	•••	393		187				123		60	•••	200	•••	70	•••	66
II.—Parasitic diseases III.—Dietetic diseases	• • • • • • • • • • • • • • • • • • • •	18	•••					•	•••	1 ~	•••	8 9	•••	3	***	1
IV.—Constitutional dis	eases	38		_		_			•••	3	•••	9	•••	13	•••	3
VDevelopmental dis		17	4 6 4		• •••	15		6		3	٠.,	16			•••	4
VI.—Local diseases VII.—Violence	•••	126 13	•••	3 1 3		~		41	,	12 1	•••	54 2		16	•••	$\frac{23}{1}$
VIII Ill-defined and no	ot speci-	10	•••	J	•••	0	•••	4	•••		•••	2	•••		•••	•
fied causes	•	190		21	•••	105	•••	51	•••	16	•••	63	•••	6	•••	20
I.			,													
Miasmatic diseases Diarrhœal do.	•••	46	•••	50	• • •	15	•••	22	•••	4	•••	21	•••	10	•••	2
Diarrhœal do, Malarial do	***	298 40	•••	66 70	•••	124		93	•••	5 0	•••	145 33	•••	60	•••	<i>5</i> 3 10
Zoogenous do.	•••	1	•••		•••	1	•••	6	•••	5	•••		•••		•••	_
Venereal do.	•••	2	•••	ł	•••	_	•••				•••	1			•••	
Septic do.	•••	6	•••		•••	2	•••	2	•••	1	•••		•••		•••	1.
II.																
Parasitic diseases	•••`	18	••	2	. •:•	` 1	-**	3	•••	1	•••	8	•••	_	•••	1
Distratio disconn														_		
Dietetic diseases	•••	11	•••	3	•••	3	•••	I	•••		•••	9	•••	3	•••	
Course to at 1 N.	•															
Corstitutional diseases	•••	38	•••	5	•••	5		2	•••	3	•••	9	•••	13	•••	3
V.																
Developmental diseases	•••	17	•••	10	•••	15		6	•••	3	***	16	•••		•••	4
Diseases of—																
Nervous system		40.		10		20		,,		c		07		7		6
Organs of special sense	•••	40	•••	10	•••	. 22	•••	11	•••	6	•••	27 1	•••	7. —	•••	~
Circulatory system	•••	5				1	•••		•••		•••	2	•••		•••	3
Respiratory system Digestive system	•••	57	•••	15	•••	40	•••		•••	5	•••	14	•••	4	,•••	11
Lymphatic system and d	luctless	8	•••	3	***	6	•••	4	•••	I	•••	1	•••	I	•••	
_glands	•••		•••				• • •				***					
Urinary system Reproductive system:	•••	i	•••	_	:•	1	•••	. 1	•••		•••	1	•••		•••	
(a) Organs of ger	eration				- 4	ı	•••	•			•••		`		•••	1
(b) Parturition	•••	12	•••	3	•••	8	•••		• -		•••	.8		4	•••	· 1 . ·
Organs of locomotion Integumentary system	•••	1 1	•••	3	•••		•••		• • •		•••		•••		•••	1
· ·		1	•••	3	•••		•••		•••		•••		•••		•••	•
VII. Accident or negligence		10		9		2				,		2		_		1
Homicide	•••	1	•••	3	•••	ì	•••	4 .	• • •	I	***		•••		•••	
Suicide	•••	2	•••		•••		•••			- -					•••	
VIII.																
Ill-defined and not specified	causes	190	•••	21	•••	105	•••	51.	••	16	•••	63	•••	6	***	20
Miasmatic Diseases	•															
Smallpox Chickenpox	•••	1	•••	_	•••		•	4 .	•••		***				•••	
Measles	•••	3 4	• •	1	•••		•••	1.	•• '		•••		•••		•••	_
Diphtheria	•••		•••		•••		•••	 .			•••	 .	••	,	•••	
Simple and ill-defined Feve Enteric Fever		34	•••	49	***	15	•••	15 .	••		•••		••		•••	2
Influenza	•••	$rac{2}{2}$			•••		•••	1 .	••		•••		••		•••	
Diarrhæal Diseases.	•••	-	•••		•••		•••				-					
Cholera	***				•••		•••				•••	<u> </u>		<u>.</u>	•••	
Diarrhœa *	•••	125	•••	27		59	•••	59	••	27	•••		•••	47		25
Dysentery	• ••• .	173	•••	39	•••	65	•••	34	• •	23	***,	51 .	•••	13	• • •	28
Malarial Diseases.		_		_						_	•					,
Remittent Fever	•••	7 3	•••	$-\frac{2}{2}$		1	•••	$rac{2}{1}$.	••		•••	3	•••	•	•••	·
Malarial Cachexia	•••	0.0	•••	$6\tilde{6}$	•••		•••			4	•••	30	•••		•••	10
Zoogenous Diseases.			/													
Hydrophobia	•	1	• • •		err		•••		· · · ·		•••		•••	 ·		<u> </u>

Table XI.—Causes of Deaths, &c.—continued.

•	Tal				uses rovir		eath	s, &c . Prov	of			S'gar	nuwa.	We	stern	Province
Cause of Death.	Kar	ndy.		Iatal		Nuw: Eliy		Uv	7a. ulla.		apura.					Kalutara
· · · Venereal Diseases.						ыпу	a.									
Syphilis	•••	2	•••		•••	_	•••	-	•••		•••	1	•••		•••	
Gonorrhea, Stricture of Ureth	ra	_	•••	1	•••		•••	_	•••		•••		•••	_	•••	_
Septic Diseases. Phagedæna								_		1				_		
Phagedæna Erysipelas	•••		• • • •		•••		•••	2	•••		•••		•••		•••	-
Pyæmia, Septicæmia	•••	1	•••		•••	1	•••		•••		•••		•••	_	•••	
•	•••	5	•••		•••	1	•••		•••		•••		•••		•••	l
Parasitic Diseases. Worms (animal)		10						3				1				1
Darker Darker P.	•••	8	•••	2	•••	1	•••		•••	1	•••	7	•••	_	•••	<u> </u>
Dietetic Diseases.																
Starvation, want of breast-milk	•••	10	•••	3	•••	3	•••	1	•••	_	•••	9	•••	3	•••	
•	•••	1	***	_	•••	_	•••	_	•••		•••	_	•••	_	•••	
Constitutional Diseases. Rheumatism	•••	2		3	•••	1		_		. 1		1				
Cancer	•••	ĩ	•••		•••		•••	_	•••	_	•••		•••		•••	
Tubercular Meningitis (byd	ro-															,
TOLD A TOLD	•••	11	•••		•••	3	•••	_	•••	1	•••	4	•••	_	•••	$\frac{1}{2}$
Anæmia, Chlorosis, Leucocythæm		24	•••	ì	•••	1	•••	2	•••	i	•••	4	•••	13	•••	
Developmental Diseases.																
Premature Birth	•••	2	•••	1	•••	_	•••		•••	2	•••	3	•••		•••	1
OLD	•••	1 14	•••	9	•••	15	•••	6	•••	1	•••	13	•••		•••	<u> </u>
Nervous System.	•••	- =	•••	J	•••		•••	Ū	•••	•	•••		•••		•••	•
A	•••	4	•••	1	•••		•••		•••		•••	1	•••		•••	
	• • •	4	•••		•••	1	•••	_	•••	_	•••		•••		•••	
Olamitikan .	•••	2	•••	1	•••	1	•••		•••	_	•••	1	•••	1	•••	
T C		27	•••	7	•••	18		9	•••	5	•••	20	•••	6		6
	•••	2	•••		•••	2	•••	1	•••	1	•••	4	•••		•••	
Mania Paraplegia, diseases of the Spine	 al		•••	1	•••		•••		•••		•••		•••		•••	
Cord			•••		•••	_	•••		•••		•••		•••		•••	
Other and undefined diseases of Brain or Nervous System .		1										ı				
•	•••		•••	_	•••		•••		•••		•••	•	•••		•••	_
Organs of Special Sense. Conjunctivitis and other diseases	s															
. č. 17:	••	1	•••		•••		•••		•••		•••	1	•••			
Circulatory System.																
	•••		•••		•••		•••		•••		•••	_	•••	_	•••	_
Other and undefined diseases	of		•••		•••		•••		•••		•••		•••	_	•••	
Heart or Circulatory System.		5	•••	_	•••	1	•••	_	•••		•••	2	•••		•••	3
Respiratory System.																
Laryngitis	•••	—	•••	• 1	•••	-	•••		•••		•••	_	•••		•••	-
TS - 11.5.5	1	13	•••	4	•••	1 4	•••	6	•••		•••	_	•••	2	•••	i
4 17	•••	ì	•••		•••	$\dot{f 2}$	•••	_	•••	_	•••	1	···	_		i
		43	•••	10	•••	33	•••	17	•••	3	•••	12	•••	2	•••	9
Pleurisy Other and undefined diseases	of	-	•••	_	•••	_	•••	1	•••		•••		•••		•••	
D			•••	_	•••		•••	1	•••	_	***	1				_ `_
Digestive System.																
Sore Throat		_	•••	_			•••	_	•••		•••		•••		•••	
TT		1	••	2	•••		•••		•••		•••		•••		•••	_
Diamen of Stomach	·· -	_	• •	_	•••	_	•••	_	•••		•••			1	•••	
Enteritis	••	1	•••		•••			-	•••		•••		•••		•••	
	of		•••	_	•••	1	•••	3	•••	1	•••	_	•••		•••	
Tutastina	•••			_	•••						•••	_	•••		•••	-
Fistula	•••	_	•••		•••	_	•••	_	•••	_	•••	-:	•••		•••	
	•••	2	•••		• • • •	3	•••		•••		***	1	•••	_	•••	
Other diseases of Liver	•••	2	•••	1	•••	2	•••	_	•••	_	•••		•••	_	••••	-
Other and undefined diseases		2		_												
2-8	•••	_	•••	_	•••		•••	1	•••	_	•••		•••		•••	_
Diseases of Lymphatic System	3															
and Ductless Glands. Diseases of Spleen			•••				•••				•••					
Swanner at the tr									•••		***	•			•	

	Comment Death			C	entra	1 Pro	vince	,	Prov.		Provi	nce of	S'gan	ıuwa.	W	estern	Province.
	Cause of Death.		Kai	ndy.	Mat	ale.	Nuw Eliy		Uva. Badul		Ratna	oura.	Ke	galla.	Co	lombo.	Kalutara.
Nephritis Bright's D Calculus (Stone) undefined diseases	•••	- 1	•••		•••	- 1 -	•••	1	•••		•••	- - - 1			•••	-
Discases of	Organs of Genera	tion.															
Diseases o	f Uterus and Vac f Testes, Penis, S	gina	_	•••			1 -	.ń	_	•••	-	•••	_	• •••	_		1
Diseas	es of Parturition.																
Puerperal (Convulsions undefined accidents	s of	-	•••	 3	•••	8	•••		•••		•••	7	•••	4		1
Diseases of	Organs of Locomo																•
Caries, Nec		•••	1	•••		•••	_			•••			~~	•••		• • •	
Diseases of	Integumentary Sys	item.															
Ulcer, Bed Other and	• • •	•••	 1	•••	1 2	•••	_	•••	_	•••	_	•••	_		_	•••	1
	it or Negligence.	•••															
Fractures, C Gun-shot we Burn, Scald Poison Drowning Snake-bite Otherwise	Contusions ounds		2 3 1 3 1		- 1 - 1 - 1		- - - -	•••	$\frac{1}{2}$ $\frac{1}{1}$		1	•••	1			•••	1 - - - -
· H	omicide.												-				
Murder, Mai		•••	1			•••	1	•••		•••		•••	-	•••		•••	-
S	luicide.																
Hanging	***	•••	2	•••		•••		•••	-	•••		•••		•••	-	•••	
Ill-de fined an	d not specified Cau	ses.															
General Dro Debility Abscess Tumour Hæmorrhage	***	•••	37 150 1	•••	9 11 —	•••	23 82 —	•••	5 46 —	•••	14	•••	12 50 —	•••	4	***	6 14 —
Other ill-defi causes	ned and not specifi	ed	2		1			•••		•••		•••	1	•••	2	•••	_
20000	***	- + +	~	•••	-	***				•							

Table XII. - Causes of Deaths registered in the Colombo Municipality during the First Quarter of 1899.

	-						WA	RDS.							Nati	ONAL	ITIES	.
CAUSE	OF DEATH.	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.
to the second se	ALL CAUSES	11930	8	19	5 3	129	217	154	252	165	114	82	20	61	550	273	238	26
1.—Specific, I	Febrile, or Zymotic	1			-													
Diseases II.—Parasitic D III.—Dietetic Dis IV.—Constitution V.—Developmen VI.—Local Disea VII.—Violence VIII.—Ill-defined a	iseases seases nal Diseases ntal Diseases	354 31 3 139 128 426 18 94	-3 -1 -2 -1 -	7 - 3 4 5	9 2 7 31 4	36 3 - 12 22 42 1 13	65 3 -30 33 64 1 21	16 19 65 8	110 7 -28 4 72 10 21	30 12 1 22 13 68 3 16	53 - 9 18 47 - 7	17 4 16 8 30 2 4	-5 1 4 -9 1	22 2 - 7 4 20 - 6	153 17 1 78 52 206 7 36	101 4 1 27 26 82 4 28	60 8 -21 36 89 3 21	5 - 1 7 12 - 1
Miasmatic Diseases Diarrheal do. Malarial do. Zoogenous do. Venereal do. Septic do. II.—Parasitic Diseases IV—Constitutional V.—Developmenta	biseases	76 182 84 	1 1 1	1 6	2 4 2 - 1 - 2	- 11 25 - - - 3 - 12	25 34 5 — 1 3 — 30	$ \begin{array}{c} 6 \\ 12 \\ 25 \\ -1 \\ -2 \\ -16 \\ 16 \end{array} $	19 75 9 -4 3 .7 -28	4 20 4 — 2 12 1 22 13	10 19 4 — — — — 9	8 6 3 - - - 4 1 16	2 2 1 - - - 1 4	4 12 3 - 3 2 - 7 4	38 83 26 -4 2 17 1 78 52	11 53 35 — 1 1 4 1 27 26	15 27 17 — 1 8 — 21 36	4 - 1 - 1 1 7
V.—Developmenta V]		128	_	4	7	22	33	19	4	10	18	8	_	-	02	20	00	1
Diseases of Nervous Do. Organs of Do. Circulato Do. Respirate Do. Lymphat Ductles Do. Urinary & Do. Reproduc (a) O (b) P Do. Organs of	System f special sense ory System ory System System ic system and ss Glands System stive System:— rgans of Generation arturition Locomotion	205 26 110 32 2 13 4 17			14 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	27	41 - 1 13 5 - 1 - 2 - - 1 1 1 1 1 1	33 	14 	33 -8 17 5 -1 -3	26 3 13 -	16 - \$ 4 3	3 3 3	10 - 1 6 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	96 17 50 16 2 7	41 6 22 4	45 -1 26 5	4
VI Accident or Negliger Homicide Suicide	I	9 5 4			- -	- 1 -	l -	-	9 -	- - - 3	- - -] -	1 -	1 -	3 4	3 -	2 -	- - -
Execution	•••	-1	_ -		-	- -	- -	- -	- -		- -	- -	-	- -	- -	- -	- -	_ -
VIII-defined and not sp		94	_	_	4	13	21	8	21	16	7	4 _	-	6	36	28	21	1
Miasmatic Smallpox Chickenpox Measles Whooping Cough Mumps Diptheria Typhus Cerebro-spinal Fever Simple and ill-defined Enteric Fever Other Miasmatic disea	Diseases	5 - 1 - 1	1				2 - 1	3 -	1 -	1 3	0 -	6 -		3 1		7 4	1	4
holera Diarrhœa Dysentery	1	- 06 76		- 3 - 1	-	2 I 9 2		4 5 8 1				3 -	2 - 7				3	- -

^{*} Including six deaths (5 from smallpox and 1 from acute diarrhea) at the Infectious Diseases Hospital, Kanatta (outside th town), to which the patients were removed from the town.

Table XII .- Causes of Deaths, &c .- continued.

	Table	XII		ause	S OI	Deat	ins, c	vc	-com	nu	ea.		- ا					
	by.					W	ARDS.							NATI	ONAL	IT1E	3.	
CAUSE OF DRATH.	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar,	Maradana Hos- pitals.	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	others.
Malariul Diseases. mittent Fever gue alarial Cachexia	48 3 3 3	_ 1			18 -7	3 1 1	11 -14	2 1 6	3	- -	- - 2	- 1 -		13 2 11	21 - 14	11 — 6	_1	=
Zoogenous Diseases. y drophobia Venereal Diseases.	_	1	_	_	-		-	-	-		-	-	-				_	
7 Philis onorrheea, Stricture of Urethra	5	-	_	_	-	_	1	_4	_	1	-	1 1	_			-	_	
hagedæna rysipelas yæmia, Septicæmia uerperal Fever	1 2 2 2			 - -	1 1 1	_ _ _ 1		-1 -2 -	- 1		-	1111		1 1 -	_ _1 _	_ _ _ 1		
Parasitic Disenses. Vorms (animal) Pochmius Duodenalis Dietetic Diseases.	27 4	_	_		_3	3	_2	3 4	12	_	4	- 1	- 2	16	2 2	7	_	_
tarvation, want of breast-milk temperance: Chronic Alcoholism Constitutional Diseases.	1 2		_	_		_	_	_	_ 1	_	- 1	1	_	-1	_1	_	_	=
lancer labes Mesenterica lubercular Meningitis (hydrocephalus) lithísis liter forms of Tuberculosis Scrofula libertes Mellitus libetes Mellitus libetes and undefined Constitutional liseases	100 2 14 4		- - - - - - - - - -	- 2	9 1 1	2 20 20 -6	- 2 - 8 - 3 1 1 -	1 22 - 1 1 2 2 1 2	19	1 - - - - - -	12	3	- - - - - 1 - 1	- 3 2 2 56 1 9 1 1	- 1 22 1 - 1 1 - 1 1 - 1	- - - 12 - 4 2 1		
Developmental Diseases. remature Birth telegtasis yanosis ther Congenital Defects Id Age	1	=	- - - 4	3 - - - 4	=	_ ₁		3 - - 1	3 - - - 9		3 - - - 5		- - - 3	15 - 1 1 35	8 1 — 17	14		
Nervous System. flammation of Brain or its Membranes iftening of Brain	177 160 2 151 26			133					- 6 - 10 15		12		8 1	3 1 5 7 1 69 9	33 6	2 -1 1 -36 5	- l - l - 4 2 - l - l - l - l - l - l - l - l - l -	- 3

Table XII - Canses of Deaths, &c - continued.

	lable	XII.	—Ca	uses	of I)eath	s, &	G: — (conti	nuea	· .		····	حيد ني				1
	Α.					WAR	DS.		*					NATI	ONAI	JTIE	3.	
CAUSE OF DEATH.	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena,	New Bazaar.	Maradana Hos- pitals,	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others
Circulatory System.									}			1						1
Anginapectoris, Syncope Varicose veins Other and undefined diseases of Hear or Circulatory System	(]	-	= 2	_ _ 1	-	-	11 1	- - 8	8	1	3	_ _ 1	- I	17	- 1 5			-
Respiratory System.									١.		_		_	1	_		_	
Pleurisy Other and undefined diseases of Respire	35 1 66	- - 2	- - 1 -	- - 4 - 3	3 -3 -		10 - 11 -	16 —	12	5 1 6 1	-4 		3 -3 -	13 1 34 1	16 - 2	14 -8 -	-3 -	-
Digestive System.																}		1
Diseases of Stomach Enteritis	6					3				1 1 1 1 1				5 3	- 1 - 1	1 2 -		
Peritonitis					_	1 1 1	-	1 1 5			_ 2 _			3	- 2 1			
Diseases of Lymphatic System and Duciless Glands. Disease of the Lymphatic System Diseases of Urinary System.	. 2	_	_	_	_			2		-	-	-	-	2	-	-		-
Nephritis	. 10		=	_	- -	 - 	1	1 4 1	- 1 -	_ _1	- 1	- -	=	2 5 -	3		=	-l -
Diseases of Organs of Generation. Ovarian Diseases Diseases of Uterus and Vagina Diseases of Parturition.	1	_	_		_	_	-		_		-1	-	1	1	-)	_	_	
Abortion, Miscarriage Puerperal Convulsions	12	-		_ _ _ 1	- 1 - 2	_ _ _	 1	1 1 1		-2 -	- - -	- -	-	- i - i - 5	_' '	1 1 5	- - -	111
Diseases of Integumentary System. Phlegmon, Cellulitis Ulcer, Bed sore Other and undefined diseases of Integumentary System		-	-	-1	- ₁			4 3 2	1	_ _ 1	 	_	- -	1 4 5	1	1		
Accident or Negligence.		_						3	_	_		_	_	_	1			-
Burn, Scald Drowning Otherwise Homicide.	1 4	1	-	=	 	- - -	_	2 3		_				-1 2 4	-1 1	-	= -	
Murder, Manslaughter Suicide. Drowning Hanging	2	_		-		_	-	~ ~	2 1	_	₁	=	_	_	_			-
Ill-defined and not specified Causes. General Dropsy	. 88	-		 - -	13	2 18 1		21 —	16	2 5	1 3 —	-		35	3 25 —	19		

				ļ				40 1	<u> </u>				·						A	GES																			
Province, District, and Nationality.	Persons.	Males.	Females.	One Week	and under.	Three Months and	under.	Between Three Months and	unuer one rea	1 year and under 2.		2 years and under 3.		o years and under 4.	t years and	under 5.	5 years and	under 10.	10 years and under 15.	15	under 20.	20 years and	under 25.	25 years and	aract 99.	35 years and	under 49.	45 years and under 55.		b5 years and under 65.	65 years and	under 75.	75 years and	100000000000000000000000000000000000000	so years and under 95.	95 years and	100 room	& upwards.	Age not Stated.
Moors Malays Others	116 19860 10331 2232 74 50	9721 5103 1142 33 34	10139 5228 1090 41 16	1403 515 175 2 3	388 131 5 4	M 1 6 944 308 113 2 1	303 87 1 1	7 649 316 78 4	2 8 714 5 320 2 97 7	31 3 71 5 -	8 79 58 43 23 98 7 6	1 - 3 30 63 32 23 70 8	3 58 55 91 21 80 5	1 728 1 728 1 226 1 4	0 121 1 34 1 1 1 —	165 30 1	319 74 4 1	4 674 410 57 2 -	1	18 22 28 20 29 3	2 1 3 1 6 241 8 158 1 38	1 2 1 266 3 185 3 35 3 7	4 484 203 52 - 1	6 7 651 476 59 1 8	F 2 2 844 578 104 2 -	4 631 511 89 1 6	436 58 2 2	4 546 5 395 3 61 2 2	3 29 45 54 3 2	4	58 396 19 213 37 36 2	3 323 3 240 3 41 3 41	1 6 353 3 198 1 38 3	2 42 13 83 5 28 1 1 - 2 -	H F 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	40 6 2 1	1 -	4 F	M F 3 4 5 1
Western. Colombo. Europeans Burghers Sinhalese Tamils Moors Malays Others Total Kalutara Europeans Burghers Sinhalese Tamils Moors	2408 417 272 272 273 26 3236	1166 24(137 1166 24(137 117 117 117 117 117 117 117 117 117	2 1244 17 13 1 1 1 1 10 160	3 - 5 2 110 7 28 5 26 6 - 1 6 169 3 - 3 4 - 3	3 86 19 16 1 1 1 126	114 114 11 19 149 1 149	112 14 14 14 1 1 1 1 142	-6661 6154 821 2111	- 5 62 8 17 3 -	4 70 3 9 1	5 64 5 9 1	2 68 2 3 - 75	2 64 6	18 6 5 6	9 23 22 3 3 3 	3 45 3 3 3 1 — I 50	- 66 4 1 1 76 - 35	3 85 14 7	1 29 14 2 - 46	30 3 8 1 4	2 1 31 3 18 4 56 4 	1 2 1 1 5 3 42 3 17 3 8 1 5	2 62 8 6 78 78 22 33	4 5 80 37 7 -6 139 -	1 2 118 34 13 1 — 169 — 41 15	4 2 89 31 4 - 3 133 - 36 6	70 20 8 1	4 1 84 24 6 -	1 70 13 5 1 -	2 1 71 25 13 2 -	95 8.	1 2 8 56 6 5 8 10 1 2 4 76	1 2 66 8 6 2 - 85 - 1 31 2	83 3 8 1 - 1 -	333 29 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	6	12 3 - 15 - 1 3	7 9 1 7 10 1 1	9 5
Tamils Moors Malays Others Total Central Kandy. Europeans	8	3 38 4 78 4 74 4	1 33 35 4 5 5 1 - 34 4 4 3 7	2 6 34 7 1 – 40 6	66 4 2 1 - 59 5	9 3 4 1 - 4 3	33 4	6 14 11	25	13 1	2 17 1 —————————————————————————————————	18	20 4	16	19 1	14 23	4 25	30 2 2 33	12 12 12 12 11 —		9 1 - 1	8 1 1 9 1 23 1	9 12	15 6	37 6 1 - 44	36 5 1 - 1 43	3 - 27	26 3 - - 29	26 	32 4 - 36	25 1	26 2	1 20 1 1 1 1 23 1 23 2 2 2 2 2 2 2 2 2 2 2 2	13 1	7 1	9 1 1	2 1 1 1 4		
Tamils Moors Malays Others	9	86 5 62 13 3	34 4 90 7 1	52	16 1	39 3 12 1 -	33 3	56 54 52 11 8 — — — — — — — — — — — — — — — — — — —	8 1	7 8 1 — 1 —			51 21 2 - 74		14	8 2 -	3 29	9 3		36 2 - -	25 4	20 2	2 -		68	76	58 6 - 1	5 1	37 6 —	51 36 5 - - 92	16 1	6	9 24 7 8 3 5 1 — 0 39	2 -	4	8 5 4 — 1 — 4 5			1

EC. 8, 1899]

PART I. — CEYLON

GOVERNMEN'I

GAZETTE

										3	able	XI	(I.—	Dea	ths	of M	ales	an	d Fe	ma	les a	it á	iffer	ent	Peri	ods,	&c	-con	tini	ied.				-								-
	A	LL A	GES.	1																A	GES	AT I)EAT	н.																		
Province, District, and Nationality.	Domona	T CE SOTTO	Males.	Females.	One Werk	and under.	Three Months and	under.	Between Three	urder One Year,	1 year and	under z.	2 years and	2 vonre and	under 4.	4 years and	under 5.	5 years and under 10.		10 years and under 15.		15 years and under 20.	20 years and	under 25.	25 years and	arant on	35 years and under 45.		40 years and under 55.		55 years and nnder 65.	65 years and	under 75.	75 years and	under 85.	85 years and		95 years and under 100.	100 years	& upwarus.	Age not stated.	
Matale. Europeans Burghers Sinhalese Tamils Malays.	9	2 182 164 89	1 493 217 41	1 489 147 48	M - 72 5 2	5 5		F	M	F 1 -41 3 2	- 21 5 2	- 39 6 5	6	- 23 4 2 6	1 39 4 3 2 2	25 1	30 5	5	38 1	2 7 3	17	11 11 11 11 2 -	3 14 3 14 - 2	20 9 1	29 45 1	36 25 4	41 3	28 3	2 9 4	27 3	1 - 39 18 17 8 4 4	8 7 1 1		6 2	1 11 11 2		5	2 3	M -	F	I F	
Total .	14	138	752	6 86	79	71	45	50	43	47	28	50	31	31 4	7 44	26	35	55	50 3	2	25	31 2	30	30	75	65	79	54 5	5	41 (30	23	14	8	15	2	5	2 3				- }'
		6	175 186 5 366	180 179 1 360	14 21 —		1	_		3	17 4 —	10 7 1 18	14 4 - 18		7 21 5 3 - 2 24		3	9	8 1	1 -	}	3 -	7 3 5 7 8	11	29	- 	_ -	20	1 -	10	11 10 5 1 -	9 -	6	3	8	1 1 - 2	- 1	1 - 2 1 2				
Northern.												1													1											-						
3.5	}	2 2 953 32	1 1 2189 9	1 1 2764 23		1 180 1 1			 188 1		_ 129 _	 193 1	139	68 10	- 05 138 1 1	69	107	72 2	- 1 38 1	69	90	58	58 40			15		$\begin{bmatrix} - & - & - \\ -66 & 1 \\ 2 & - \end{bmatrix}$		96 1	1 - 61 21 -	3 13	1 - 0 1 92 1			39	58	4 7				
Total .	49	289	200	2789	251	182	146	134	189	192	129	194	141	69 10	об г з е	70	108	72 2	40	б 9	90	59	59 49	77	88 2	18	127 1	68 I	40 1	9 6 1	62 21	3 13	1 193	137	148	39	61	4 7		I .		
Moors Others		2 295 155 1 453	2 156 72 1	139 83 	18 -	5 11	13	4		14	4		5	1 11	2 2 2 4	2 3	2	-4 5 9	-5 2 -7	2 2 2 4		6 2 - 8	8 8 2 10 0		1 15 15 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	16 5	1 20 5	9	- 12 4 -	7 4 -	13	8 3	_	5 3			1 -			-		
Mullaittivu, Sinhalese Tamils Moors		9 210 12	6 112 8	98 4			1 - 5	3 _	3 -	3	1 7 2	- 8 1	4	8	4	1	3	1 6 2	5 -	-5	1 1	5	4	2 7	7 10	11	1 7 2 -	1 8	1 - 11 -		8	3	5 1		1	1	1 -					

DEC.

1899]

PART

CEYLON

GOVERNMENT

À

AZETTE

٦.		
Ď.		
~		
•		
•		
,		
4		
•		
4		
5		
7		
2		
٠,		
-		
3		
3		

				2				Tal	ole X	III.	D	eath	s of	Ma	les a	nd l	Fem	ales	at	diffe	ent	Per	iods,	&c.—	-cont	tinue	ed.											
	AL	L AG	es.																AGE	SAT		ATH.												ī	,-	~	ì	
Province, District, and Nationality.	Persons.	Males.	Females.	One Week	and under.	Three Months and	under.	Between Three Months and	under one Year,	1 year and	nuner 7.	2 years and under 3.	3 years and	under	4 years and under 5.	one steer o	under 10.	10 years and	under 15.	15 years and under 20.	20 vears and	under 25.	25 years and under 35.	35 years and	under 45.	45 years and	under 55.	55 years and under 65.	100	under 75.	75 years and	under 85.	85 years and under 95.	95 years and	under 100.	100 years	Age not	stated.
Puttalam. Burghers Sinbalese Tamils Moors Others	3 158 134 155 4	1 68 75 76	2 90 59 79 3	M 8 13 18	F 6 6 17 1	M 1 3 1 6	F 5 5 6 —	M -11 -10 -	F 16 4 6	M -6 3 4	F 8 3 6	1	M 6 3 4 1 4 1	F 2 2 1 -			F 4	M 1 2 -	$\frac{\mathbf{F}}{2}$	2	M 1 2 3 2 2 2	5 7	M F 13 7 6 11 1 -	14	-	M 7 13 4	F 1 6 3 7 1	M 4 6 3 -	F M	$\begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$	M 1 — 1 2 1 2 1 3	1 1	M F	M —	F .	M F	M	F
Total	454	22 I	233	3 9	30	11	16	25	26	13	17	10 1	4 5	5	1	3	5 7	3	3	5	6 6	18	25 31	24	22	24	18	13	9	5	6	3	1	2 —			-	_
Chilaw. Burghers Sinhalese Tamils Moors Malays	64 46	216 32 24 3	1 228 32 22	39 5 1	1 19 1 • 3		- 15 2 1 -	13 2 2 2	- 18 5 1	- 13 - 4 -	16 7 1	11 1	± + 1 1 1	14 1 -	4	_ :	9 17 1 2 1	2 1	-7 -1		7 4 1 1 1 2	2	13 17 5 4 2 3 1 —	20 4 3	3			18 2 —	-6 1 -	- 1	7 6		2 1 1	1 1		1 -		
Total North-Central	558	275	283	45	24	29	18	17	24	17	24	12 1	5 5	15	4	4 I	2 20	6	. 8	5	9 7	22	21 24	27	27	23	23	20	7	13	8 6	9	4	1 1	I	1 -		
Anuradhapura. Sinhalese Tamils Moors	1178 151	83	604 68 100	84 8 11	74 2 10	52 4 4	7	53 5 4	71 7 12	33 4 15	7	49 4 4 1 12 1	1 6		20	2	$_2$:	1 12 3 2 1 3	1	10 1	4 17 - 1 7 4	2	49 50 13 10 3 7	16	3	9	30 4 2	5	17 5 2	2	8 12 1 — 1 —	8		2 1	2		1	
Total Uva.	1529	757	772	103	86	60	56	62	90	52	70	65 6	3 50	57	23	25 3	7 4	1 17	9	15 2	1 22	59	65 6	64	42	45	36	44	24	15 1	0 12	8	5	4 I	3	_	r	
Badulla. Burghers Sinhalese Tamils Moors Malays Others	288 57	161 37 1	 645 127 20 2 	71 8 3 -	12	-66 7 4	6	-61 8 2	53 5 - -	38 3 - -	38 8 4 2	5	6 40 8 3 1		1 29 4	25 4 3 — —	8	6 17 7 11 4 3	10	15	01 13 8 10 1 3	3	51 48 22 24 3 —		17			9	34 1 1	22 2 2 1 -	0 18 3 3 - 3 1 -	2			- 4 - 1		5	
Total	1673	879	794	83	88	77	62	71	58	41	52	43 4	4 44	74	34	28 5	6	7 31	22	32 3	30 30	30	76 6	71	43	65	38	62	39	25 2	3 25	17	9	3 3	5	- -	- 5	2
Ratnapura. Europeans Sinhalese Tamils Moors Others	1 1113 150	91	574 59 5	- 92 3 -	89 3 1	- 61 1	2		34 ŏ	1			37 35 2	38	24 6 1	2	2 4		12 7	6	1 2	-,,	36 38 14 10 2 -		8	18 6 1			26 2 -	22 1	9 27 3			7 3	4			
Total	. 1279	641	638	95	93	63	66	25	39	26	25	36 3	9 41	39	31	43 4	9 4	8 22	19	20 1	2 1	3 25	52 48	37	37	25	30	39	28	22 2	2 30	13	12	8 3	4		1-1	
Kegalla. Burghers Sinhalese Tamils Moors Malays Others	68	196	589 189 37 1		92 5 5 -	66 9 3 —		24 6 4 —	20 7 2 -	 	$\frac{-}{25}$	1 - 26 4 5 2	7 30 7 9 4 1	47	_ -	19 3 9 1	34 4:2 1:2	6 18	17 15 2 -	6 11	4 10 9 13	24	19 47 20 34 3 -	31	25 25 25		20 10 1 -	21		-1		19		9 3 1	3 1 2	1 -		
Total	1572	755	817	145	102	78	83	34	29	25	32	34 5	9 40	56	22	29 4	8 6	27	34	17 2	3 24	38	42 84	73	52	42	32	29	40	31 1	9 26	24	13 [0 3	6			

GEORGE J. A. SKEEN, GOVERNMENT PRINTER, COLOMBO, CEYLON.